



Recommended Workspace Solutions

37.5 SF (Hoteling)


Base Requirements from RFP (no requirements listed)

Solution provides

- 90 linear inches of worksurface
- Task lighting
- Mobile ped w/ cushion top
- Articulating key board tray
- Tackable surface
- Marker board
- Paper management tray
- Task chair

Two (2) 56 sf workstations equals three (3) 37.5 sf hoteling workstations.

TYPICAL SYSTEMS FURNITURE: 37.5 SF HOTELING STATION	
PANELS	
SYMBOL	DESCRIPTION
42 GS	42" HIGH PANEL W/ GLASS STACKER
WORKSURFACES	
SYMBOL	DESCRIPTION
21 P	21"D x 7'-3"W P-SHAPED WORKSURFACE
STORAGE	
SYMBOL	DESCRIPTION
A	MOBILE PED W/ CUSHION TOP
SEATING	
SYMBOL	DESCRIPTION
I	(1) TASK CHAIR
ACCESSORIES	
SYMBOL	DESCRIPTION
AKB	ARTICULATING KEY BOARD TRAY
B	TACKABLE SURFACE
C	MARKER BOARD
D	PAPER MANAGEMENT
K	TASK LIGHTING
O	PAPER MANAGEMENT TRAYS, SORTERS
P	RECYCLING BIN



Recommended Workspace Solutions




56 SF

Plan

Base Requirements from RFP

Solution provides

- At least 96 linear inches of work surface
138-198 linear inches
- At least 72 linear inches of storage space
72+ inches, depending on system
- Task lighting (fixed/movable and adjustable)
Panel mounted w/ articulating arm
- Lift-assist mechanisms to open and close overhead storage
N/A- No overheads provided
- One mobile pedestal with cushion tops; one box drawer and one file drawer
Meets requirement
- One mobile pedestal with two files drawers
Provided in tower, not mobile
- Pencil drawer
Meets requirement
- Articulated/ergonomic key-board tray
Meets requirement
- All locking devices within the station will be key-alike
Meets requirement
- Task chair (medium back)
Meets requirement
- Systems should be non-handed or modular
Meets requirement
- One wardrobe cabinet
Provided in tower





TYPICAL SYSTEMS FURNITURE: 56 SF WORKSTATION	
PANELS	
SYMBOL	DESCRIPTION
42 GS	42" HIGH PANEL W/ GLASS STACKER
54 GS	54" HIGH PANEL W/ GLASS STACKER
54	54" HIGH PANEL
WORKSURFACES	
SYMBOL	DESCRIPTION
15 S	15"D x 7'-0"W WORKSURFACE WITH LOW SHELF
15	15"D x 2'-7"W WORKSURFACE
21 P	21"D x 7'-3"W P-SHAPED WORKSURFACE
STORAGE	
SYMBOL	DESCRIPTION
A	MOBILE PED W/ CUSHION TOP
F	54" HIGH PERSONAL STORAGE TOWER
G	2 DRAWER LATERAL FILE
SEATING	
SYMBOL	DESCRIPTION
I	(1) TASK CHAIR
ACCESSORIES	
SYMBOL	DESCRIPTION
AKB	ARTICULATING KEY BOARD TRAY
B	TACKABLE SURFACE
C	MARKER BOARD
D	PAPER MANAGEMENT
E	PENCIL DRAWER
K	TASK LIGHTING
O	PAPER MANAGEMENT TRAYS, SORTERS
P	RECYCLING BIN



Recommended Workspace Solutions

56 SF

Elevations and Isometric Views






Recommended Workspace Solutions

84 SF Plan

Base Requirements

Solution provides

- At least 96 linear inches of work surface
204 linear inches
- At least 96 linear inches of storage space
144 linear inches
- Task lighting (fixed/movable and adjustable)
Panel mounted w/ articulating arm
- Lift Assist mechanisms to open and close over-head storage
N/A-No overheads provided
- One mobile pedestal with cushion tops; one box drawer and one file drawer
Meets requirement
- One mobile pedestal with two files drawers
Provided in tower, not mobile
- Pencil drawer
Meets requirement
- Articulated/ergonomic key-board tray
Meets requirement
- All locking devices within the station will be key-alike
Meets requirement
- Task chair (medium back)
Meets requirement
- Systems should be non-handed or modular
Meets requirement
- One guest chair
Meets requirement
- One wardrobe cabinet
Provided in tower






TYPICAL SYSTEMS FURNITURE: 84 SF WORKSTATION	
PANELS	
SYMBOL	DESCRIPTION
42 GS	42" HIGH PANEL W/ GLASS STACKER
54 GS	54" HIGH PANEL W/ GLASS STACKER
54	54" HIGH PANEL
WORKSURFACES	
SYMBOL	DESCRIPTION
15	15"D x 3'-6"W WORKSURFACE
30 P	30"D x 5'-6"W P-SHAPED WORKSURFACE
21 A	21"D x 10'-6"W WORKSURFACE
STORAGE	
SYMBOL	DESCRIPTION
A	MOBILE PED W/ CUSHION TOP
F	54" HIGH PERSONAL STORAGE TOWER
G	2 DRAWER LATERAL FILE
H	BOOKCASE
SEATING	
SYMBOL	DESCRIPTION
I	(1) TASK CHAIR
L	(1) GUEST CHAIR
ACCESSORIES	
SYMBOL	DESCRIPTION
AKB	ARTICULATING KEY BOARD TRAY
B	TACKABLE SURFACE
C	MARKER BOARD
D	PAPER MANAGEMENT
E	PENCIL DRAWER
K	TASK LIGHTING
O	PAPER MANAGEMENT TRAYS, SORTERS
P	RECYCLING BIN



Recommended Workspace Solutions

84 SF

Elevations and Isometric Views






Recommended Workspace Solutions

100 SF Plan

Base Requirements

Solution provides

- One desk with return and credenza or U-shaped desk
Meets requirement
- At least 72 linear inches of overhead storage space with tackable surface between overhead storage and work surface
96 linear inches
- Task lighting (fixed/movable and adjustable)
Meets requirement
- Lift-assist mechanisms to open and close overhead storage
Meets requirement
- One mobile pedestal with cushion tops; one box drawer and one file drawer
Meets requirement
- One mobile pedestal with two file drawers
Provided in tower, not mobile
- Pencil drawer
Provided in pedestal
- Articulated/ergonomic key-board tray
Meets requirement
- Wardrobe/Storage cabinet
Provided in tower
- One 4-5 drawer lateral file
2 high lateral file and tower
- All locking devices within the private office will be key-alike
Meets requirement
- Executive high back chair
Meets requirement
- Meeting table top could be table or peninsula ("P") top
Mobile table
- Two guest chairs
Meets requirement



TYPICAL CASEGOODS*:100 SF PRIVATE OFFICE	
WORKSURFACES	
SYMBOL	DESCRIPTION
24	(2) 24" D x 8'-0"W WORKSURFACES (RETURN AND CREDENZA)
J	MOBILE TABLE (DESK)
STORAGE	
SYMBOL	DESCRIPTION
A	MOBILE PED W/ CUSHION TOP
F	54" HIGH PERSONAL STORAGE TOWER
G	2 DRAWER LATERAL FILE
H	BOOKCASE
M	OVERHEAD STORAGE
SEATING	
SYMBOL	DESCRIPTION
I	(1) EXECUTIVE HIGH BACK CHAIR
L	(2) GUEST CHAIRS
ACCESSORIES	
SYMBOL	DESCRIPTION
AKB	ARTICULATING KEY BOARD TRAY
B	TACKABLE SURFACE
C	MARKER BOARD
D	PAPER MANAGEMENT
E	PENCIL DRAWER
K	TASK LIGHTING
O	PAPER MANAGEMENT TRAYS, SORTERS
P	RECYCLING BIN

*WITH OPTION FOR PANEL HUNG




Recommended Workspace Solutions

140 SF Plan

Base Requirements

Solution provides

- One desk with return and credenza or U-shaped desk
Meets requirement
- At least 72 linear inches of overhead storage space with tackable surface between overhead storage and work surface.
96 linear inches
- An additional 36 inches of storage space is required.
60 linear inches
- Lift-assist mechanisms to open and close over-head storage.
Meets requirement
- One mobile pedestal with cushion tops; one box drawer and one file drawer
Meets requirement
- One mobile pedestal with two files drawers
Provided in tower
- Task lighting (fixed/movable and adjustable)
Meets requirement
- Pencil drawer
Provided in pedestal
- Articulated/ergonomic key-board tray
Meets requirement
- Wardrobe/storage cabinet
Provided in tower
- One 4-5 drawer lateral file
Bookcase and 2 high lateral file
- All locking devices within the private office will be key-alike
Meets requirement
- Executive high back chair
Meets requirement
- Meeting table top could be table or peninsula ("P") top
Mobile table
- Two guest chairs
Meets requirement



TYPICAL CASEGOODS*:140 SF PRIVATE OFFICE	
WORKSURFACES	
SYMBOL	DESCRIPTION
24	24"D x 8'-0"W WORKSURFACE (CREDENZA)
24A	24"D x 11'-8"W WORKSURFACE (RETURN)
J	MOBILE TABLE (DESK)
STORAGE	
SYMBOL	DESCRIPTION
A	MOBILE PED W/ CUSHION TOP
F	54" HIGH PERSONAL STORAGE TOWER
G	(2) 2 DRAWER LATERAL FILES
H	BOOKCASE
M	OVERHEAD STORAGE
SEATING	
SYMBOL	DESCRIPTION
I	(1) EXECUTIVE HIGH BACK CHAIR
L	(2) GUEST CHAIRS
ACCESSORIES	
SYMBOL	DESCRIPTION
AKB	ARTICULATING KEY BOARD TRAY
B	TACKABLE SURFACE
C	MARKER BOARD
D	PAPER MANAGEMENT
E	PENCIL DRAWER
K	TASK LIGHTING
O	PAPER MANAGEMENT TRAYS, SORTERS
P	RECYCLING BIN




*WITH OPTION FOR PANEL HUNG



Recommended Workspace Solutions

100 and 140 SF

Elevation and Isometric Views






Recommended Workspace Solutions Private Office, P-3 (300 sf)

Base Requirements

Solution provides

- One desk with return and credenza or U-shaped desk
Meets requirement
- At least 96 linear inches of overhead storage space with tackable surface between overhead storage and work surface
96-192 linear inches
- Task lighting (fixed/movable and adjustable)
Meets requirement
- Lift-assist mechanisms to open and close overhead storage
N/A
- Pencil drawer
Provided in desk
- Articulated/ergonomic key-board tray
Meets requirement
- One bookcase
Meets requirement
- Wardrobe/storage cabinet
Meets requirement
- One 4-5 drawer lateral file
Meets requirement
- All locking devices within the private office will be key-alike
Meets requirement
- Executive high back chair
Meets requirement
- Four person meeting table
Meets requirement
- Four guest chairs
Meets requirement



TYPICAL CASEGOODS*:300 SF PRIVATE OFFICE	
WORKSURFACES	
SYMBOL	DESCRIPTION
42	42"D x 7'-0"W WORKSURFACE (DESK)
24A	24"D x 5'-9"W WORKSURFACE (RETURN)
24	24"D x 8'-0"W WORKSURFACE (CREDENZA)
R	42" DIA. MEETING TABLE
STORAGE	
SYMBOL	DESCRIPTION
A	(2) Box/Box/File pedestals
F	54" HIGH PERSONAL STORAGE TOWER
G	2 DRAWER LATERAL FILE
H	BOOKCASE
M	OVERHEAD STORAGE
Q	4 DRAWER LATERAL FILE
SEATING	
SYMBOL	DESCRIPTION
I	(1) EXECUTIVE HIGH BACK CHAIR
L	(4) GUEST CHAIRS
ACCESSORIES	
SYMBOL	DESCRIPTION
AKB	ARTICULATING KEY BOARD TRAY
B	TACKABLE SURFACE
C	MARKER BOARD
D	PAPER MANAGEMENT
E	PENCIL DRAWER
K	TASK LIGHTING
O	PAPER MANAGEMENT TRAYS, SORTERS
P	RECYCLING BIN

*WITH OPTION FOR PANEL HUNG




Recommended Workspace Solutions Private Office, P-2 & P-1 (400 & 600 sf)

Base Requirements

Solution provides

- One desk **Meets requirement**
- One credenza **Meets requirement**
- One return **Meets requirement**
- At least 96 linear inches of overhead storage space w/ tackable surface below **96-192 linear inches**
- Task lighting (fixed/movable and adjustable) **Meets requirement**
- Lift-assist mechanisms to open and close over-head storage **N/A**
- Pencil drawer **Provided in desk**
- Articulated/ergonomic key-board tray **Meets requirement**
- Two bookcases **Meets requirement**
- Wardrobe/storage cabinet **Meets requirement**
- One 4-5 drawer lateral file **Meets requirement**
- All locking devices within the private office will be key-alike **Meets requirement**
- Executive high back chair **Meets requirement**
- Four person meeting table **Meets requirement**
- Four guest chairs **Meets requirement**



Note:

Private Office P-1 requirements call for an 8- 10 person meeting table in place of the 4 person meeting table. (Not shown here.) P-1 offices also have a credenza and tv cabinet.

TYPICAL CASEGOODS:600 SF PRIVATE OFFICE

WORKSURFACES	
SYMBOL	DESCRIPTION
42	42"D x 7'-0"W DESK
24A	24"D x 5'-0"W RETURN
24	24"D x 8'-0"W CRENDENZA
R	8 PERSON MEETING TABLE
U	(2) 18" DIA. SIDE TABLE
STORAGE	
SYMBOL	DESCRIPTION
A	(2) Box/Box/File pedestals
F	(2) 54" HIGH PERSONAL STORAGE TOWER
H	(2) BOOKCASE
M	OVERHEAD STORAGE
Q	4 DRAWER LATERAL FILE
W	CRENDENZA
X	TV CABINET
SEATING	
SYMBOL	DESCRIPTION
I	(1) EXECUTIVE HIGH BACK CHAIR
L	(10-12) GUEST CHAIRS
S	COUCH
T	LOUNGE CHAIR
ACCESSORIES	
SYMBOL	DESCRIPTION
AKB	ARTICULATING KEY BOARD TRAY
B	TACKABLE SURFACE
E	PENCIL DRAWER
K	TASK LIGHTING
P	RECYCLING BIN

TYPICAL CASEGOODS:400 SF PRIVATE OFFICE

WORKSURFACES	
SYMBOL	DESCRIPTION
42	42"D x 7'-0"W DESK
24A	24"D x 5'-0"W RETURN
24	24"D x 8'-0"W CRENDENZA
R	42" DIA. MEETING TABLE
U	18" DIA. SIDE TABLE
STORAGE	
SYMBOL	DESCRIPTION
A	(2) Box/Box/File pedestals
F	(2) 54" HIGH PERSONAL STORAGE TOWER
H	(2) BOOKCASE
M	OVERHEAD STORAGE
Q	4 DRAWER LATERAL FILE
SEATING	
SYMBOL	DESCRIPTION
I	(1) EXECUTIVE HIGH BACK CHAIR
L	(4) GUEST CHAIRS
S	COUCH
T	LOUNGE CHAIR
ACCESSORIES	
SYMBOL	DESCRIPTION
AKB	ARTICULATING KEY BOARD TRAY
B	TACKABLE SURFACE
E	PENCIL DRAWER
K	TASK LIGHTING
P	RECYCLING BIN

5/21/2008 4:24 PM



Recommended Workspace Solutions Combat Support

Base Requirements from RFP

Solution provides


- 42"W x 36"D

Meets requirement

Base Requirements from JTF-GNO Meeting

Solution provides

- 48" high panels
- 3 monitor arms
- 8 duplex outlets
- Mobile ped
- A combination of 60 and 90 sf workstations



Note:


Solution 1 is based off of requirements listed in RFP.

TYPICAL SYSTEMS FURNITURE: JTF-GNO STAFF 56 SF WORKSTATION

PANELS	
SYMBOL	DESCRIPTION
48 GS	48" HIGH PANEL W/ GLASS STACKER
WORKSURFACES	
SYMBOL	DESCRIPTION
30 P	30"D x 6'-0"W P-SHAPED WORKSURFACE
15 S	15"D x 7'-0"W WORKSURFACE W/ LOW SHELF
15	15"D x 4'-5"W WORKSURFACE
STORAGE	
SYMBOL	DESCRIPTION
A	MOBILE PED W/ CUSHION TOP
G	2 DRAWER LATERAL FILE
SEATING	
SYMBOL	DESCRIPTION
I	(1) TASK CHAIR
ACCESSORIES	
SYMBOL	DESCRIPTION
B	TACKABLE SURFACE (NO FABRIC)
C	MARKER BOARD
D	PAPER MANAGEMENT
K	TASK LIGHTING
O	PAPER MANAGEMENT TRAYS, SORTERS
P	RECYCLING BIN
Q	(3) MONITOR ARMS


TYPICAL SYSTEMS FURNITURE: JTF-GNO STAFF 84 SF WORKSTATION

PANELS	
SYMBOL	DESCRIPTION
48 GS	48" HIGH PANEL W/ GLASS STACKER
WORKSURFACES	
SYMBOL	DESCRIPTION
36 P	36"D x 5'-6"W P-SHAPED WORKSURFACE
21 S	21"D x 10'-6"W WORKSURFACE W/ LOW SHELF
15	21"D x 5'-6"W WORKSURFACE
STORAGE	
SYMBOL	DESCRIPTION
A	MOBILE PED W/ CUSHION TOP
G	2 DRAWER LATERAL FILE
SEATING	
SYMBOL	DESCRIPTION
I	(1) TASK CHAIR
ACCESSORIES	
SYMBOL	DESCRIPTION
B	TACKABLE SURFACE (NO FABRIC)
C	MARKER BOARD
D	PAPER MANAGEMENT
K	TASK LIGHTING
O	PAPER MANAGEMENT TRAYS, SORTERS
P	RECYCLING BIN
Q	(3) MONITOR ARMS



Note:

Solution 2 is based off of requirements listed during JTF-GNO meeting and exceeds current and RFP specified size requirements.







Recommended Workspace Solutions JTF-GNO Intel Staff/LECIC

Base Requirements from JTF-GNO Meeting

Solution provides

- Combination of 60 and 90 sf workstations
Meets requirement
- 67" high panels
Meets requirement
- Overhead storage
Meets requirement
- Task lighting (fixed/movable and adjustable)
Meets requirement
- Lift assist mechanisms to open and close over-head storage
Meets requirement
- One mobile pedestal with cushion top
Meets requirement
- Three (3) monitor arms
Meets requirement
- All locking devices within the station will be key-alike
Meets requirement
- Task chair (medium back)
Meets requirement
- Systems should be non-handed or modular
Meets requirement
- Sliding privacy screen (window)
Meets requirement
- Sliding door/screen
Meets requirement



TYPICAL SYSTEMS FURNITURE:JTF-GNO STAFF 84 SF WORKSTATION	
PANELS	
SYMBOL	DESCRIPTION
67	67" HIGH PANEL
WORKSURFACES	
SYMBOL	DESCRIPTION
30 P	30"D x 5'-10"W P-SHAPED WORKSURFACE
18	18"D x 8'-9"W WORKSURFACE W/ LOW SHELF
21	21"D x 5'-3"W WORKSURFACE
STORAGE	
SYMBOL	DESCRIPTION
A	MOBILE PED W/ CUSHION TOP
F	54" HIGH PERSONAL STORAGE TOWER
G	2 DRAWER LATERAL FILE
M	OVERHEAD STORAGE
SEATING	
SYMBOL	DESCRIPTION
I	(1) TASK CHAIR
ACCESSORIES	
SYMBOL	DESCRIPTION
B	TACKABLE SURFACE (NO FABRIC)
C	MARKER BOARD
D	PAPER MANAGEMENT
K	TASK LIGHTING
O	PAPER MANAGEMENT TRAYS, SORTERS
P	RECYCLING BIN
Q	(3) MONITOR ARMS

TYPICAL SYSTEMS FURNITURE:JTF-GNO STAFF 56 SF WORKSTATION	
PANELS	
SYMBOL	DESCRIPTION
67	67" HIGH PANEL
WORKSURFACES	
SYMBOL	DESCRIPTION
30 P	30"D x 5'-9"W P-SHAPED WORKSURFACE
15	15"D x 7'-0"W WORKSURFACE W/ LOW SHELF
15 A	15"D x 4'-1"W WORKSURFACE
STORAGE	
SYMBOL	DESCRIPTION
A	MOBILE PED W/ CUSHION TOP
F	54" HIGH PERSONAL STORAGE TOWER
G	2 DRAWER LATERAL FILE
M	OVERHEAD STORAGE
SEATING	
SYMBOL	DESCRIPTION
I	(1) TASK CHAIR
ACCESSORIES	
SYMBOL	DESCRIPTION
B	TACKABLE SURFACE (NO FABRIC)
C	MARKER BOARD
D	PAPER MANAGEMENT
K	TASK LIGHTING
O	PAPER MANAGEMENT TRAYS, SORTERS
P	RECYCLING BIN
Q	(3) MONITOR ARMS




Recommended Workspace Solutions TE Lab

Base Requirements

Solution provides

- 7'-0" wide worksurface.
Meets requirement
- Modules to be reconfigurable w/ adjustable height worksurface.
Meets requirement
- Able to work with Enterprise Matrixed KVM applications.
Meets requirement
- Keyboard shelf w/ adjustable height.
Meets requirement
- Workstations to be on casters
Meets requirement
- Welded steel frames
Meets requirement
- Locking overhead cabinets and two tier shelf between the overhead cabinets and work surface.
Meets requirement
- Frame to accommodate monitor arms to hold flat LCD monitors.
Meets requirement
- Seating requires an extra tall cylinder. May consider stool height.
Meets requirement



TYPICAL WORKSTATION: TE LAB	
WORKSURFACES	
SYMBOL	DESCRIPTION
30	30"D x 7'-0"W ADJUSTABLE HEIGHT WORKBENCH
STORAGE	
SYMBOL	DESCRIPTION
A	SHELVING BELOW OVERHEAD CABINETS
F	SHELF BELOW WORKSURFACE
M	OVERHEAD STORAGE
SEATING	
SYMBOL	DESCRIPTION
I	ADJUSTABLE STOOL HEIGHT TASK CHAIR
ACCESSORIES	
SYMBOL	DESCRIPTION
AKB	ARTICULATING KEY BOARD TRAY
C	MARKER BOARD
K	TASK LIGHTING
P	RECYCLING BIN

Note:


New TE Lab furniture to match existing Knurr/ Wrightline brand furniture. It can be provided by a separate manufacturer.

IA Recommended Typical Floor Plan

Conceptual Floor Plan


Benefits of recommended typical

- Clearance and access to diffusers
- Varied height panels
- Offers guest seating
- Creates collaborative space
- Creates teaming areas
- Maintain minimum width of 7'-6"
- Provide personal storage
- Occupant back not to corridor



IA Recommended Typical Section

Conceptual Section



Benefits of recommended typical

- Clearance and access around diffusers at perimeter
- Varied height panels:
 - Panels between workstations 42"-54"
 - Spline @ 54"
 - Panel between workspace and corridor @ 62"-68"
- Creates collaborative space
- Creates teaming areas
- Maintain minimum width of 7'-6"
- Access to workstation off secondary corridor