



PUBLIC NOTICE

US Army Corps
of Engineers
Baltimore
District

In Reply to Application Number
CENAB-OP-RMN(CONSTELLATION GENERATION
GROUP/CP CRANEPower PLANT/DREDGING)04-64913-24

Comment Period: 01 September 2004 to 01 October 2004

THE PURPOSE OF THIS PUBLIC NOTICE IS TO SOLICIT COMMENTS FROM THE PUBLIC ABOUT THE WORK DESCRIBED BELOW. AT THIS TIME, NO DECISION HAS BEEN MADE AS TO WHETHER OR NOT A PERMIT WILL BE ISSUED.

The Baltimore District has received an application for a Department of the Army permit pursuant to Section 10 of the River and Harbor Act of 1899 (33 U.S.C. 403) and Section 404 of the Clean Water Act (33 U.S.C. 1344) as described below:

APPLICANT: *Constellation Generation Group LLC*
Attn: Mr. James Burkman
1005 Brandon Shores Road
Baltimore, MD 21226

LOCATION: In Seneca Creek and the Chesapeake Bay, near Middle River, Baltimore County Maryland

WORK: To mechanically or hydraulically dredge to extend and deepen the existing barge channel from 3,700 feet to 14,500 feet and from -9 MLW to -12 MLW, and to deposit the approx. 169,000 cubic yards of dredged material at Hart-Miller Island or Carroll Island. The proposed new channel will provide the plant with flexibility for future barge deliveries of fuel or materials.

All work is to be completed in accordance with the enclosed plan(s). If you have any questions concerning this matter, please contact *Mrs. Mary A. Frazier* at (410) 962-5679.

The decision whether to issue a permit will be based on an evaluation of the probable impact including cumulative impacts of the proposed activity on the public interest. That decision will reflect the national concern for both protection and utilization of important resources. The benefit which reasonably may be expected to accrue from the proposal must be balanced against its reasonably foreseeable detriments. All factors which may be relevant to the proposal will be considered including the cumulative effects thereof; among those are conservation, economics, aesthetics, general environmental concerns, wetlands, cultural values, fish and wildlife values, flood hazards, flood plain values, land use, navigation, shoreline erosion and accretion, recreation, water supply and conservation, water quality, energy needs, safety, food and fiber production, and, in general, the needs and welfare of the people.

The Corps of Engineers is soliciting comments from the public; Federal, State, and local agencies and officials; Indian Tribes; and other interested parties in order to consider and evaluate the impacts of this proposed activity. Any comments received will be considered by the Corps of Engineers to determine whether to issue, modify, condition or deny a permit for this proposal. To make this decision, comments are used to assess impacts on endangered species, historic properties, water quality, general environmental effects, and the other public interest factors listed above. Comments are used in the preparation of an Environmental Assessment and/or an Environmental Impact Statement pursuant to the National Environmental Policy Act. Comments are also used to determine the need for a public hearing and to determine the overall public interest of the proposed activity.

The applicant is required to obtain a water quality certification in accordance with Section 401 of the Clean Water Act from the Maryland Department of the Environment. Any written comments concerning the work described above which relate to water quality certification must be received by the Standards and Certification Division Maryland Department of the Environment, Montgomery Park Business Center, 1800 Washington Boulevard, Suite 430, Baltimore, Maryland 21230-1708 within the comment period as specified above to receive consideration. Written comments concerning the work described above related to the factors listed above or other pertinent factors must be received by the District Engineer, US Army Corps of Engineers, Baltimore District, PO Box 1715, Baltimore, Maryland 21203-1715, within the comment period as specified above to receive consideration. The 401 certifying agency has a statutory limit of one year to make its decision.

The applicant has certified in this application that the proposed activity complies with and will be conducted in a manner consistent with the Maryland Coastal Zone Program. This certification statement is available for inspection in the District Office; however, public comments relating to consistency must be received by the Coastal Zone Division, Maryland Department of the Environment, Montgomery Park Business Center, 1800 Washington Boulevard, Suite 430, Baltimore, Maryland, 21230-1708, within the comment period as specified above. It should be noted that CZ Division has a statutory limit of 6 months in which to make its consistency determination.


The applicant must obtain any State or local government permits which may be required.

A preliminary review of this application indicates that the proposed work will not affect listed species or their critical habitat pursuant to Section 7 of the Endangered Species Act as amended. As the evaluation of this application continues, additional information may become available which could modify this preliminary determination.

Review of the latest published version of the National Register of Historic Places indicates that no registered properties listed as eligible for inclusion therein are located at the site of the proposed work. Currently unknown archeological, scientific, prehistoric, or historical data may be lost or destroyed by the work to be accomplished under the requested permit.

The evaluation of the impact of the work described above on the public interest will include application of the guidelines promulgated by the Administrator, U.S. Environmental Protection Agency, under authority of Section 404 of the Clean Water Act. Any person who has an interest which may be adversely affected by the issuance of this permit may request a public hearing. The request, which must be in writing, must be received by the District Engineer, US Army Corps of Engineers, Baltimore District, PO Box 1715, Baltimore, Maryland 21203-1715, within the comment period as specified as above to receive consideration. Also, it must clearly state forth the interest which may be adversely affected by this activity in the manner in which the interest may be adversely affected.

It is requested that you communicate the foregoing information concerning the proposed work to any persons known by you to be interested and not being known to this office, who did not receive a copy of this notice.



CHANNEL
AREA DREDGED
UNDER 1971/1972
PERMITS. SEE
NOTE 1.

PROPOSED
CHANNEL
DREDGING AREA

CONSTELLATION GENERATION GROUP
LOCATION PLAN FOR
C.F. CRANE GENERATING PLANT
BALTIMORE GAS & ELECTRIC CO
SCALE: 1" = 2000'

NOTES

1. CHANNEL AREA DREDGED UNDER ARMY CORPS OF ENGINEERS PERMIT #NABOP-P 140 AND STATE WETLAND LICENCE 71-85.

(APPROX.)


ADJACENT PROPERTY OWNERS

ABERDEEN PROVING GROUNDS
REAL PROPERTY - BLDG 4304
ABERDEEN, MD 21005
ATTN: LISA WEISMILLER


BALTIMORE COUNTY MD
21-ER-001
OLD COURT HOUSE
BALTIMORE MD 21204

HELEN DAVIS
1020 CARROLL ISLAND RD
BALTIMORE MD 21220-2323

HARRY WEISKITTEL III
PO BOX 12
CHASE MD 21027-0249





• FOR GENERAL NOTES SEE PAGE 3 OF 5



SECTION 1-1


Proposed Dredging of Seneca Creek
13 Miles East of Baltimore
Baltimore County, MD
Constellation Generation Group
July 2004
Page 1 of 5




Proposed Dredging of Seneca Creek
 13 Miles East of Baltimore
 Baltimore County, MD
Constellation Generation Group
 July 2004
 Page 2 of 5

GENERAL NOTES

1. TYPE OF MATERIAL:
SILTY SAND
2. DREDGED MATERIAL TO BE DEPOSITED AT HART-MILLER ISLAND. A POTENTIAL ALTERNATE DEPOSIT SITE IS CARROLL ISLAND.
3. ANTICIPATED DREDGED MATERIAL VOLUME: APPROX. 169,000 C.Y. OVER PERMIT LIFE
4. NO KNOWN VEGETATION EXISTS ON BOTTOM OF CHANNEL BECAUSE CHANNEL DEPTH EXCEEDS 6 FEET.





Proposed Dredging of Seneca Creek
13 Miles East of Baltimore
Baltimore County, MD
Constellation Generation Group
July 2004
Page 3 of 5



512,000.00
4



S12°00'00"



Proposed Dredging of Seneca Creek
13 Miles East of Baltimore
Baltimore County, MD
Constellation Generation Group
July 2004
Page 4 of 5

MATCH LINE C-C

S43°30'00"



Proposed Dredging of Seneca Creek
 13 Miles East of Baltimore
 Baltimore County, MD
Constellation Generation Group
 July 2004
 Page 5 of 5