

Table 3-2a
Digsheet
Low Probability Test Pit Investigations at 4825 Glenbrook Road

Test Pit ID 151
Grid Number (130, -10)


Start Date 2-20-2013

Completion Date 2-20-2013

TEST PIT DESCRIPTION				
Dimensions in feet (W/L/D)	Bottom of hole 3'x6'11" / Top of hole 4'x12'			
Depth to saprolite or bedrock	11'			
Soil Description	Top six feet was Backfill from previous work, then orange reddish claylike soil, then Saprolite at approx 10.5 Ft.			
Magnetometer Clearance	<input checked="" type="radio"/> Y / <input type="radio"/> N	Comments:		
AIR MONITORING	Task performed?	Alarms?	Comments	
MINICAMS	<input checked="" type="radio"/> Y / <input type="radio"/> N	Y / <input checked="" type="radio"/> N		
ARSINE	<input checked="" type="radio"/> Y / <input type="radio"/> N	Y / <input checked="" type="radio"/> N		
HCL	<input checked="" type="radio"/> Y / <input type="radio"/> N	Y / <input checked="" type="radio"/> N		
HCN	<input checked="" type="radio"/> Y / <input type="radio"/> N	Y / <input checked="" type="radio"/> N		
PID	<input checked="" type="radio"/> Y / <input type="radio"/> N	Y / <input checked="" type="radio"/> N		
Dust monitoring	Y / <input checked="" type="radio"/> N	Y / <input type="radio"/> N		
Dust samples ID				
SAMPLING				
Samples Collected	Y <input checked="" type="radio"/> N			
Sample Description				
Sample ID				
ITEMS FOUND				
Type (cultural debris, glassware, MD, etc.)	Depth Found	Item ID	Photograph	Size, Weight and Description
NON AUF'S Pipe	26"	N/A	Yes 074	22" Long x 2" Dia

FINAL CLEARANCE

Recommended by


Parsons Site Manager

Concurred by

USAESCH Safety Specialist

Concurred by


CENAB Site Operations Officer

Table 3-2a
Digsheet
Low Probability Test Pit Investigations at 4825 Glenbrook Road

Test Pit ID TP150
Grid Number _____

Start Date 2-21-13

Completion Date 2-21-13

TEST PIT DESCRIPTION				
Dimensions in feet (W/L/D)	4.5 FT / 9 FT / 11 FT			
Depth to saprolite or bedrock	11 FT			
Soil Description	First 6 ft bat backfill from previous work, then clay to 11 ft then transitions to Saprolite.			
Magnetometer Clearance	<input checked="" type="radio"/> Y / <input type="radio"/> N	Comments:		
AIR MONITORING	Task performed?	Alarms?	Comments	
MINICAMS	<input checked="" type="radio"/> Y / <input type="radio"/> N	Y / <input checked="" type="radio"/> N		
ARSINE	<input checked="" type="radio"/> Y / <input type="radio"/> N	Y / <input checked="" type="radio"/> N		
HCL	<input checked="" type="radio"/> Y / <input type="radio"/> N	Y / <input checked="" type="radio"/> N		
HCN	<input checked="" type="radio"/> Y / <input type="radio"/> N	Y / <input checked="" type="radio"/> N		
PID	<input checked="" type="radio"/> Y / <input type="radio"/> N	Y / <input checked="" type="radio"/> N		
Dust monitoring	Y / <input checked="" type="radio"/> N	Y / <input type="radio"/> N		
Dust samples ID				
SAMPLING				
Samples Collected	Y / <input checked="" type="radio"/> N			
Sample Description				
Sample ID				
ITEMS FOUND				
Type (cultural debris, glassware, MD, etc.)	Depth Found	Item ID	Photograph	Size, Weight and Description

FINAL CLEARANCE

Recommended by


Parsons Site Manager

Concurred by _____

USAESCH Safety Specialist

Concurred by



CENAB Site Operations Officer

Table 3-2a
Digsheet
Low Probability Test Pit Investigations at 4825 Glenbrook Road

Test Pit ID TP-147 Start Date 02/25/2013 Completion Date 02/25/2013
Grid Number 130 / -70

TEST PIT DESCRIPTION					
Dimensions in feet (W/L/D)	4ft / 11ft / 11ft				
Depth to saprolite or bedrock	approx 11 ft. Excavator at max affective depth, excavation in the transition layer into saprolite				
Soil Description	Backfill material from previous work, clay, then saprolite				
Magnetometer Clearance	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Comments: no comment		
AIR MONITORING	Task performed?		Alarms?		Comments
	Yes	No	Yes	No	
MINICAMS	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
ARSINE	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
HCL	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
HCN	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
PID	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Dust monitoring	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Dust samples ID					
SAMPLING					
Samples Collected	No				
Sample Description					
Sample ID					
ITEMS FOUND					
Type (cultural debris, glassware, MD, etc.)	Depth Found	Item ID	Photograph	Size, Weight and Description	

FINAL CLEARANCE
Recommended by


Parsons Site Manager

Concurred by _____

USAESCH Safety Specialist

Concurred by


CENAB Site Operations Officer

Table 3-2a
Digsheet
Low Probability Test Pit Investigations at 4825 Glenbrook Road


Test Pit ID TP-149
Grid Number 130 / -30

Start Date 02/27/2013

Completion Date 02/27/2013

TEST PIT DESCRIPTION					
Dimensions in feet (W/L/D)	5ft /8ft /11ft Depth is from ground surface, Ground surface was taken down 1ft during benching.				
Depth to saprolite or bedrock	approx 11 ft. Excavator at max affective depth, excavation in the transition layer into saprolite				
Soil Description	Backfill material from previous work approximately 5.5 feet deep, then clay, then saprolite.				
Magnetometer Clearance	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Comments: no comment		
AIR MONITORING	Task performed?		Alarms?		Comments
	Yes	No	Yes	No	
MINICAMS	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
ARSINE	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
HCL	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
HCN	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
PID	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Dust monitoring	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Dust samples ID					
SAMPLING					
Samples Collected	No				
Sample Description					
Sample ID					
ITEMS FOUND					
Type <small>(cultural debris, glassware, MD, etc.)</small>	Depth Found	Item ID	Photograph	Size, Weight and Description	
Old steel utility line (left in place)	approx 8.5ft		1186 2-27-13	Approx 2in dia, steel pipe, old utility	

FINAL CLEARANCE
Recommended by


Parsons Site Manager

Concurred by _____

USAESCH Safety Specialist

Concurred by



CENAB Site Operations Officer

Table 3-2a
Digsheet
Low Probability Test Pit Investigations at 4825 Glenbrook Road

Test Pit ID TP-148 Start Date 02/28/2013 Completion Date 02/28/2013
Grid Number 130 / -50

TEST PIT DESCRIPTION					
Dimensions in feet (W/L/D)	5ft /11ft /10ft Depth is from ground surface, Ground surface was taken down 1ft during benching.				
Depth to saprolite or bedrock	approx 10 ft. Excavator at max affective depth, excavation in the transition layer into saprolite				
Soil Description	Backfill material from previous work approximately 5 feet deep, then clay, then saprolite.				
Magnetometer Clearance	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Comments: no comment		
AIR MONITORING	Task performed?		Alarms?		Comments
	Yes	No	Yes	No	
MINICAMS	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
ARSINE	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
HCL	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
HCN	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
PID	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Dust monitoring	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Dust samples ID					
SAMPLING					
Samples Collected	No				
Sample Description					
Sample ID					
ITEMS FOUND					
Type (cultural debris, glassware, MD, etc.)	Depth Found	Item ID	Photograph	Size, Weight and Description	
N/A					

FINAL CLEARANCE

Recommended by


Parsons Site Manager

Concurred by

USAESCH Safety Specialist

Concurred by


CENAB Site Operations Officer

Table 3-2a
Digsheet
Low Probability Test Pit Investigations at 4825 Glenbrook Road

Test Pit ID TP-152 Start Date 02/28/2013 Completion Date 02/28/2013
Grid Number 130 / -10

TEST PIT DESCRIPTION						
Dimensions in feet (W/L/D)	4ft / 11ft / 10ft Depth is from ground surface, Ground surface was taken down 1ft during benching.					
Depth to saprolite or bedrock	approx 11 ft. Excavator at max affective depth, excavation in the transition layer into saprolite					
Soil Description	Backfill material from previous work approximately 5.5 feet deep, then clay, then saprolite.					
Magnetometer Clearance	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Comments: no comment			
AIR MONITORING		Task performed?		Alarms?		Comments
		Yes	No	Yes	No	
MINICAMS	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
ARSINE	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
HCL	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
HCN	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
PID	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Dust monitoring	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Dust samples ID						
SAMPLING						
Samples Collected	No					
Sample Description						
Sample ID						
ITEMS FOUND						
Type <small>(cultural debris, glassware, MD, etc.)</small>	Depth Found	Item ID	Photograph	Size, Weight and Description		
N/A						

FINAL CLEARANCE

Recommended by


Parsons Site Manager

Concurred by _____

USAESCH Safety Specialist

Concurred by


CENAB Site Operations Officer

Table 3-2a
Digsheet
Low Probability Test Pit Investigations at 4825 Glenbrook Road

Test Pit ID TP-146 Start Date 03/4/2013 Completion Date 03/4/2013
 Grid Number 130 / -90

TEST PIT DESCRIPTION					
Dimensions in feet (W/L/D)	4ft / 11ft / 10ft 2in				
Depth to saprolite or bedrock	10ft				
Soil Description	Backfill material from previous work , then clay, then saprolite.				
Magnetometer Clearance	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Comments: No AUES related material found.		
AIR MONITORING	Task performed?		Alarms?		Comments
	Yes	No	Yes	No	
MINICAMS	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
ARSINE	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
HCL	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
HCN	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
PID	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Dust monitoring	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Dust samples ID					
SAMPLING					
Samples Collected	No				
Sample Description					
Sample ID					
ITEMS FOUND					
Type <small>(cultural debris, glassware, MD, etc.)</small>	Depth Found	Item ID	Photograph	Size, Weight and Description	
N/A					

FINAL CLEARANCE
 Recommended by


 Parsons Site Manager

Concurred by _____

USAESCH Safety Specialist

Concurred by


 CENAB Site Operations Officer

Table 3-2a
Digsheet
Low Probability Test Pit Investigations at 4825 Glenbrook Road


Test Pit ID TP-154
Grid Number 130 / -90

Start Date 03/4/2013

Completion Date 03/4/2013

TEST PIT DESCRIPTION					
Dimensions in feet (W/L/D)	5ft / 8ft 5in / 11ft Depth from ground surface, Ground surface taken down 1ft during benching				
Depth to saprolite or bedrock	11ft				
Soil Description	Backfill material from previous work , then clay, then saprolite.				
Magnetometer Clearance	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Comments: No AUES related material found.		
AIR MONITORING	Task performed?		Alarms?		Comments
	Yes	No	Yes	No	
MINICAMS	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
ARSINE	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
HCL	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
HCN	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
PID	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Dust monitoring	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Dust samples ID					
SAMPLING					
Samples Collected	No				
Sample Description					
Sample ID					
ITEMS FOUND					
Type (cultural debris, glassware, MD, etc.)	Depth Found	Item ID	Photograph	Size, Weight and Description	
N/A					


FINAL CLEARANCE
Recommended by


Parsons Site Manager

Concurred by _____

USAESCH Safety Specialist

Concurred by


CENAB Site Operations Officer

**Table 3-2a
Digsheet
Low Probability Test Pit Investigations at 4825 Glenbrook Road**

Test Pit ID TP-144 Start Date 03/5/2013 Completion Date 03/5/2013
 Grid Number 90 / -90

TEST PIT DESCRIPTION					
Dimensions in feet (W/L/D)	4ft / 8ft / 7.5ft				
Depth to saprolite or bedrock	7.5ft				
Soil Description	Backfill material from previous work , then clay, then saprolite.				
Magnetometer Clearance	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Comments: No AUES related material found.		
AIR MONITORING	Task performed?		Alarms?		Comments
	Yes	No	Yes	No	
MINICAMS	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
ARSINE	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
HCL	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
HCN	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
PID	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Dust monitoring	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Dust samples ID					
SAMPLING					
Samples Collected	No				
Sample Description					
Sample ID					
ITEMS FOUND					
Type (cultural debris, glassware, MD, etc.)	Depth Found	Item ID	Photograph	Size, Weight and Description	
N/A					

FINAL CLEARANCE
Recommended by


Parsons Site Manager

Concurred by _____

USAESCH Safety Specialist

Concurred by



CENAB Site Operations Officer

**Table 3-2a
Digsheet
Low Probability Test Pit Investigations at 4825 Glenbrook Road**

Test Pit ID TP-145 Start Date 03/5/2013 Completion Date 03/5/2013
 Grid Number 110 / -90

TEST PIT DESCRIPTION						
Dimensions in feet (W/L/D)	4ft / 9ft / 10ft					
Depth to saprolite or bedrock	10ft					
Soil Description	Backfill material from previous work , then clay, then saprolite.					
Magnetometer Clearance	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Comments: No AUES related material found.			
AIR MONITORING		Task performed?		Alarms?		Comments
		Yes	No	Yes	No	
MINICAMS	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
ARSINE	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
HCL	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
HCN	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
PID	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Dust monitoring	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Dust samples ID						
SAMPLING						
Samples Collected	No					
Sample Description						
Sample ID						
ITEMS FOUND						
Type (cultural debris, glassware, MD, etc.)	Depth Found	Item ID	Photograph	Size, Weight and Description		
construction debris in backfill	3ft		No			

FINAL CLEARANCE
Recommended by


Parsons Site Manager

Concurred by _____

USAESCH Safety Specialist

Concurred by


CENAB Site Operations Officer

**Table 3-2a
Digsheet
Low Probability Investigations at 4825 Glenbrook Road**

Test Pit ID

N/A

Start Date

3-12-13

Completion Date

3-12-13

Grid Number

1301-30 + 1301-10

TEST PIT DESCRIPTION				
Dimensions in feet (W/L/D)	<u>N/A</u>			
Depth to saprolite or bedrock	<u>N/A</u>			
Soil Description	<u>Backfill Soil from Previous work Approx 5-6 FT Deep than native soil</u>			
Magnetometer Clearance	<u>Y / N</u>	Comments:		
AIR MONITORING	Task performed?	Alarms?	Comments	
MINICAMS	<u>Y / N</u>	<u>Y / N</u>		
ARSINE	<u>Y / N</u>	<u>Y / N</u>		
HCL	<u>Y / N</u>	<u>Y / N</u>		
HCN	<u>Y / N</u>	<u>Y / N</u>		
PID	<u>Y / N</u>	<u>Y / N</u>		
Dust monitoring	<u>Y / N</u>	<u>Y / N</u>		
Dust samples ID				
SAMPLING				
Samples Collected	<u>Y / N</u>			
Sample Description				
Sample ID				
ITEMS FOUND				
Type (cultural debris, glassware, MD, etc.)	Depth Found	Item ID	Photograph	Size, Weight and Description
<u>Spark Plug</u>	<u>6 FT</u>			
<u>Bic Pen</u>	<u>6 FT</u>			
<u>Ceramic Light Socket</u>	<u>6 FT</u>			

FINAL CLEARANCE

Recommended by


 Parsons Site Manager

Concurred by

USAESCH Safety Specialist

Concurred by

CENAB Site Operations Officer