

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 5 January 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Cold, windy Low 16° High 34°

Personnel on Site

Parsons	ZES	ECBC	GRUBB
Bowles, Jared	Krivickas, Jeff		Clapsaddle, Doug
Courtney, Kenneth	Mangosh, Ed		
Day, David	Prate, Warren		
Indelicato, Anthony	Vail, Todd		
Lemieux, Joshua	Yorkshire, Bart		
Matter, Phil	Zimmer, Doug		
Moon, Dale			
Neely, Brian	RUBB		
Nelms, Bobby		CEHNC	
Oien, Joshua			
Rembish, Joseph			
		CENAB	
	ACCUPERMIT	Martin, J.R.	A+A Transfer
	Schmidt, James		Chelena, Jake
	Vargas, Brandon	ERT	Rushton, William
DAVEY TREE			

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for operations related to the tent teardown and relocation. Rubb was scheduled off site so main operation was bagging filters, 70 filters bagged. QC inventory of items to be turned in next week. Filter packaging area cleaned up and arranged.

1700- All personnel off site

SAMPLES COLLECTED: No samples

Closed cavity items found

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

FR

22 1-5-16

0630 SAFETY BRIEF.

0730 TEAMS WORKING @ FED PROPERTY

1545 THE TEAMS WERE OUT BRIEFED.

1637 SECURED

END

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 6 January 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Cloudy and cold, Low 20° High 34°

Personnel on Site

Parsons	ZES	ECBC	GRUBB
Bowles, Jared	Krivickas, Jeff		Clapsaddle, Doug
Courtney, Kenneth	Mangosh, Ed		
Day, David	Prate, Warren		
Indelicato, Anthony	Vail, Todd		
Lemieux, Joshua	Yorkshire, Bart		
Matter, Phil	Zimmer, Doug		
Moon, Dale			
Neely, Brian	RUBB		
Nelms, Bobby	Hanson, Evans	CEHNC	
Oien, Joshua	Cadoff, Matt		
Rembish, Joseph			
		CENAB	
	ACCUPERMIT	Martin, J.R.	A+A Transfer
	Schmidt, James		Chelena, Jake
	Vargas, Brandon	ERT	Rushton, William
DAVEY TREE			

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for operations related to the tent teardown and relocation. Rubb finished erecting the structure parts of the 3rd tent section, end curtain was assembled to end piece. Bagged 67 filters.

1700- All personnel off site

SAMPLES COLLECTED: No samples

Closed cavity items found

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

72

23 1-6-14

0630 SAFETY BRIEF.

0815 CRANE'S RIGGING INSPECTIONS COMPLETE.

0838 STARTING CRANE OPERATIONS.

1430 SECURED CRANE OPS.

1540 THE TEAMS WERE OUT-BRIEFED.

1611 SECURED

1-6-14
O. S. L.

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 7 January 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Cold, windy Low 24° High 42°

Personnel on Site

Parsons	ZES	ECBC	GRUBB
Bowles, Jared	Krivickas, Jeff		Clapsaddle, Doug
Courtney, Kenneth	Mangosh, Ed		
Day, David	Prate, Warren		
Indelicato, Anthony	Vail, Todd		
Lemieux, Joshua	Yorkshire, Bart		
Matter, Phil	Zimmer, Doug		
Moon, Dale			
Neely, Brian	RUBB		
Nelms, Bobby	Hanson, Evans	CEHNC	
Oien, Joshua	Cadoff, Matt		
Rembish, Joseph			
		CENAB	
	ACCUPERMIT	Martin, J.R.	A+A Transfer
	Schmidt, James		Chelena, Jake
	Vargas, Brandon	ERT	Rushton, William
DAVEY TREE			

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for operations related to the tent teardown and relocation. Prepared sandbags and pallets (4 each) for use on the trailer side of structure to weigh down the tent skirt, will be craned into place tomorrow. Tent skin on 3rd section pulled into place and lacing the end and sides together.

1700- All personnel off site

SAMPLES COLLECTED: No samples

Closed cavity items found

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

P6

24 1-7-16

0630 SAFETY BRIEF.

0800 CRANE & RIGGING INSPECTION WERE COMPLETED.

0815 RENTAL TRUCK TAG # 353 LCC FLOP204
DAMAGE TO THE REAR BUMPER & RIGHT FENDER.
NO INJURIES WERE REPORTED. SOMEONE
BACKED INTO THE VEHICLE AND DIDN'T
REPORT THE DAMAGE. THE TRUCK WAS
PARKED WITH NO KNOWN WITNESSES.
SEAN DUNN & PAUL MATTHEW ARE
AWARE OF THIS MATTER.

1100 WEEKLY CONFERENCE CALL.

1500 CRANE OPERATIONS HAVE SECURED.

1635 SECURED

ST 2.1
5-5

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 8 January 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Partly cloudy Low 41° High 44°

Personnel on Site

Parsons	ZES	ECBC	GRUBB
Bowles, Jared	Krivickas, Jeff		Clapsaddle, Doug
Courtney, Kenneth			
Day, David	Prate, Warren		
Indelicato, Anthony	Vail, Todd		
Lemieux, Joshua	Yorkshire, Bart		
Matter, Phil	Zimmer, Doug		
Moon, Dale			
Neely, Brian	RUBB		
Nelms, Bobby	Hanson, Evans	CEHNC	
Oien, Joshua	Cadoff, Matt		
Rembish, Joseph			
		CENAB	
	ACCUPERMIT	Martin, J.R.	A+A Transfer
	Schmidt, James		Chelena, Jake
	Vargas, Brandon	ERT	Boyce, Calvin
DAVEY TREE			

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for operations related to the tent teardown and relocation. Torch cut excess off of support beams and burned holes for counterweight chains in corner area behind rolloff area. Unlaced vehicle door to its maximum height in preparation of installing the vehicle door. Welded on the tent flap on the Glenbrook side. Craned 2 pallets of sandbags behind structure in preparation of weighting down the tent flap.

1700- All personnel off site

SAMPLES COLLECTED: No samples

Closed cavity items found

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

F6

25 1-8-16

0630 SAFETY BRIEF.

0815 RIGGING & CRANE INSPECTIONS
HAVE BEEN COMPLETED.

0830 STARTING CRANE OPERATIONS.

1000 B. NELMS Departs site.

1145 Begin hot work - permit generated

1245 Hot work and 30 minute post wait time. Complete
Permit closed.

1430 Crane ops secured

1635 End of Day



26 1-11-2016

0630 Safety/ops Brief

0800 Rigging & Crane inspections have been completed.

0955 Start Crane ops / E-BC visitors on site

1050 CARA visitors on site

1115 W.O. Grubb's Supervisors on site.

1145 CARA visitors Depart

1215 W.O. Grubb's supervisors Depart

1425 Crane op comp.

1630 Site Secured

A handwritten signature in dark ink, appearing to be 'J. G. Smith', is written over the grid lines. A long, thin line extends from the bottom of the signature towards the bottom right of the page.

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 12 January 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Cloudy Low 26° High 43°

Personnel on Site

Parsons	ZES	ECBC	GRUBB
Bowles, Jared	Krivickas, Jeff		
Courtney, Kenneth			
Craig, Harry	Prate, Warren		
Day, David	Vail, Todd		
Indelicato, Anthony	Yorkshire, Bart		
Lemieux, Joshua	Zimmer, Doug		
Matter, Phil			
Moon, Dale	RUBB		
Neely, Brian		CEHNC	
Oien, Joshua			
Rembish, Joseph			
		CENAB	
	ACCUPERMIT	Martin, J.R.	A+A Transfer
	Schmidt, James		
	Vargas, Brandon	ERT	
DAVEY TREE			

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for operations related to the tent teardown and relocation. Posted new public space permits. 11AM the crane was off site with all associated hardware and support gear. Leveled driveway and brought in more gravel. DRMO turn in today, 1 stake-body truck of equipment. Sandbagged the Glenbrook side of tent and cleaned up trash from inside. Realigned the downrange gate, it was misaligned.

1700- All personnel off site

SAMPLES COLLECTED: No samples

Closed cavity items found

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

1.17.2016

0700 Safety / ops brief

0840 Crane prep to depart site.

1055 Crane off site.

1100 Parsons (Dny), ZES (K-mickos) depart to DRMA, Ft Meade.

1530 DRMA run returns.

1570 Secured site.

1/2

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 13 January 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Cloudy Low 26° High 43°

Personnel on Site

Parsons	ZES	ECBC	GRUBB
Bowles, Jared	Krivickas, Jeff		
Courtney, Kenneth			
Craig, Harry	Prate, Warren		
Day, David	Vail, Todd		
Indelicato, Anthony	Yorkshire, Bart		
Lemieux, Joshua	Zimmer, Doug		
Matter, Phil			
Moon, Dale	RUBB		
Neely, Brian		CEHNC	
Oien, Joshua			
Rembish, Joseph			
		CENAB	
	ACCUPERMIT	Martin, J.R.	A+A Transfer
	Schmidt, James		
	Vargas, Brandon	ERT	
DAVEY TREE			

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for operations related to the tent teardown and relocation. Carried down CAFS filters and double bagged old ones. Brought over vehicle door and began to modify it and begin framing out the entrance for the newly modified door. Inspected lights and cameras prior to installing them, also began to run the video coaxial cable.

1700- All personnel off site

SAMPLES COLLECTED: No samples

Closed cavity items found

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

11/3/16

0600 Safety/cpt brief.

0714 ECBC on site to swap out air filters.

0905 VES drops off door for ECS. Start building door

1049 ECBC departs

1400 Secured ECS

1530 Landed.

4/2

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 14 January 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Cloudy Low 26° High 43°

Personnel on Site

Parsons	ZES	ECBC	GRUBB
Bowles, Jared	Krivickas, Jeff		
Courtney, Kenneth			
Craig, Harry	Prate, Warren		
Day, David	Vail, Todd		
Indelicato, Anthony	Yorkshire, Bart		
Lemieux, Joshua	Zimmer, Doug		
Matter, Phil			
Moon, Dale	RUBB		
Neely, Brian		CEHNC	
Oien, Joshua			
Rembish, Joseph			
Rockwell, Margaret		CENAB	
	ACCUPERMIT	Martin, J.R.	A+A Transfer
	Schmidt, James		
	Vargas, Brandon	ERT	
DAVEY TREE			

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for operations related to the tent teardown and relocation. Off loaded equipment for Tech Escort at Fed Prop. Finished hagning vehicle door. Moved 20 bags of CAFS filters to Fed Prop. Ernst Electric came in and gave an estimate for wiring the tent for power, PM approved the job. Ran video cables inside the ECS.

1700- All personnel off site

SAMPLES COLLECTED: No samples

Closed cavity items found

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

1-14-2016

- 0600: Embedded ops brief
- 0730: Test lights in ECS.
- 0810: Electrification at site for gate.
- 0930: Camp ECS crew construction.
- 1600: Secured ECS/gate
- 1630: Secured.

h

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 15 January 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Cloudy Low 38° High 52°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff		
Craig, Harry	Prate, Warren		
Day, David	Vail, Todd		
Indelicato, Anthony	Yorkshire, Bart		
Lemieux, Joshua	Zimmer, Doug		
Matter, Phil			
Moon, Dale	LIFE STAR		
Neely, Brian		CEHNC	
Oien, Joshua			
Rembish, Joseph			
Rockwell, Margaret		CENAB	
	ACCUPERMIT	Martin, J.R.	EOD
	Schmidt, James		
	Vargas, Brandon		

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for operations related to the tent reconstruction and set-up. Ernst running power in the ECS. Final set-up and alignment of the vehicle door. Testing shelter in place sirens and reprogramming them. All cameras installed and tested with new power cables.

1700- All personnel off site

SAMPLES COLLECTED: No samples

Closed cavity items found

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

1-15-16

0600 Safety brief
0745 Electrician on site
0800 Semi door for ECS
1000 Del safety / crew off site for physical
1145 Electrician off site
1200 Lunch
1230 Resume work
1530 Crew returns
1535 PM Buick on site
1600 Sealed site
1630 Sealed.

ECS

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 19 January 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Cloudy, cold Low 16° High 26°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff		
Courtney, Kenneth	Mangosh, Ed		
Craig, Harry	Prate, Warren		
Day, David	Vail, Todd		
	Yorkshire, Bart		
Lemieux, Joshua	Zimmer, Doug		
Matter, Phil			
Moon, Dale	LIFE STAR		
Neely, Brian			
Oien, Joshua			
Rembish, Joseph			
Rider, Matthew			
Rockwell, Margaret	ACCUPERMIT	CEHNC	EOD
	Schmidt, James		
	Vargas, Brandon		
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for operations related to the tent reconstruction and set-up. Helping ECBC change out mid-bed filters for CAFS. 4 rolloffs dumped and 100 filters boxed. Hung 3 air supply lines. New team leader Matt Rider is onsite.

1700- All personnel off site

SAMPLES COLLECTED: No samples

Closed cavity items found

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

1-19-16

0600 Safety/ops brief - Ken ~~Schroth~~^{Smith} USACE on site, JR Martin off site.

- New Passes T/A on-site Matt Rider.

0720 ECBC on site

0800 ECBC starts moving filters for change out.

0852 Team 1 in Feed Pump to dump roll offs.

1425 ECBC completed work. Off site.

600 Sewer BOS

630 Sewered.

HW

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 20 January 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Cloudy, cold Low 21° High 33°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Heard, Irvin	Crouse, Dennis
Courtney, Kenneth	Mangosh, Ed		Flores, Ben
Craig, Harry	Prate, Warren		Godwin, Gerald
Day, David	Vail, Todd		Kinkel, Kyle
Indelicato, Anthony	Yorkshire, Bart		Kuehn, Alex
Lemieux, Joshua	Zimmer, Doug		Lewis, Taylor
Matter, Phil			Langes, Jennifer
Moon, Dale	LIFE STAR		Maharjan, Bijen
Neely, Brian			Martin, Chris
Oien, Joshua			Swinson, Thomas
			Wade, Robert
Rider, Matthew			Williams, Michael
Rockwell, Margaret	ACCUPERMIT	CEHNC	Young, Greg
	Schmidt, James		EOD
	Vargas, Brandon		
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for operations related to the tent reconstruction and set-up. Shipping 3 trucks of subtitle D soil. Label and transport 21 bags of CAFS filters. All airlines hung inside ECS, intake pipe for CAFS is connected and moved med monitoring shed close to final position. Mask fitted 2 people, 1 for M40 and Interspiro and one for M40 only. Boxed 136 filters.

1700- All personnel off site

SAMPLES COLLECTED: No samples

Closed cavity items found

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

1-20-16

0600 Salads/laps brief - CARA on site

0700 Team 1 to Fed Property

0815 Camera 2 not working properly.

0815 Camera 2 operational.

ECBC connecting ECUA house to ECU.

1430 Craig told S.A. not

1450 Team told to start.

1500 Secured 4F-5. CARA in process of building POS.

1630 Secured.



SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 21 January 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Cloudy, cold Low 17° High 35°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Heard, Irvin	Crouse, Dennis
Courtney, Kenneth	Mangosh, Ed		Flores, Ben
Craig, Harry	Prate, Warren		Godwin, Gerald
Day, David	Vail, Todd		Kinkel, Kyle
Indelicato, Anthony	Yorkshire, Bart		Kuehn, Alex
Lemieux, Joshua	Zimmer, Doug		Lewis, Taylor
Matter, Phil			Langes, Jennifer
Moon, Dale	LIFE STAR		Maharjan, Bijen
Neely, Brian			Martin, Chris
Oien, Joshua			Swinson, Thomas
Rembish, Joseph			Wade, Robert
Rider, Matthew			Williams, Michael
	ACCUPERMIT	CEHNC	Young, Greg
	Schmidt, James		EOD
	Vargas, Brandon		
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for operations related to the tent reconstruction and set-up. Filled 170 sandbags and sandbagged the PDS tent. Brought in the interior filter housing for prefilters and installed in the ECS. Brought in dress-out tent floor and set it up. Ran airlines outside of ECS and from cascade down. Bagged 40 filters.

1700- All personnel off site

SAMPLES COLLECTED: No samples

Closed cavity items found

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

6/21/16

0600 Safety / apt brief.

0735 ECBC on site

0800 CARA continues building PDS. ECBC continue working
for Fibers/ECS. Rider most ft.

0810 Electricians not on site, will not be in today.

1000 Cont call, will serve tomorrow as noon due
to winter storm.

1115 Draw placed in ECS

1140 Ground ECS/gate.

1230 Stained.

1230

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 22 January 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Cloudy, cold Low 17° High 35°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff		Flores, Ben
Courtney, Kenneth			Godwin, Gerald
Craig, Harry	Prate, Warren		Kinkel, Kyle
Day, David	Vail, Todd		Kuehn, Alex
Indelicato, Anthony			Lewis, Taylor
Lemieux, Joshua	Zimmer, Doug		Langes, Jennifer
Matter, Phil			Maharjan, Bijen
Moon, Dale	LIFE STAR		Martin, Chris
Neely, Brian			Swinson, Thomas
Oien, Joshua			Wade, Robert
Rembish, Joseph			Williams, Michael
Rider, Matthew			Young, Greg
	ACCUPERMIT	CEHNC	EOD
	Schmidt, James	Shott, Ken	
	Vargas, Brandon		
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for operations related to the tent reconstruction and set-up. Prepared for upcoming blizzard, brought all shovels to 4825 moved 5 bags of salt to 4825, fueled all company vehicles.

1700- All personnel off site

SAMPLES COLLECTED: No samples

Closed cavity items found

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

1-22-16

0600 Safety/ops brief.

0630 Fuel up all rental vehicles for over of winter storm.

0800 Prep site for winter storm.

1130 Secured site.

2

1-26-16

0800 Did not work Monday due to weather. Delay until 0900.
 Safety / ops brief. Persons / personnel on site to remove snow.
 C.E. WAG. Martin, US 1146... : Shot on site
 1100 Team 1 to Fed Prop to assist ZES crew on snow removal.
 1300 ZES at Au Parking Lot 14525 for front end loader on removal.
 1600 Secure site.



4/2

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 27 January 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Cloudy Low 21° High 41°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff		Swinson, Tom
Courtney, Kenneth	Mangosh, Ed		
Craig, Harry	Prate, Warren		
Day, David	Vail, Todd		
Indelicato, Anthony	Yorkshire, Bart		
Lemieux, Joshua	Zimmer, Doug		
Matter, Phil			
Moon, Dale	LIFE STAR		
Neely, Brian			
Oien, Joshua			
Rembish, Joseph			
Rider, Matthew			
	ACCUPERMIT	CEHNC	EOD
	Schmidt, Jim	Shott, Ken	
	Vargas, Brandon		
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 8:00

Personnel prepared the site for operations related to the tent reconstruction and set-up. Cleared out mini-cam shed and Glenbrook gate. Cleaned off Glenbrook road to allow for a lane of traffic to go around our cleanup effort. Began cleanup around collapsed tent and outside ECS door. Stockpiled snow in front of the Glenbrook gate for easy access by the wheel loader. Removed floor pads from dress out tent inside ECS along with the undamaged frame.

16:30- All personnel off site

SAMPLES COLLECTED: No samples

Closed cavity items found

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

1-27-16

0800 Satoh, ops brief.

✓ Cont. snow removal on 4825.

1000 CARA on site (Tom Swanson) to inspect tent.

1600 SCURT site

1

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 28 January 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Cloudy Low 29° High 42°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Heard, Irvin	Flores, Ben
Courtney, Kenneth	Mangosh, Ed	Duff, Todd	Godwin, Gerald
Craig, Harry	Prate, Warren	Richardson, Matt	Kinkel, Kyle
Day, David	Vail, Todd	DeLaPaz, Hector	Kuehn, Alex
Indelicato, Anthony	Yorkshire, Bart	Nichols, Doug	Langes, Jennifer
Lemieux, Joshua	Zimmer, Doug		Lewis, Taylor
Matter, Phil			Maharjan, Bijen
Moon, Dale	LIFE STAR		Martin, Chris
Neely, Brian			Swinson, Tom
Oien, Joshua			Wade, Robert
Rembish, Joseph			Williams, Michael
Rider, Matthew			Young, Greg
	ACCUPERMIT	CEHNC	EOD
	Schmidt, Jim	Shott, Ken	
	Vargas, Brandon		
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 8:00

Personnel prepared the site for operations related to the tent reconstruction and set-up. Shoveled out paths for CAFS area. ECBC dug out remaining former PDS tent and the Medical Monitoring shed. Snow was put into stockpile but due to city snow removal efforts we cannot bring in a wheel loader to move it off site. Teams 2&3 at Federal property boxing filters into the large class 9 boxes.

16:30- All personnel off site

SAMPLES COLLECTED: No samples

Closed cavity items found

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

6-27-16

0800 Safety/ops brief, CARA/ELBC on site

0815 Cont snow removal.

1030 Notified by ~~trans~~ ops /SM to stop off roads (public)
✓ due to snow removal from street.

1100 Cont cell.

1600 Secured site.

by

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 29 January 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Partly Cloudy Low 20° High 38°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Heard, Irvin	
Courtney, Kenneth	Mangosh, Ed	Duff, Todd	Flores, Ben
Craig, Harry	Prate, Warren	Richardson, Matt	Godwin, Gerald
Day, David	Vail, Todd	DeLaPaz, Hector	Kinkel, Kyle
Indelicato, Anthony	Yorkshire, Bart	Nichols, Doug	Kuehn, Alex
	Zimmer, Doug		Langes, Jennifer
Matter, Phil			Lewis, Taylor
Moon, Dale	LIFE STAR		Maharjan, Bijen
Neely, Brian			Martin, Chris
Oien, Joshua			Swinson, Tom
Rembish, Joseph			Wade, Robert
Rider, Matthew			Williams, Michael
	ACCUPERMIT	CEHNC	Young, Greg
	Schmidt, Jim	Shott, Ken	EOD
	Vargas, Brandon		
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for operations related to the tent reconstruction and set-up. Cascade trailer set-up and further shoveling out. Glenbrook is still shutoff for local traffic while they use heavy equipment to remove snow, limiting what we can do downrange as we have large piles that need to be moved out.

End of Day: 17:00

SAMPLES COLLECTED: No samples

Closed cavity items found

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

1-29-16

0800 Safety/ops brief.

0815 Cont snow removal.

0830 Term 2 & 3, to Fed Prop to package filters.

0900 Vehicle inspections

1010 Cascade on site

1000 Secured.

1100

2-1-16

- 0630 Safety/ops brief
- 0700 CARA to Fed Property.
- 0800 Cont snow removal on 4825
- 0945 Clear snow view duct going into EGS. BCBC
needs to repair ducting on 2/2/16
- 1224 CARA starts assembling EGS low.
- 1415 Komatsu med on site.
- 1445 Komatsu med complete.
- 1600 Scum gone
- 1630 Scum

2-1-16

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 2 February 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Partly Cloudy Low 39° High 52°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	DeLaPaz, Hector	
Courtney, Kenneth	Mangosh, Ed	Duff, Todd	Flores, Ben
Craig, Harry	Prate, Warren	Heard, Irvin	Godwin, Gerald
Day, David	Vail, Todd	Nichols, Doug	
Indelicato, Anthony	Yorkshire, Bart	Richardson, Matt	
Lemieux, Joshua	Zimmer, Doug		
Matter, Phil			Lewis, Taylor
Moon, Dale	LIFE STAR		Maharjan, Bijen
Neely, Brian			
Oien, Joshua			Swinson, Tom
Rembish, Joseph			Wade, Robert
Rider, Matthew			Williams, Michael
	ACCUPERMIT	CEHNC	Young, Greg
	Schmidt, Jim	Shott, Ken	EOD
	Vargas, Brandon		
		CENAB	Martin, Chris
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for operations related to the tent reconstruction and set-up. Move AC monitor to new location in ducting. Installed lights, fixed duct work, installed prefilters and screwed dressout tent floor together. Emptied 2 rolloffs. CAFS were turned on, wide open.

End of Day: 17:00

SAMPLES COLLECTED: No samples

Closed cavity items found

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

2-2-16

0630 Safety / ops brief

0725 CARA delivery boots. On site to repair due to EES.

0845 ^{EL} Erwin ~~team~~ on site for electrical. Warnen EES.

0746 Team 3 to Fred Property.

0832 Team 1 to Fred Property.

0935 Fire up CRAES.

1045

0936 Ernst completes light

1030 start constructing vestibule.

1600 Start CRAES.

1630 scene.

4

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 3 February 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Rain Low 43° High 65°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	DeLaPaz, Hector	Flores, Ben
Courtney, Kenneth	Mangosh, Ed	Duff, Todd	Godwin, Gerald
Craig, Harry	Prate, Warren	Heard, Irvin	Kinkel, Kyle
Day, David	Vail, Todd	Nichols, Doug	Langes, Jennifer
Indelicato, Anthony	Yorkshire, Bart	Richardson, Matt	Lewis, Taylor
	Zimmer, Doug		Maharjan, Bijen
Matter, Phil			Swinson, Tom
Moon, Dale	LIFE STAR		Wade, Robert
Neely, Brian			Williams, Michael
Oien, Joshua			Young, Greg
Rembish, Joseph			
Rider, Matthew			
Rockwell, Margeret	ACCUPERMIT	CEHNC	EOD
	Schmidt, Jim	Shott, Ken	Kuehn, Alex
	Vargas, Brandon		Martin, Chris
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for operations related to the tent reconstruction and set-up. Replaced monitor port lines on CAFS, begin building vestibule, and installed chains on prefilter housing. Inventory coolers and sample jars, dress out tent erected and covered. 4 rolloffs dumped.

End of Day: 17:00

SAMPLES COLLECTED: No samples

Closed cavity items found

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

2-3-16

0630 Safety/ops brief.

0730 Gate doors open

0800 Traffic control in place.

0815 ECSC attaching wire cable to duct filters inside EC5.

0835 ECSC completes test.

" Constructing vestibule.

0915 Start erecting change out tent.

1115 Change out tent up, too big for floor.

1410 Change out tent, canvas/sandbagged.

1545 Secure 4875

1630 Securing.

4875

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 4 February 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Partly Cloudy Low 31° High 53°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Heard, Irvin	Flores, Ben
Courtney, Kenneth	Mangosh, Ed	Duff, Todd	Godwin, Gerald
Craig, Harry	Prate, Warren	Richardson, Matt	Kinkel, Kyle
Day, David	Vail, Todd	DeLaPaz, Hector	Langes, Jennifer
Indelicato, Anthony	Yorkshire, Bart	Nichols, Doug	Lewis, Taylor
	Zimmer, Doug		Maharjan, Bijen
Matter, Phil			Swinson, Tom
Moon, Dale	LIFE STAR		Wade, Robert
Neely, Brian			Williams, Michael
Oien, Joshua			Young, Greg
Rembish, Joseph			
Rider, Matthew			
	ACCUPERMIT	CEHNC	EOD
	Schmidt, Jim	Shott, Ken	Kuehn, Alex
	Vargas, Brandon		Martin, Chris
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for operations related to the tent reconstruction and set-up. Finished vestibule roof and floor, very little remains to finish. Dumped 1 rolloff and shipped 4 truck loads to subtitle D landfill. High-lift removed from site.

End of Day: 17:00

SAMPLES COLLECTED: No samples

Closed cavity items found

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

2-4-16

0630 Safe'n/ops brief.
0710 Traffic signs up.
0802 Power down CAPES, team 2 change filter on ECF.
0820 Center filter missing a few pieces of filter paper.
0838 Filter change complete.
0943 Sam Bae picks up manifest.
1203 Personnel from USACE arrive for visit.
1400 Visitors depart.
1630 Secure 4825

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 5 February 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Partly Cloudy Low 27° High 42°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	DeLaPaz, Hector	Flores, Ben
	Mangosh, Ed	Duff, Todd	Godwin, Gerald
Craig, Harry	Prate, Warren	Heard, Irvin	Kinkel, Kyle
Day, David	Vail, Todd	Nichols, Doug	Langes, Jennifer
Indelicato, Anthony	Yorkshire, Bart	Richardson, Matt	Lewis, Taylor
Lemieux, Joshua	Zimmer, Doug		Maharjan, Bijen
Matter, Phil			Swinson, Tom
Moon, Dale	LIFE STAR		Wade, Robert
Neely, Brian			Williams, Michael
Oien, Joshua			Young, Greg
Rembish, Joseph			
Rider, Matthew			
	ACCUPERMIT	CEHNC	EOD
	Schmidt, Jim	Shott, Ken	Kuehn, Alex
	Vargas, Brandon		Martin, Chris
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for operations related to the tent reconstruction and set-up. Mounted 2 downrange shelter in place sirens. Brought in and leveled gravel for walkway between the PDS and dressout tents and the Glenbrook fence. Finished attaching flap to ECS then connecting to the vestibule, and vestibule was completed. Sent 2 loads of soil to subtitle D landfill.

End of Day: 17:00

SAMPLES COLLECTED: No samples

Closed cavity items found

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

2.5.16

0630 Safety/ops brief.

0645 CARA to Feed Prep.

0725 CARA returns

0730 Open gate and EC's.

0815 Team 1 to Feed Prep. Cont prep site

0830 Bruce Whitcomb and Sheri Anderson Hodge on site.

1015 Whitcomb/Hodge off site.

1300 EC's c. test emergency generators, secured after 1 hour.

1430 Alarms in place.

1600 secured 4825

1630 secured.

Mm

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 8 February 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Partly Cloudy, late snow Low 31° High 45°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Heard, Irvin	Flores, Ben
Courtney, Kenneth	Mangosh, Ed	Duff, Todd	Godwin, Gerald
Craig, Harry	Prate, Warren	Richardson, Matt	Kinkel, Kyle
Day, David	Vail, Todd	DeLaPaz, Hector	Langes, Jennifer
Indelicato, Anthony	Yorkshire, Bart	Nichols, Doug	Lewis, Taylor
Lemieux, Joshua	Zimmer, Doug		Maharjan, Bijen
Matter, Phil			Swinson, Tom
Moon, Dale	LIFE STAR		Wade, Robert
Neely, Brian			Williams, Michael
Oien, Joshua			Young, Greg
Rembish, Joseph			
Rider, Matthew			
Rockwell, Margaret	ACCUPERMIT	CEHNC	EOD
	Schmidt, Jim	Shott, Ken	Kuehn, Alex
	Vargas, Brandon		Martin, Chris
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for operations related to the tent reconstruction and set-up. Mounted air bottles to excavators. Brought in ballast block for roll off stop and set up observation deck. Brought in rolloff, marked grid lines on beams. Had PDT call about upcoming snow event.

End of Day: 17:00

SAMPLES COLLECTED: No samples

Closed cavity items found

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

2-8-16

0630 Site/ops brief.

0715 CARA to Fed Prog

0800 CARA returns.

0910 ZES attaches cylinder to mini excavator.

0945 ZES places block in place on roll off pod. Barricade.

1020 Change filters in ECS.

1027 Filter change complete. ECSC refilled.

1500 Roll off inside ECS.

1600 Seamed, 1825 ECS

1630 Seamed.

2.8.16

0630 Safety/crs brief.
0700 Leave to Fed Proj
0745 Traffic control in place.
0900 Soil Sampling to 4m E.S.
1300 Soil Sampling from 1m cont
1400 Excavator training.
1600 Seamed 1.825.
1730 Seamed.

2

2-10-16

0630 Safety/ops brief: medic on-site.

0900 Training Team 2, Level 3/soil sampling

1300 Training Team 3, Level 8/soil sampling

1430 Training Team 1, Level 8/soil sampling

1515 Medic deployed

1600 Secured 14555.

1730 Secured.

dy

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 11 February 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Overcast, windy Low 16° High 29°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	DeLaPaz, Hector	Flores, Ben
Courtney, Kenneth	Mangosh, Ed	Duff, Todd	Godwin, Gerald
Craig, Harry	Prate, Warren	Heard, Irvin	Kinkel, Kyle
Day, David	Vail, Todd	Nichols, Doug	Langes, Jennifer
Indelicato, Anthony	Yorkshire, Bart		Lewis, Taylor
Lemieux, Joshua	Zimmer, Doug		Maharjan, Bijen
Matter, Phil			Swinson, Tom
Moon, Dale			Wade, Robert
Neely, Brian	LIFE STAR		Williams, Michael
Oien, Joshua	Alfaro, Walter		Young, Greg
Rembish, Joseph	Beaumont, LaToya		
Rider, Matthew			
Rockwell, Margaret			
Boncal, Janelle	ACCUPERMIT	CEHNC	EOD
	Schmidt, Jim	Shott, Ken	Kuehn, Alex
	Vargas, Brandon		Martin, Chris
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for operations related to the set up and removal effort. Full dressout training, calibrated various instruments. In afternoon practiced an emergency (non-chemical) in level B, and did further improvements to the ECS and vestibule.

End of Day: 17:00

SAMPLES COLLECTED: No samples

Closed cavity items found

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

2.11.16

- 1630 Shuttle ops brief.
- 1710 Radio checks.
- 1806 Team 1 on ECS / mod D
- 1827 Team 1 departs ECS
- 1838 Team 3 on air, enter ECS
- 1850 Profile on mini 3500, on instruments
- 1902 Starting to fill roll off. Sampling at 9
- 1905 1900 check, 3500, on instruments
- 1920 Start sampling at 9
- 1930 2800 psi, on instruments
- 1935 Depart ECS (Team 3)
- 1934 Team 3 clears PDS.
- 1150 Midday Challenge Minicom / Med test
- 1230 Start training Team 2, w/ 3.
- 1300 Training complete.
- 1400 Medics off site
- 1420 Leave 4825 gate
- 1530 Secure.

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 12 February 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Cloudy, snow Low 17° High 33°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Courtney, Kenneth	Krivickas, Jeff	DeLaPaz, Hector	Flores, Ben
Craig, Harry	Mangosh, Ed	Duff, Todd	Godwin, Gerald
Day, David	Prate, Warren	Heard, Irvin	Kinkel, Kyle
Indelicato, Anthony	Vail, Todd	Nichols, Doug	Langes, Jennifer
Lemieux, Joshua	Yorkshire, Bart		Lewis, Taylor
Matter, Phil	Zimmer, Doug		Maharjan, Bijen
Moon, Dale			Swinson, Tom
Neely, Brian	LIFE STAR		Wade, Robert
Oien, Joshua	Beaumont, LaToya		Williams, Michael
Rembish, Joseph	Williams-Martin, April		Young, Greg
Rider, Matthew			
Rockwell, Margaret	ACCUPERMIT	CEHNC	EOD
	Schmidt, Jim	Shott, Ken	Kuehn, Alex
	Vargas, Brandon		Martin, Chris
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for operations related to the set up and removal effort. Training operations until smoke test crew arrived, then smoke test performed.

End of Day: 17:00

SAMPLES COLLECTED: No samples

Closed cavity items found

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

2-12-16

0630 Safety / ops. brief. Level 3 training.
 0712 Radio checks
 0733 Rescue 74"
 0811 Team 3 enter ECS - ~~7 HD~~
 0813 bin.com - A HD
 0820 Set up team, sample 21 716 on table
 0850 Manange enters ECS, Level 3 (After Sam. McGrath).
 0909 2500 on air, 0 instruments
 0911 270 check, 2500:88, 0 instruments
 0917 For sampling hit 916
 0927 2300 instruments
 0933 Depart ECS
 0940 Rider, 0 on target, over 200.
 000 Start smoke test.
 1330 rescue training
 Smoke box complete
 1600 rescue 4825
 500 rescue

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 16 February 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Overcast Rainy Low 30° High 51°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Glorioso, Miko	Flores, Ben
Courtney, Kenneth	Mangosh, Ed	Duff, Todd	Godwin, Gerald
Craig, Harry	Prate, Warren	Ponce, Juan	Kinkel, Kyle
Day, David	Vail, Todd	Nichols, Doug	Langes, Jennifer
Indelicato, Anthony	Yorkshire, Bart	Palepale, Mo	Lewis, Taylor
Lemieux, Joshua	Zimmer, Doug		Maharjan, Bijen
Matter, Phil			Swinson, Tom
Moon, Dale			Wade, Robert
Neely, Brian	LIFE STAR		Williams, Michael
Oien, Joshua	German, Helen		Young, Greg
Rembish, Joseph	Ramsey, Charles		
Rider, Matthew			
Rockwell, Margaret			
	ACCUPERMIT	CEHNC	EOD
	Schmidt, Jim	Shott, Ken	Kuehn, Alex
	Vargas, Brandon		Martin, Chris
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 9:30

Personnel prepared the site for operations related to the set up and removal effort. 3 hour delay due to icy roads in the morning. Continued training for high probability operations.

End of Day: 17:00

SAMPLES COLLECTED: No samples

Closed cavity items found

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

2-16-16

0930 Safety/ops brief. 3 hr delay due to weather.
 ✓ Nose 21 in
 1030 Radio checks.
 1200 Traffic in place
 1205 Ambulance in place
 1210 Mini-cams operational.
 1213 Helo tent mini-cams operational
 1214 Rescue operations 20"
 1225 Minicom clear
 1227 DPAAS on
 1233 Set up team enter ECS
 1246 Set up teams exits ECS. 0 int, on line, 88 2400 ps
 ✓ 1255 3500 ps
 1252 Horn, Lemieux, Voil on air
 1255 Team 3 enters ECS, Moon, Lemieux, Voil.
 1307 PDE checks, 2500 ps, 2 instruments
 1324 6.7 ring off, Lemieux breast in suit, notified
 PDS.
 1328 Lemieux ECS
 1329 Moon/Voil depart ECS
 1334 6.7 ring with
 1345 Helo tent monitoring team detect
 1345 6.7 ring pull DPAAS tube
 ✓ Downrange cleared PDS.
 1430 Seamed *Blm*

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 17 February 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Partly cloudy Low 26° High 48°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Duff, Todd	Flores, Ben
Courtney, Kenneth	Mangosh, Ed	Glorioso, Mike	Godwin, Gerald
Craig, Harry	Prate, Warren	Nichols, Doug	Kinkel, Kyle
Day, David	Vail, Todd	Palepale, Mo	Langes, Jennifer
Indelicato, Anthony	Yorkshire, Bart	Ponce, Juan	Lewis, Taylor
Kaputa, Joseph	Zimmer, Doug		Maharjan, Bijen
Lemieux, Joshua			Swinson, Tom
Matter, Phil	LIFE STAR		Wade, Robert
Moon, Dale	Alfaro, Walter		Williams, Michael
Neely, Brian	Murdock, Mark		Young, Greg
Oien, Joshua			
Rembish, Joseph			
Rider, Matthew	ACCUPERMIT	CEHNC	EOD
Rockwell, Margaret	Schmidt, Jim	Shott, Ken	Kuehn, Alex
	Vargas, Brandon		Martin, Chris
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for operations related to the set up and removal effort. Continued training in preparation for high probability operations.

End of Day: 17:00

SAMPLES COLLECTED: No samples

Closed cavity items found

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

2.7.16

- 0630 Safety / ops brief.
- 0730 Road checks. Caswell @ 1.36.00pm / @ 2.30.00
- 0740 PDS / Minicom operational
- 0745 Heat Tent operational / Pressure 70°
- 0800 Oxygen tubes started.
- 0808 Minicom clear / traffic on p174
- 0809 Set up team under ELS (Jason Chaudry, Lawrence Hunt, Neel)
- 0816 Set up team depots 2x ELS
- 0817 Set up team clear PDS
- 0832 Trailer Rumbak Mongolia on air
- 0838 Enter Rumbak Mongolia under ELS
- 0850 Humidity 75
- 0910 Bottle gists, looking
- 0915 4.3 HD.
- 0925 4.5 HD. Integrate soil, placed in fill bucket, grab sample
- 0930 PDS on minicom
- 0933 Team depots 2x ELS
- 0938 Reconnect PDS
- 0955 Exit under ELS (Lawrence Hunt)
- 0958 Set up team
- 1000 No fire, 75m, 100m in 100°
- 1013 ELS depots ELS
- 1016 Packagers to PDS (Casper / Graham)
- 1026 Packagers on air

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 18 February 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Partly cloudy Low 22° High 37°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Duff, Todd	Flores, Ben
Courtney, Kenneth	Mangosh, Ed	Glorioso, Mike	Godwin, Gerald
Craig, Harry	Prate, Warren	Nichols, Doug	Kinkel, Kyle
Day, David	Vail, Todd	Palepale, Mo	Langes, Jennifer
Indelicato, Anthony	Yorkshire, Bart	Ponce, Juan	Lewis, Taylor
Kaputa, Joseph	Zimmer, Doug		Maharjan, Bijen
Lemieux, Joshua			Swinson, Tom
Matter, Phil	LIFE STAR		Wade, Robert
Moon, Dale	Alfaro, Walter		Williams, Michael
Neely, Brian	Beaumont, LaToya		Young, Greg
Oien, Joshua			
Rembish, Joseph			
Rider, Matthew	ACCUPERMIT	CEHNC	EOD
Rockwell, Margaret	Schmidt, Jim	Shott, Ken	Kuehn, Alex
	Vargas, Brandon		Martin, Chris
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for operations related to the set up and removal effort. Continued training in preparation for high probability operations. Dumped 5 rolloffs and sent out shipments to subtitle D landfill.

End of Day: 17:00

SAMPLES COLLECTED: No samples

Closed cavity items found

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

2-18-16

0630 30-044/cps brief

✓ No. baselines, training in Level D.

0730 Commms checks

0740 Traffic control in place

0800 Throwing, Summa connector, Draeger tube
kill bucket.

0915 Commms logs off, excavators, Ed/SK.

0940 Team 2 to Lead Group

1000 200 / Gen. Prop. X-ray.

1130 2000. version

1530 Secure 4835 gate

1630 Secure.

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 19 February 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Partly cloudy Low 35° High 44°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Duff, Todd	
Courtney, Kenneth	Mangosh, Ed	Glorioso, Mike	Godwin, Gerald
Craig, Harry	Prate, Warren	Nichols, Doug	
	Vail, Todd	Palepale, Mo	
Indelicato, Anthony	Yorkshire, Bart	Ponce, Juan	
Kaputa, Joseph	Zimmer, Doug		
Lemieux, Joshua			Swinson, Tom
Matter, Phil	LIFE STAR		Wade, Robert
	Williams-Martin, April		Williams, Michael
	Wolf, Yevette		Young, Greg
Oien, Joshua			
Rider, Matthew	ACCUPERMIT	CEHNC	EOD
Rockwell, Margaret	Schmidt, Jim	Shott, Ken	Kuehn, Alex
	Vargas, Brandon		Martin, Chris
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for operations related to the set up and removal effort. 2 teams to Federal Property to dump and lined rolloffs, dumped 4, and lined 7 rolloffs. Smoke test performed, awaiting results.

End of Day: 17:00

SAMPLES COLLECTED: No samples

Closed cavity items found

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

2-19-16

0630 Safety/ops brief

✓ Limited crew, vehicle operations

0800 Traffic control in place

0810 Team 1 to 5th Flap for roll off

1000 EOC on site to conduct smoke test

1600 Preliminary smoke test

1630 Scene



SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 24 February 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Rain Low 44° High 66°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Laws, Mike	Flores, Ben
Courtney, Kenneth	Mangosh, Ed	Glorioso, Mike	Godwin, Gerald
Craig, Harry	Prate, Warren	Tallent, Mike	Kinkel, Kyle
Day, David	Vail, Todd	Palepale, Mo	Langes, Jennifer
Indelicato, Anthony		Ponce, Juan	Lewis, Taylor
Kaputa, Joseph	Zimmer, Doug		Maharjan, Bijen
Lemieux, Joshua			Swinson, Tom
Matter, Phil	LIFE STAR		Wade, Robert
Moon, Dale	Alfaro, Walter		Williams, Michael
Neely, Brian	Murdock, Mark		Young, Greg
Oien, Joshua			
Rembish, Joseph			
Rider, Matthew	ACCUPERMIT	CEHNC	EOD
Rockwell, Margaret	Schmidt, Jim	Shott, Ken	Kuehn, Alex
	Vargas, Brandon		Martin, Chris
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for level B operations. Began level B operations, 3 teams in ECS in level B, began digging behind the remainder of the Korean wall. Also had lightning hold for approximately 1 hour.

End of Day: 17:00

SAMPLES COLLECTED: see DQCR for samples

Closed cavity items found

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date

A. RADIO CHECKS

- ✓Mini Cams 1&2
- ✓Rescue
- ✓PDS
- ✓Casade
- ✓Medical
- ✓Traffic Control
- ✓Teams 1-3
- ✓EOD
- ✓Packaging
- ✓Corp Safety
- ✓Operations
- ✓Tech Ops
- ✓Sec Mgt
- ✓MPD
- ✓Detachment 1, 2, 3

0730

B. MIN. CAMS / *map tent*

0730 / 0756

C. DAAVN

0800

D. MEDICS

0730

E. PDS

0752

**G. RESCUE/Medical monitoring tent
Minimum 65 degrees.**

0719 70°

H. Casade

0730 *3,240ppm / *to 3,400*

I. D2HC (WEATHER STATION)

0700 21in. 44.2°

J. UCI Monitors

0800

K. Arsine Monitors

0800

L. 88 K bottle pressure, Regulator Setting

0820 88 4000 psi

M. 55 K bottle pressure, Regulator Setting

N. 35 K bottle pressure, Regulator Setting

0820 ~~55 4000 psi~~ / *55,000 psi*

Down Range Log				
Date: 02-24-16	Time	Comms Number: W912DY-09-0062		
Delivery Order Number: 0906		Location: Spring Valley		
Name	Time in	Time out	Company	PPE Level
Ripper	0810	0839	Perman	Level 2, mask
Don	0810	0839	Perman	Level 2, mask
Bombast	0810	0839	Perman	Level 2, mask
Prole	0810	0839	ZES	Level 2, mask
McFar	0810	0824	Perman	Level 2, mask
Indelicate	0810	0824	Perman	Level 2, mask
Monmouth	0810	0824	ZES	Level 2, mask
Vince	0810	0824	Perman	Level 2, mask
Indelicate	0858	1033	Perman	Level 8
Wick	0858	1033	Perman	Level 8
Mangesh	0858	1033	ZES	Level 8
Wick	1224	1347	Perman	Level 8
Wick	1224	1352	Perman	Level 8
Wick	1224	1347	ZES	Level 8
Ripper	1408	1520	Perman	Level 8
Don	1408	1520	Perman	Level 2
Prole	1408	1520	ZES	Level 8
Indelicate	1523	1536	Perman	Level 2, mask
Wick	1523	1536	Perman	Level 2, mask
Bombast	1523	1536	Perman	Level 2, mask

2 24 16

- 0650 . Safety brief / ops - high probability. 4,828
- 0700 . 1st air alarm. 4,812
- 0715 . Rescue 70°
- 0730 . Crews check, 1st alarm #3 3400psi - #4 3200psi
- 0740 . Minimums operations.
- 0750 . 3 crew technicians
- 0752 . PDS operational
- 0755 . Traffic in place, operational.
- 0756 . Front-end minimum, operational. 2AAs, operational
- 0800 . Helicopter (CHS) operational.
- 0805 . Ambulance dearrange.
- 0810 . Ref, crew Remba, Rudo, Heller, Indelenda, Mangoch, Mom
- 0815 . in ECS for set up
- 0820 . 1st monitor, 88 4000psi, 55 1200psi, sample hit 389
- 0825 . 1st off - 27° 38N.
- 0829 . Mother, Mom, Mangoch, Indelenda, report ECS
- 0830 . Indelenda all our way in ECS.
- 0835 . 5th 4th monitors reported, 88th changed in site, 5th 4th moved.
- 0838 . ~~2nd~~ Team 1 reports ECS
- 0848 . Team 2 enters ECS (Indelenda leads, Mangoch).
- 0855 . 1st 4th estimate ops from 88 (1200psi) to 55 (1200psi)
- 0912 . Groundwater check.
- 0915 . VOC sample.
- 0922 . PDS checks, 1st instrument, 55 4300psi
- 10:08 . Team 3 reports ECS, with 1st sample

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 2/25/2016

A. RADIO CHECKS

- ✓ Mini Cam's 1&2
- ✓ Rescue
- ✓ PDS
- ✓ Cascade
- ✓ Medical
- ✓ Traffic Control
- ✓ Cam's 1-3
- ✓ EOD
- ✓ Packaging
- ✓ Corp Safety
- ✓ Operations
- ✓ Tech Ops
- ✓ Site Mgr
- ✓ MFD

0730

B. MIN CAMS

C. DAAMS

D. MLLICS

E. PDS

G. RESCUE/Medical monitoring tent
Minimum 65 degrees.

H. Cascade

I. WPC (WEATHER STATION)

J. HCl Monitors

K. Arsine Monitors

L. 88 K. bottle pressure, Regulator Setting

m. 55 K. bottle pressure, Regulator Setting

n. 45 K. bottle pressure, Regulator Setting

Violation
In
0730/0729 - 100 / 1159

0801

0730

0745 (1214)

0748 - 70°

*3-2600 / *4-2700

0700 20% @ 43.4

0810 - 0

0810 - 0

3800 psi

3200 psi

[illegible]

2-25-2016

- 0730 Info/ops brief.
- 0740 hose 20m @ 13.9
- 0730 Comms check
- 0740 hose #3- 200psi / #4 200psi / head ten, winch 100
- 0745 PDS - operational
- 0748 Rescue operational - 50%
- 0751 Priming hose (2 cables)
- 0801 Nitrox pump started. hose 10m @ 41.9
- 0804 Team #1 water ECS for set up
- 0815 Team #1 reports ECS
- 0823 Team #2 (Instructor, Burrows, Veng-Sin) on air
- 0830 Team #2 water ECS
- 0831 O-instrument, online air
- 0835 O-instrument, SS 3000psi, POC checks.
- 0845 O-instrument, SS 3000psi, POC checks, hand over + head.
- 0846 Team #2 reports ECS. O-instrument, SS 3000psi
- 0851 Team #3 water (Rider, Courtney, Vici).
- 0854 Team #3 water ECS. O-instrument, SS 3000psi, on air
- 0858 O-instrument, SS 3000psi, POC checks.
- 0909 Team #3, O-instrument, SS 3000psi, reports ECS.
- 0919 Yet to find minimum welding challenge
- 0920 Minimum welding challenge
- 0944 PDS operational / rescue of 70%
- 0952 Team #1 (Mason, Remington, Zele) on air

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 26 February 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Overcast, windy Low 25° High 39°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Laws, Mike	Flores, Ben
Courtney, Kenneth	Mangosh, Ed	Glorioso, Mike	Godwin, Gerald
Craig, Harry	Prate, Warren	Tallent, Mike	Kinkel, Kyle
Day, David	Vail, Todd	Palepale, Mo	Langes, Jennifer
Indelicato, Anthony		Ponce, Juan	Lewis, Taylor
Kaputa, Joseph	Zimmer, Doug		Maharjan, Bijen
Lemieux, Joshua			Swinson, Tom
Matter, Phil	LIFE STAR		Wade, Robert
Moon, Dale	Williams-Martin, April		Williams, Michael
Neely, Brian	Wolf, Yvette		Young, Greg
Oien, Joshua			
Rembish, Joseph			
Rider, Matthew	ACCUPERMIT	CEHNC	EOD
Rockwell, Margaret	Schmidt, Jim	Shott, Ken	Kuehn, Alex
	Vargas, Brandon		Martin, Chris
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. Casting spoils to the rolloff for filling on Monday. Performed maintainance on the excavators and jammed bottles before departing site. AU sporting event and we were asked to leave site by 1330. After we left site the crews packaged 21 filters and emptied and inventoried 2 connexes at Federal Property.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist, Spring Valley Washington DC Date 3/20/2016

A. RADIO CHECKS

- ✓/Mini Comm 1&2 ✓/4-2-1-3-4-5
- ✓/Rescue
- ✓/POS
- ✓/Cascade
- ✓/Medical
- ✓/Traffic Comm.
- ✓/Teams 1-3
- ✓/101
- ✓/Backlog
- ✓/Corp Safety
- ✓/Operations
- ✓/Team Ops
- ✓/Strike 9
- ✓/1020

11:00

B. MINT CANS

730 / 630

C. DAVYS

0700

D. MEDICS

0730

E. POS

0730

**G. RESCUE/Medical monitoring tent
Minimum 65 degrees.**

0800 0800

H. Cascade

7100 11:30 12:00 12:30

I. D2PC (WEATHER STATION)

7100 11:30 12:00 12:30

J. HCl Monitors

7100 11:30 12:00 12:30

K. Arsine Monitors

7100 11:30 12:00 12:30

L. 88 K bottle pressure, Regulator Setting

7100 11:30 12:00 12:30

M. 55 K bottle pressure, Regulator Setting

7100 11:30 12:00 12:30

N. 35 K bottle pressure, Regulator Setting

7100 11:30 12:00 12:30

2-26-76

- 1346 Team #3 clears PDS
- 1348 Interview West End minimum roadway challenge.
- 1349 "East End" minimum roadway challenge
- 1351 Team #2 solve EGS (Indelco, Healy, Bowler, Monahan)
- 1352 2nd EGS covered 274582 ready for transport.
- 1353 Filling out estimates on excavations (54).
- 1354 Detail excavations (83)
- 1355 Repair complete.
- 1357 Transport 2nd EGS.
- 1361 "Should" repair EGS
- 1365 EGS runs emergency generator.
- 1366 Secured 6385
- 1349 Persons to feed properly.
- 1330 Secured

70

PRE-OPERATIONS Checklist, Spring Valley Washington DC Date

A. RADIO CHECKS

Mini Cams 1&2
 Rescue
 JDS
 Cascade
 Medical
 Traffic Control
 Teams 1-3
 JED
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MIDD

0745

B. MINI CAMS

~~0745~~ 0730/0753

C. DAAMS

0800

D. MIDDICS

0745

E. JDS

0745

**G. RESCUE/Medical monitoring tent
 Minimum 65 degrees.**

0745

H. Cascade

0745

I. D2PC (WEATHER STATION)

0750

J. HCI Monitors

0800

K. Arsine Monitors

0800

L. 88 K bottle pressure, Regulator Setting

m. 55 K bottle pressure, Regulator Setting

n. 35 K bottle pressure, Regulator Setting

Down Range Log				
Date: 02-29-16	Time	Contract Number: WY 2017-05-0000		
Delivery Order Number: 0900		Location: Spring Valley		
Name	Time in	Time out	Company	PPE Level
MOON	0800	0901	PARSONS	MOB "D"
LOM LOU	0804	0901	"	"
COURTNEY	0804	0901	"	"
VAIL	0804	0901	ZES	MOB "D"
RIDDER	0922	1109	PARSONS	LEVEL "B"
OWEN	0922	1109	PARSONS	"
MANGOSH	0922	1109	ZES	LEVEL "B"
Indelicate	1223	1330	Parsons	Level "B"
Bowles	1223	1330	Parsons	Level "B"
Yorkshire	1223	1330	ZES	Level "B"
MOON	1355	1501	Parsons	Level "B"
Courtney	1355	1501	Parsons	Level "B"
VAIL	1355	1501	ZES	Level "B"
Ridder	1510	1519	Parsons	MOB Level "D"
Owen	1510	1519	Parsons	MOB Level "D"
Rambish	1510	1519	Parsons	MOB Level "D"

2-29-16

0630 SAFETY BRIEF.

0745 RADIO CHECKS

0750 ECS MINICAMS UP @ 0730

0753 MED TENT MINICAMS UP.

0800 DAAMS PUMPS RUNNING.

0804 TEAM 3 IN ECS FOR SETUP. "MOD A"

0815 ECS TRUCK DOOR IS OPEN

0831 Roll-off 274582 IS OUT OF THE ECS.

0852 Roll off 274544 IS IN THE ECS.

0858 THE ECS TRUCK DOOR IS CLOSED

0901 SETUP COMPLETE TEAM 3 OUT.

0922 TEAM 1 IS IN THE ECS (LEVEL "B").

0945 PPE CHECKS

1045 PPE CHECKS

1109 TEAM 1 IS OUT OF THE ECS.

1120 B. NELMS Departs For Day

1130 Begin Lunch

1133 Med tent minicams back up

1155 ECS minicams re-calibrating

1210 ECS minicams up

1215 Team 2 moves to PDS

1223 Team 2 Enters ECS in level "B"

1250 PPE Check - TL has empty Rescue bottle - Cont

Continued on Next Page

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 1 March 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Partly cloudy Low 38° High 63°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Laws, Mike	Bayless, Gerald
Courtney, Kenneth	Mangosh, Ed	Glorioso, Mike	Flores, Ben
Craig, Harry	Prate, Warren	Tallent, Mike	Godwin, Gerald
Day, David	Vail, Todd	Lewis, Leon	Kinkel, Kyle
Indelicato, Anthony	Yorkshire, Bart	Ponce, Juan	Langes, Jennifer
	Zimmer, Doug		Lewis, Taylor
Lemieux, Joshua			Swinson, Tom
Matter, Phil	LIFE STAR		Wade, Robert
Moon, Dale	Alfaro, Walter		Williams, Michael
Neely, Brian	German, Helen		Young, Greg
Oien, Joshua			
Rider, Matthew	ACCUPERMIT	CEHNC	EOD
Rockwell, Margaret	Schmidt, Jim	Shott, Ken	Kuehn, Alex
	Vargas, Brandon		Martin, Chris
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. 1 team leader has OSHA physical. Filled 1 roll off with soil from behind the wall nearest Korean ambassadors property. 2 teams inside ECS in level B today.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

3/1/16

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date**A. RADIO CHECKS**

Mini Cams 1&2 ✓
 Rescue ✓ 70
 PDS ✓
 Cascade ✓
 Medical ✓
 Traffic Control ✓
 Teams 1-3 ✓
 EOD ✓
 Packaging ✓
 Corp Safety ✓
 Operations ✓
 Tech Ops ✓
 Sire Mgr ✓
 MPD ✓

0740**B. MINICAMS**

ECs ^{MDP Unit}
0750 / 0756

C. DAAMS0757**D. MEDICS**0755**E. PDS**0756**G. RESCUE/Medical monitoring tent**
Minimum 65 degrees.0740 / 70°**H. Cascade**

0740 ^{Back} 4/3400 ^{Back} 5/4000

I. D2PC (WEATHER STATION)0745**J. HCT Monitors**0755**K. Arsenic Monitors**0755**L. 88 K bottle pressure, Regulator Setting**3500**M. 55 K bottle pressure, Regulator Setting**3000**N. 35 K bottle pressure, Regulator Setting** *N/A*

3-1-16

0630 Safety Brief

0740 Radio checks complete

0750 Mini Com up @ 0730 LAAD Amps on

0800 Team 3 in ECS in "A" ID

0850 Roll off swap complete now #

0900 Team 3 Exit the ECS

0910 Team 2 Enters ECS in Level "B"

0955 PPE check complete

1025 PPE check complete

1045 Sent VSC sample Sur + downstage team

1050 VSC #1 complete

1104 Team 2 Exits ECS

1113 Team 1 Clear of PDS

1115 Mini Coms Bag's Mid. Bay

1125 Team clear of Metrics - start lunch - need fruit minis

backlog @ 1125

1135 ECS minis come back online

1150 PDS up, Resus up

1245 Team 3 to PDS

1223 Team 3 Enters ECS in Level "B"

1300 PPE check

1330 PPE check

1343 Sample 2nd complete

- Continued on following page -

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 2 March 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Cloudy, windy Low 26° High 44°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Glorioso, Mike	Bayless, Gerald
Courtney, Kenneth	Mangosh, Ed	Laws, Mike	Flores, Ben
Craig, Harry	Prate, Warren	Lewis, Leon	Godwin, Gerald
Day, David	Vail, Todd	Ponce, Juan	Kinkel, Kyle
Indelicato, Anthony	Yorkshire, Bart	Tallent, Mike	Langes, Jennifer
Kaputa, Joseph	Zimmer, Doug		Lewis, Taylor
Lemieux, Joshua			Swinson, Tom
Matter, Phil			Wade, Robert
Moon, Dale	LIFE STAR		
Neely, Brian	Alfaro, Walter		
Oien, Joshua	Murdock, Mark		Young, Greg
Rider, Matthew			
	ACCUPERMIT	CEHNC	EOD
	Schmidt, Jim	Shott, Ken	Kuehn, Alex
	Vargas, Brandon		Martin, Chris
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. Finished digging behind Korean wall continued to dig out floor and footers on the Glenbrook side of the Korean wall. Finished digging out footers and floors and begin loading out soil. 3 level B teams inside ECS today.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 03-02-16**A. RADIO CHECKS**

Mini Cams 1&2

Rescue

PDS

Cascade

Medical

Traffic Control

Transit-1

EOD

Packaging

Corp Safety

Operations

Tech Ops

Site Mgr

MPD

0740**B. MINI CAMS**1143, 1145
0730/0733**C. DAAMS**0800**D. MEDICS**0800**E. PDS**0746**G. RESCUE/Medical monitoring tent**
Minimum 65 degrees.0740**H. Cascade**0740**I. D2PC (WEATHER STATION)**0700**J. HCI Monitors**0800**k. Arsine Monitors**0800**i. 88 K bottle pressure, Regulator Setting**3800**m. 55 K bottle pressure, Regulator Setting**4300

Date 03-02-16	Time	Contract Number: W99207-09-0062		
Delivery Order Number: 0006		Location: Spring Valley		
Name	Time in	Time out	Company	PPE Level
MOON	0802	0813	PARSONS	MOB "D"
LEMIEN	0802	0813	PARSONS	"
COURTNEY	0802	0813	PARSONS	"
VAIL	0802	0813	ZES	"
MATTER	0802	0813	PARSONS	MOB "A"
RIDDER	0833	1006	PARSONS	LEVEL "B"
DIEN	0833	1006	PARSONS	"
MARIGOSA	0833	1006	ZES	LEVEL "B"
INDELICATO	1021	1125	PARSONS	LEVEL "B"
NEELY	1021	1125	PARSONS	"
PRATT	1021	1125	ZES	LEVEL "B"
MOON	1229	1348	PARSONS	LEVEL "B"
COURTNEY	1229	1348	PARSONS	"
VAIL	1229	1348	ZES	LEVEL "B"
INDELICATO	1401	1500	PARSONS	MOB "D"
BOWLES	1401	1500	PARSONS	"
NEELY	1401	1500	PARSONS	"
PRATT	1401	1500	ZES	MOB "D"
LANE	1416	1500	CARA	MOB "D"
GOBWIN	1416	1500	CARA	MOB "D"

3-2-16

- 1630 SAFETY BRIEF.
- 1730 ECS MINICAMS UP.
- 1740 RADIO CHECKS.
- 1746 RESCUE/PDS ARE UP MED TENT @ 70"
- 1802 TEAM 3 IS IN ECS FOR SET UP.
- 1813 SETUP COMPLETE TEAM 3 IS OUT.
- 1833 TEAM 1 IN ECS LEVEL "B".
- 1900 PPE CHECKS.
- 1939 PPE CHECKS.
- 1006 TEAM 1 IS OUT OF THE ECS.
- 1021 TEAM 2 IS IN THE ECS.
- 1046 PPE CHECKS.
- 1108 VIC SAMPLE #1 HAS BEEN COLLECTED.
- 1125 TEAM 2 IS OUT OF THE ECS.
- 1131 STARTING MID DAY CHALLENGE.
- 1145 ALL MINICAMS ARE BACK UP.
- 1229 TEAM 3 IS IN THE ECS "LEVEL B"
- 1300 PPE CHECKS.
- 1323 ROLLOFF 279982 IS FULL
- 1328 CAMP SAMPLE 292 COLLECTED.
- 1348 TEAM 3 IS OUT OF THE ECS.
- 1401 TEAM 2 IS IN THE ECS "MOO'D"
- 1405 ECS TRUCK DOOR IS OPEN
- 1414 ROLLOFF 279982 IS OUT OF THE ECS.

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 3 March 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Cloudy, windy Low 35° High 44°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Glorioso, Mike	Bayless, Gerald
Courtney, Kenneth	Mangosh, Ed	Laws, Mike	Flores, Ben
Craig, Harry	Prate, Warren	Lewis, Leon	Godwin, Gerald
Day, David	Vail, Todd	Ponce, Juan	Kinkel, Kyle
Indelicato, Anthony	Yorkshire, Bart	Tallent, Mike	Langes, Jennifer
	Zimmer, Doug		Lewis, Taylor
Lemieux, Joshua			Swinson, Tom
Matter, Phil	LIFE STAR		Wade, Robert
Moon, Dale	Alfaro, Walter		
Neely, Brian	Beaumont, LaToya		Young, Greg
Oien, Joshua			
Rockwell, Margaret			
Rider, Matthew	ACCUPERMIT	CEHNC	EOD
	Schmidt, Jim	Shott, Ken	Kuehn, Alex
	Vargas, Brandon		Martin, Chris
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. 1 level B team in ECS filled 1 roll off. DC water began jackhammering up the broken valve on Glenbrook so we ended ops inside the ECS at approx. 1130. Teams went to Federal Property to bag/box filters and line rolloffs. 27 filters boxed and or bagged and 8 roll offs lined.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist. Spring Valley Washington DC. Date 03-03-16**A. RADIO CHECKS**0743

Mini Cams 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Teamst-3
 RCO
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MTD

B. MINI CAMS0730 0803**C. DAAMS**0759**D. MEDICS**0630**E. PDS**0748**G. RESCUE/Medical monitoring tent**
Minimum 65 degrees.0743 70**H. Cascade**UP**I. D2PC (WEATHER STATION)**0707**J. HCL Monitors**0800**k. Arsine Monitors**0800**i. 88 K bottle pressure, Regulator Setting****m. 55 K bottle pressure, Regulator Setting**

72

66 3.3-16

1630 SAFETY BRIEF

1730 ECS MINICAMS UP. SEAN BUCKLEY ON SITE.

1759 DAAHS PUMPS RUNNING

1803 MED TENT MINICAMS UP.

1806 TEAM 3 IN THE ECS FOR SET UP.

1822 PA-4825CE-SCP-329 DOUBLE BRAGED
FOR HEAD SPACE "DUCT FILTERS".

1827 SET UP COMPLETE & THE TEAM IS OUT.

0839 TEAM 1 IS IN THE ECS "OVER B".

0846 COLLECTING VOC SAMPLE

0949 PPE CHECKS.

1006 ROLL OFF 279900 IS FULL AND
COMPOSITE SAMPLE 293 COLLECTED.

1012 TEAM 1 IS OUT OF THE ECS.

1023 TEAM 3 IS IN THE ECS. MOB "B".

1027 THE TWO TRUCK PLOTS ARE OPEN.

NOTE: ROMATEL MAINTENANCE IS ON SITE
TO LOOK AT THE BOTTLE KICK ON THE SS.

1040 CHRA IN THE ECS TO REMOVE REGULATOR

1045 CHRA IS OUT OF THE ECS. D.C. WINTER

IS ON GLENBROOK RD TO REPLACE

A WATER VALVE. GLENBROOK RD.

HAS BEEN BLOCKED OFF FOR

THE NEXT TWO DAYS.

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 4 March 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Cloudy, windy Low 35° High 44°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Glorioso, Mike	Bayless, Gerald
Courtney, Kenneth	Mangosh, Ed	Laws, Mike	Flores, Ben
Day, David	Prate, Warren	Lewis, Leon	Godwin, Gerald
Indelicato, Anthony	Vail, Todd	Ponce, Juan	Kinkel, Kyle
Kaputa, Joseph	Yorkshire, Bart	Tallent, Mike	Langes, Jennifer
Lemieux, Joshua	Zimmer, Doug		Lewis, Taylor
Matter, Phil			Swinson, Tom
Moon, Dale	LIFE STAR		Wade, Robert
Neely, Brian	Williams-Martin, April		Williams, Michael
Nelms, Bobby	Wolf, Yvette		Young, Greg
Oien, Joshua			
Rider, Matthew			
	ACCUPERMIT	CEHNC	EOD
	Schmidt, Jim	Shott, Ken	Kuehn, Alex
	Vargas, Brandon		Martin, Chris
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. Begin jackhammer on the footer area to right of Korean wall, viewed looking towards Korean property. Jackhammer hydraulic lines broke and ZES left to get them a new set. Rolloff removed from inside the ECS along with 3 PPE and 2 Water drums. After lunch replaced the hydraulic lines, then performed end of week maintainance.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 03-04-16**A. RADIO CHECKS**

Mini Cams 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-3
 EOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MPD

0733**B. MINT CAMS**

1115 1113
0730 0733

C. DAAMS0800**D. MEDICS**0630**E. PDS**0734**G. RESCUE/Medical monitoring tent.
Minimum 65 degrees.**0734**H. Cascade**UP**I. DZPC (WEATHER STATION)**0700**J. HCl Monitors**0800**k. Arsine Monitors**0800**l. 88 K. bottle pressure, Regulator Setting****m. 55 K. bottle pressure, Regulator Setting**

Down Range Log				
Date 03-04-16		Time	Contract Number: W912DY-03-0062	
Delivery Order Number: 0006		Location: Spring Valley		
Name	Time In	Time Out	Company	WPE Level
RIDER	0807	0817	PARSONS	MOD "B"
OIEN	0807	0817	PARSONS	"
REMBISH	0807	0817	PARSONS	"
MANGOSH	0807	0817	FEI	MOD "B"
INDELICATO	0828	0915	PARSONS	LEVEL "B1"
BOWIER	0828	0915	PARSONS	LEVEL "B"
YORKSHIRE	0828	0915	FEI	LEVEL "B"
RIDER	0949	1006	PARSONS	MOD "B"
OIEN	0949	1006	PARSONS	"
REMBISH	0949	1006	PARSONS	"
VAIL	0949	1006	FEI	"
FRATE	0952	1006	FEI	"
KRANIKAS	0952	1006	FEI	MOD "B"
MOON	1021	1054	PARSONS	MOD "B"
LEWISUX	1021	1054	PARSONS	"
COURTNEY	1021	1054	PARSONS	MOD "B"
RIDER	1211	1317	PARSONS	MOD "B"
OIEN	1211	1317	PARSONS	"
REMBISH	1211	1317	PARSONS	"
MANGOSH	1211	1317	FEI	MOD "B"
VAIL	1305	1317	FEI	MOD "B"

2

18

3-4-16

0630 SAFETY BRIEF.

0733 MED TENT MINICAMS UP, RADIO CHECKS.

0730 ECS MINICAMS UP.

0807 TEAM 1 IN THE ECS FOR SET UP.

0817 SETUP COMPLETE TEAM 1 IS OUT.

0828 TEAM 2 IS IN ECS LEVEL "B".

0900 PPE CHECKS.

0910 HYDRAULIC HAMMER HAS A LEAKING HOSE.

0945 TEAM 2 IS OUT OF THE ECS.

0943 TEAM 1 IS IN THE ECS. MOD "D"

REMOVING HYDRAULIC HOSES.

1006 TEAM 1 IS OUT OF THE ECS.

1021 TEAM 3 IS IN ECS MOD "D" PUTTING REBAR.

1054 TEAM 3 IS OUT.

1101 STARTING MID DAY CHALLENGER.

1115 ALL MINICAMS BACK UP

1200 TEAM 1 IS IN THE ECS.

1218 THE ECS TRUCK DOOR IS OPEN

1234 ROLL OFF 279900 IS OUT OF THE ECS. DOOR CLOSED

1315 PPE BARRIERS 331, 332, 333 H2O 266 & 267

LOAD ON STAKE BED FOR FEU PROPERLY.

1317 TEAM 1 IS OUT OF THE ECS.

1530 SECURED

CPD
 27-6-16
 1530

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 7 March 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Overcast Low 35° High 59°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Glorioso, Mike	Bayless, Gerald
Courtney, Kenneth	Mangosh, Ed	Laws, Mike	Flores, Ben
Day, David	Prate, Warren	McGee, Kathy	Godwin, Gerald
Indelicato, Anthony	Vail, Todd	Ponce, Juan	Kinkel, Kyle
Kaputa, Joseph	Yorkshire, Bart	Tallent, Mike	Langes, Jennifer
	Zimmer, Doug		Lewis, Taylor
Matter, Phil			Swinson, Tom
Moon, Dale	LIFE STAR		Wade, Robert
Neely, Brian	Beaumont, LaToya		Williams, Michael
Nelms, Bobby	Murdock, Mark		Young, Greg
Oien, Joshua			
Rider, Matthew			
	ACCUPERMIT	CEHNC	EOD
	Schmidt, Jim	Shott, Ken	Kuehn, Alex
	Vargas, Brandon		Martin, Chris
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. 3 level B teams in ECS today jackhammering the floor and footers. At end of the day approximately 95% of the floor is broken up and ready to be loaded out.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 03-07-16**A. RADIO CHECKS**

Mini Cams 1&2
 Rescue
 PDS
 Cascade
 Medics
 Traffic Control
 Teams 1-5
 EOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MPD

0740**B. MINI CAMS**

1110 1244
0735 0824

C. DAAMS0800**D. MEDICS**0630**E. PDS**0740**G. RESCUE/Medical monitoring tent**
Minimum 65 degrees.0752**H. Cascade**07**I. D2PC (WEATHER STATION)**0700**J. HCT Monitors**0800**k. Arsine Monitors**0800**l. 88 K bottle pressure, Regulator Setting****m. 55 K bottle pressure, Regulator Setting**

Down Range Log				
Date 03-07-16		Time	Contract Number: W512DY-09-0062	
Delivery Order Number: 0006		Location: Spring Valley		
Name	Time in	Time out	Company	Pipe Level
INDUCCATO	0824	0837	PARSONS	MOD "B"
NEELY	0824	0837	PARSONS	"
BOWLES	0824	0837	PARSONS	"
YORKSHIRE	0824	0837	ZFS	MOD "B"
MOON	0846	0956	PARSONS	LEVEL "B"
CURTIN	0846	0956	PARSONS	"
VALE	0846	0956	ZFS	LEVEL "B"
INDUCCATO	1004	1039	PARSONS	MOD "B"
NEELY	1004	1039	PARSONS	"
BOWLES	1004	1039	PARSONS	MOD "B"
RIDDER	1204	1344	PARSONS	LEVEL "B"
BIEN	1204	1344	PARSONS	"
MANCOSA	1204	1344	ZFS	LEVEL "B"
INDUCCATO	1306	1321	PARSONS	MOD "B"
NEELY	1306	1321	PARSONS	"
BOWLES	1306	1321	PARSONS	MOD "B"
INDUCCATO	1358	1512	PARSONS	LEVEL "B"
NEELY	1358	1512	PARSONS	"
YORKSHIRE	1358	1512	ZFS	LEVEL "B"
MOON	1518	1521	PARSONS	MOD "B"
BOWLES	1518	1521	PARSONS	MOD "B"

2
1/2

19 3-7-16

1630 SAFETY BRIEF

1822 RADIO CHECKS COMPLETE AND ALL MONITORS ARE UP.

1824 TEAM 2 IS IN FOR SETUP.

1837 TEAM 2 IS OUT.

1846 TEAM 3 IS IN THE ELS. LEVEL "B".

1910 PPE CHECKS.

1943 PPE CHECKS.

1956 TEAM 3 IS OUT.

1004 TEAM 2 IS IN ELS MID "B" CUTTING REBAR.

1039 TEAM 2 IS OUT.

1042 STARTING MID DAY CHALLENGE

1152 MID DAY CHALLENGE COMPLETE.

1204 TEAM 1 IS IN THE ELS. LEVEL "B".

1228 PPE CHECKS.

1306 TEAM 2 IN ELS MID "B" ATTEMPTING TO PULL AIR LINE & REBAR CLAMPS.

1321 TEAM 2 IS OUT.

1344 TEAM 1 IS OUT.

1358 TEAM 2 IS IN HIS LEVEL "B".

1434 PPE CHECKS

1512 TEAM 2 IS OUT.

1518 TEAM 3 IN ELS MID "B"

1521 TEAM 3 IS OUT.

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 8 March 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Mostly sunny Low 49° High 69°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Glorioso, Mike	Bayless, Gerald
Courtney, Kenneth	Mangosh, Ed	Laws, Mike	Flores, Ben
Day, David	Prate, Warren	Lewis, Leon	Godwin, Gerald
Indelicato, Anthony	Vail, Todd	Ponce, Juan	Kinkel, Kyle
	Yorkshire, Bart	Tallent, Mike	Langes, Jennifer
	Zimmer, Doug		Lewis, Taylor
Matter, Phil			Swinson, Tom
Moon, Dale	LIFE STAR		Wade, Robert
Neely, Brian	Alfaro, Walter		Williams, Michael
Nelms, Bobby	German, Helen		Young, Greg
Oien, Joshua			
Rider, Matthew			
Rockwell, Margaret	ACCUPERMIT	CEHNC	EOD
	Schmidt, Jim	Shott, Ken	Kuehn, Alex
	Vargas, Brandon		Martin, Chris
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. 2 teams in level B inside of ECS today, 2 roll offs were filled with rubble from the floor and removed. Brought in empty roll off at end of the day and jammed and fueled vehicles inside ECS.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 03-08-16**A. RADIO CHECKS**0740

Mini Cams 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-3
 HQ
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MPD

1125 1132

B. MINI CAMS0727 0712**C. DAAMS**0800**D. MEDICS**0630**E. PDS**0740**G. RESCUE Medical monitoring tent
Minimum 65 degrees.**0740**H. Cascade**UP**I. D2PC (WEATHER STATION)**0740**J. HCl Monitors**0800**k. Arsine Monitors**0800**l. 88 K. bottle pressure, Regulator Setting****m. 55 K. bottle pressure, Regulator Setting**

Down Range Log				
Date 02-05-16	Time	Contract Number: W912DY-C9 D062		
Delivery Order Number: 0086		Location: Spring Valley		
Name	Time in	Time out	Company	PPE Level
INDUPLICATION	0805	0908	PARSONS	MOD "B"
NEELY	0805	0908	PARSONS	"
BOWLES	0805	0908	PARSONS	"
YORKSHIRE	0805	0908	RES	MOD "B"
MULN	0917	1035	PARSONS	LEVEL "B"
CHURNING	0917	1035	PARSONS	"
VAIL	0917	1035	RES	LEVEL "B"
INDUPLICATION	1041	1112	PARSONS	MOD "B"
NEELY	1041	1112	PARSONS	"
BOWLES	1041	1112	PARSONS	"
YORKSHIRE	1041	1112	RES	MOD "B"
INDUPLICATION	1155	1218	PARSONS	MOD "B"
NEELY	1155	1218	PARSONS	"
BOWLES	1155	1218	PARSONS	"
YORKSHIRE	1155	1218	RES	MOD "B"
RIDER	1238	1351	PARSONS	LEVEL "B"
REMBISH	1238	1351	PARSONS	"
MANGOSHI	1238	1351	RES	LEVEL "B"
INDUPLICATION	1358	1516	PARSONS	MOD "B"
NEELY	1358	1516	PARSONS	"
BOWLES	1358	1516	PARSONS	"
YORKSHIRE	1358	1516	RES	"
VAIL	1358	1441	RES	"
LAPL	1358	1441	CAPA	"
GROWIN	1358	1441	CAPA	MOD "B"

72

71 3-8-16

1530 SAFETY BRIEF.

1540 RADIO CHECKS.

1550 ALL MONITORS ARE UP.

1605 TEAM 2 IN FOR SETUP MOB "D"

1828 ELS TRUCK DOORS ARE OPEN.

1847 ROLLOFF 280196 IS IN THE ELS
AND TRUCK DOORS CLOSED.

1908 SETUP COMPLETE TEAM 2 IS OUT.

1917 TEAM 3 IN ELS LEVEL "B" FILLING REBAR
W/ CONCRETE.

1980 PPE CHECKS.

1011 ROLLOFF 280196 IS FULL.

1035 TEAM 3 IS OUT.

1048 ELS TRUCK DOOR ARE OPEN.

1100 ROLLOFF 280196 IS OUT AND TRUCK
DOORS CLOSED.

1112 TEAM 2 IS OUT, NOTE TEAM 2 IN @ 10:41

1113 STARTING MIDDAY CHALLENGE.

1132 MIDDAY CHALLENGE COMPLETE.

1155 TEAM 2 IN ELS MOB "D"

1156 ELS TRUCK DOORS ARE OPEN.

1211 ROLLOFF 274169 IS IN ELS.

1213 ELS TRUCK DOORS CLOSED.

1218 TEAM 2 IS OUT

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 9 March 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Sunny and warm Low 57° High 76°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Glorioso, Mike	Bayless, Gerald
Courtney, Kenneth	Mangosh, Ed	Laws, Mike	Flores, Ben
Day, David		McGee, Kathy	Godwin, Gerald
Indelicato, Anthony	Vail, Todd	Ponce, Juan	Kinkel, Kyle
Kaputa, Joseph	Yorkshire, Bart	Tallent, Mike	Langes, Jennifer
	Zimmer, Doug		Lewis, Taylor
Matter, Phil			Swinson, Tom
Moon, Dale			Wade, Robert
Neely, Brian	LIFE STAR		Williams, Michael
Nelms, Bobby	Alfaro, Walter		Young, Greg
Oien, Joshua	Murdock, Mark		
Rider, Matthew			
	ACCUPERMIT	CEHNC	EOD
	Schmidt, Jim	Shott, Ken	Kuehn, Alex
	Vargas, Brandon		Martin, Chris
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. Loading out more rubble from the floor, near end of day brought down the wall by Korean ambassador. Begin jackhammering up floor for loadout tomorrow.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 03-09-16**A. RADIO CHECKS**

Mount Cams 1&2 ✓
 Rescue ✓
 PDS ✓
 Cascade ✓
 Medical ✓
 Traffic Control ✓
 Teams 1-5 ✓
 EOD ✓
 Packaging ✓
 Corp Safety ✓
 Operations ✓
 Tech Ops ✓
 Site Mgr ✓
 MFD ✓

0743

1125 1132

B. MFD CAMS

0730 0752

C. DAAMS

0800

D. MEDICS

0630

E. PDS

0800

G. RESCUE/Medical monitoring tent
Minimum 65 degrees.

0740

H. Cascade

08

I. IMPC (WEATHER STATION)

0750

J. TIC Monitors

0800

K. Arming Monitors

0800

1. 88 K bottle pressure, Regulator Setting**m. 55 K bottle pressure, Regulator Setting**

2c

73 3.9.16

0630 SAFETY BRIEF.

0740 RADIO CHECKS.

0800 ALL MINUTEMEN ARE UP

0803 TEAM 1 IN ECS FOR SETUP MOB'D

0820 SETUP COMPLETE TEAM 1 IS OUT.

0828 TEAM 2 IN ECS "LEVEL" B

0903 PPE CHECKS WGBT @ 56.2.

0932 PPE CHECKS WGBT @ 59.9

1001 ROLL OFF IS FULL AND TEAM 2 IS OUT.

RB37384RT.

1012 TEAM 1 IS IN ECS FOR ROLL OFF PREP.

1018 ECS TRUCK DOORS OPEN.

1030 ROLL OFF RB37384RT. IS OUT.

1100 ROLL OFF RB36776RT. IS IN THE ECS.

1103 ECS TRUCK DOORS ARE CLOSED.

1105 TEAM 1 IS OUT.

1107 STARTING MID DAY CHALLENGE.

1132 MID DAY CHALLENGE COMPLETE.

1210 TEAM 3 IN THE ECS "LEVEL" B.

1237 PPE CHECKS WGBT @ 67.0

1305 TEAM 3 IS OUT. WGBT @ 69.9

ROLL OFF RB36776RT IS FULL

1316 TEAM 2 IS IN THE ECS

FOR ROLL OFF PREP.

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 10 March 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Mostly sunny Low 49° High 69°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Glorioso, Mike	Bayless, Gerald
Courtney, Kenneth	Mangosh, Ed	Laws, Mike	Flores, Ben
Day, David	Prate, Warren	McGee, Kathy	Godwin, Gerald
Indelicato, Anthony	Vail, Todd	Ponce, Juan	Kinkel, Kyle
	Yorkshire, Bart	Tallent, Mike	Langes, Jennifer
	Zimmer, Doug		Lewis, Taylor
Matter, Phil			Swinson, Tom
Moon, Dale	LIFE STAR		Wade, Robert
	Alfaro, Walter		Williams, Michael
Nelms, Bobby	Beaumont, LaToya		Young, Greg
Oien, Joshua			
Rider, Matthew			
Rockwell, Margaret	ACCUPERMIT	CEHNC	EOD
	Schmidt, Jim	Shott, Ken	Kuehn, Alex
	Vargas, Brandon	CENAB	Martin, Chris
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. Continued breaking up and loading out Korean side wall. Quite a bit of time was spent cutting rebar prior to being able to loadout the concrete. 2 level B teams in ECS and 2 rolloffs filled. Removed 2 PPE and 2 water drums.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 03-10-16**A. RADIO CHECKS**

Mini Cams 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-3
 LOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MFD

0735

B. MINICAMS

1140 1153
 0730 0743

C. DAAMS

0800

D. MEDICS

0800

E. PDS

0730

G. RESCUE/Medical monitoring tent
Minimum 65 degrees.

0735
 5/2200 4/2200

H. Cascade**I. D2PC (WEATHER STATION)**

0700

J. HCI Monitors

0800

k. Arsine Monitors

0800

l. 88 K bottle pressure, Regulator Setting**m. 55 K bottle pressure, Regulator Setting**

2

75 3-10-16

1630 SAFETY BRIEF.

1650 WALKED SITE.

1735 RADIO CHECKS.

1800 ALL MONITORS ARE UP.

1808 TEAM 1 IN THE ECS. MOD "B"

1926 SETUP COMPLETE TEAM 1 IS OUT.

1936 TEAM 2 IS IN ECS CANAL "B", WEIGHT @ 61.2.

2004 DPE CHECKS WEIGHT @ 62.3

2030 DPE CHECKS WEIGHT @ 66.

2031 TEAM 1 IN ECS MOD "B" HAMMER TO RAILROAD EXCHANGED.

2036 TEAM 1 IS OUT.

2119 ROLLOFF R2649 RT IS FULL WEIGHT @ 68.7.

2121 TEAM 2 IS OUT.

2129 STARTING MID DAY CHALLENGE.

2203 MID DAY CHALLENGE COMPLETE @ 1153

2216 TEAM 1 IN ECS. MOD "B" ROLLOFF

PRED & CUTTING BEDDING. WEIGHT @ 66.2

2224 ECS TRUCK DOORS ARE OPEN.

2309 ROLLOFF R2649 RT IS OUT.

DPE BARRELS 334 & 335. 42° BARRELS

2313 269 & 270 ARE LOADED FOR TRANSPORT TO EOB PROPERTY.

339 ROLLOFF 274823 IS IN ECS.

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 11 March 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Sunny, breezy Low 49° High 69°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Glorioso, Mike	Bayless, Gerald
Courtney, Kenneth	Mangosh, Ed	Laws, Mike	Flores, Ben
Day, David	Prate, Warren	McGee, Kathy	Godwin, Gerald
Indelicato, Anthony	Vail, Todd	Ponce, Juan	Kinkel, Kyle
Kaputa, Joseph	Yorkshire, Bart	Tallent, Mike	Langes, Jennifer
	Zimmer, Doug		Lewis, Taylor
Matter, Phil			Swinson, Tom
Moon, Dale			Wade, Robert
	LIFE STAR		Williams, Michael
Nelms, Bobby	Williams-Martin, April		Young, Greg
Oien, Joshua	Wolf, Yvette		
Rider, Matthew			
	ACCUPERMIT	CEHNC	EOD
	Schmidt, Jim	Shott, Ken	Kuehn, Alex
	Vargas, Brandon		Martin, Chris
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. 2 teams in level B filled a rolloff 1/2 full with concrete from Korean wall, then proceeded to dig out the foundation between the garage and the house. By the end of day we still did not expose the whole footer. Slight issue with minicams after midday challenge but it was resolved.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist, Spring Valley Washington DC Date 03-11-16**A. RADIO CHECKS**

Mini Cams 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-3
 HOB
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MPD

0734**B. MINI CAMS**

1130 1350
0730 0734

C. DAAMS0800**D. MEDICS**0630**E. PDS**0734**G. RESCUE/Medical monitoring cent**
Minimum 65 degrees0734**H. Cascade**

5/3000 4/4200
0730 0734

I. D2PC (WEATHER STATION)0700**J. HCl Monitors**0800**k. Arsine Monitors**0800**l. 88 K bottle pressure, Regulator Setting****m. 55 K bottle pressure, Regulator Setting**

P

77 3-11-16

0630 SAFETY BRIEF.

0734 RADIO CHECKS.

0800 ALL MONITORS ARE UP.

0843 TEAM 3 IS IN THE ECS. MID "D"

0817 ECS TRUCK DOORS OPEN.

0827 ROLL OFF 274823

0855 ROLL OFF P.25084RT IN ECS
TRUCK DOORS CLOSED.

0903 TEAM 3 COMPLETED SETUP AND IS OUT.

0913 TEAM 1 IS IN THE ECS LEVEL "B" LBET 57.2
BENBA EASER AND DAN NOBLE.
WITH OTHERS ON SITE.

0942 PPE CHECKS. LBET @ 59.4

1115 TEAM 1 IS OUT LBET @ 62.8.

1120 STARTING MID DAY CHALLENGE.

1350 MID DAY CHALLENGE COMPLETE.

1406 TEAM 2 IS IN THE ECS LEVEL "B" LBET 63.4

1436 PPE CHECKS. LBET @ 64.2

1456 TEAM 2 IS OUT.

1501 TEAM 3 IS IN ECS MID "B"

1512 STARTING END OF DAY CHECKS.

1520 DATE MOON STUMBLED AND HIT THE
BACK OF HIS RIGHT HAND ON THE STAIR
RAILING.

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 14 March 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Mostly sunny Low 55° High 66°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Larraquante, Larry	Bayless, Gerald
Courtney, Kenneth	Mangosh, Ed	Lewis, Leon	Flores, Ben
Day, David	Prate, Warren	McGee, Kathy	Godwin, Gerald
Indelicato, Anthony	Vail, Todd	Tallent, Mike	Kinkel, Kyle
Kaputa, Joseph	Yorkshire, Bart	Tibbs, Leesa	Langes, Jennifer
Lemieux, Joshua	Zimmer, Doug		Lewis, Taylor
Matter, Phil			Swinson, Tom
Moon, Dale	LIFE STAR		Wade, Robert
Neely, Brian	Murdock, Mark		Williams, Michael
Nelms, Bobby	Sampson, Ashley		Young, Greg
Oien, Joshua			
Rider, Matthew			
	ACCUPERMIT	CEHNC	EOD
	Schmidt, Jim	Shott, Ken	Kuehn, Alex
	Vargas, Brandon		Martin, Chris
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. 3 level B teams in ECS today digging up footers between the house and the garage and other footers that are under or around the floor area. 1 rolloff was filled and removed.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PREF-OPERATIONS Checklist. Spring Valley Washington DC Date 03-14-16

A. RADIO CHECKS

Mini Cams 1&2
Rescue
PDS
Cascade
Medical
Traffic Control
Teams 1-3
EOD
Packaging
Corp Safety
Operations
Tech Ops
Site Mgr
MPD

0730

B. MINI CAMS

1208 1240

0744 0744

C. DAAMS

0740

D. MEDICS

0630

E. PDS

0800

G. RESCUE/Medical monitoring tent
Minimum 65 degrees.

0730

H. Cascade

4 3500 5/2000

I. D2PC (WEATHER STATION)

0700

J. HCL Monitors

0745

k. Arsine Monitors

0745

l. 88 K. bottle pressure, Regulator Setting

m. 55 K. bottle pressure, Regulator Setting

Down Range Log				
Date: 03-24-16		Time		
Delivery Order Number: 0005		Contract Number: W912DY-09-0002		
Location: Spring Valley				
Name	Time in	Time out	Company	PPE Level
INDELICATO	0807	0821	PARSONS	MOB "D"
NEELY	0807	0821	PARSONS	"
BOWLES	0807	0821	PARSONS	"
YORKSHIRE	0807	0821	FEI	MOB "D"
MOON	0832	0958	PARSONS	LEVEL "B"
LEMLEUX	0832	0958	PARSONS	"
VAIL	0832	0958	FEI	LEVEL "B"
PIDET	1016	1134	PARSONS	LEVEL "B"
REMBISH	1016	1134	PARSONS	"
MANGOSH	1016	1134	FEI	LEVEL "B"
MOON	1243	1338	PARSONS	MOB "D"
MURPHY	1243	1338	PARSONS	"
LEMLEUX	1243	1338	PARSONS	"
VAIL	1243	1338	FEI	MOB "D"
INDELICATO	1401	1508	PARSONS	LEVEL "B"
NEELY	1401	1508	PARSONS	"
YORKSHIRE	1401	1508	FEI	LEVEL "B"
ZIDET	1516	1534	PARSONS	MOB "D"
DLEN	1516	1534		"
REMBISH	1516	1534	PARSONS	"
VAIL	1516	1534	FEI	MOB "D"

3-14-14
 0530 SAFETY BRIEF.
 0730 RADIO CHECKS.
 0730 ALL MONITORS ARE UP.
 0807 TEAM 2 IN ECS FOR SET UP MOD "D"
 0821 TEAM 2 IS OUT.
 0832 TEAM 3 IS IN THE ECS. (OVER "B")
 0912 PPE CHECKS.
 0958 TEAM 3 IS OUT.
 1016 TEAM 1 IS IN ECS. (OVER "B")
 1049 PPE CHECKS.
 1134 TEAM 1 IS OUT.
 1141 STARTING MIDDAY CHALLENGE.
 1240 MIDDAY CHALLENGE COMPLETE.
 1248 TEAM 3 IN ECS. MOD "D". ROLLOFF PREP.
 1248 ECS TRUCK DOORS ARE OPEN.
 1303 ROLLOFF 250848T IS OUT. TO CRUNWALD
 IS ON SITE.
 1332 ROLLOFF 270191 IS IN ECS.
 1334 THE ECS TRUCK DOORS ARE CLOSED.
 1338 TEAM 3 IS OUT.
 1401 TEAM 2 IS IN THE ECS. (OVER "B")
 1408 TEAM 2 IS COLLECTING VOC SAMPLE
 1432 PPE CHECKS.
 1500 ROLLOFF 270191 IS FULL.

PRE-OPERATIONS Checklist, Spring Valley Washington DC Date 03-15-16**A. RADIO CHECKS**

Mint Cams 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Paramedics
 NIOSH
 Packaging
 Corp Safety
 Operations
 Tech Ops
 S&S Ops
 MFD

0700**B. MINT CAMS**

1204 1204
 0734 0734

C. DAAMS0800**D. MEDICS**0830**E. PDS**0800 / 1203**G. RESCUE/Medical monitoring team**
Minimum 05 degrees.0753 / 1204**H. Cascade**1200 0800**J. D2PC/WEATHER STATION**0700**I. RCI Monitors**0750**K. Arsine Monitors**0750**L. 55 L bottle pressure. Regulator Setting****M. 55 K bottle pressure. Regulator Setting**

Stream Gauge Log				
Date of 19 26		Time		
The Lower Order Number 0095		Contract Number 185220-09-0002		
Name		Time in		Location (Spring Valley)
Name		Time in	Time out	Location
INDUSTRIAL		0815	0851	PARSONS
NORTH		0803	0851	PARSONS
BANKS		0805	0851	PARSONS
SPRING VALLEY		0805	0851	TEC
LAKE		0805	0851	TEC
GOLDEN		0805	0825	TEC
MOUNTAIN		0909	1032	PARSONS
CONCRETE		0909	1032	PARSONS
VALE		0909	1032	TEC
INDUSTRIAL		1040	1133	PARSONS
NORTH		1040	1133	PARSONS
BANKS		1040	1133	TEC
RIVER		1247	1448	PARSONS
BANK		1247	1448	PARSONS
MOUNTAIN		1247	1448	TEC
INDUSTRIAL		1435	1539	PARSONS
NORTH		1435	1539	PARSONS
BANKS		1435	1539	PARSONS
VALE		1435	1539	TEC

- 3-15-16
- 1330 SAFETY BRIEF.
- 1300 RADIO CHECKS.
- 1330 ALL MONITORS ARE UP. TRINT RIGS ON SITE.
- 1335 TEAM 2 IS IN FOR SET-UP
- 1338 THE ECS TRUCK DOORS ARE OPEN.
- 1334 ROLL OFF RB 21724RT IS IN ECS.
- 1336 THE ECS TRUCK DOORS ARE CLOSED.
- 1351 SET UP COMPLETE TEAM 2 IS OUT
- 1333 TEAM 3 IS IN THE ECS. LEVEL "B".
- 1336 THE VOL HAS BEEN COLLECTED.
- 1338 PPE CHECKS.
- 1322 PPE CHECKS. COLLECTING COMPOSITE 295
- 1332 COMPOSITE HAS BEEN COLLECTED AND
TEAM 3 IS OUT.
- 1340 TEAM 2 IS IN THE ECS FOR ROLL OFF PARD
- 1341 THE ECS TRUCK DOORS ARE OPEN.
- 1357 ROLL OFF RB 21724RT IS OUT.
- 1325 ROLL OFF 274981 IS IN THE ECS.
AND DOORS CLOSED.
- 1333 TEAM 2 IS OUT.
- 1334 STARTING MID DAY CHALLENGE
- 1314 MID DAY CHALLENGE COMPLETE
- 1347 TEAM 1 IS IN THE ECS LEVEL "B"
FILLING ROLL OFF W/ SOIL

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 16 March 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Partly cloudy Low 55° High 68°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Larracuento, Larry	Bayless, Gerald
Courtney, Kenneth	Mangosh, Ed	Lewis, Leon	Flores, Ben
Day, David	Prate, Warren	McGee, Kathy	Godwin, Gerald
Indelicato, Anthony	Vail, Todd	Tallent, Mike	Kinkel, Kyle
Kaputa, Joseph	Yorkshire, Bart	Tibbs, Leesa	Langes, Jennifer
Lemieux, Joshua	Zimmer, Doug		Lewis, Taylor
Matter, Phil			Swinson, Tom
Moon, Dale	LIFE STAR		Wade, Robert
Neely, Brian	Alfaro, Walter		Williams, Michael
Nelms, Bobby	Murdock, Mark		Young, Greg
Oien, Joshua			
Rembish, Joseph			
Rider, Matthew			
	ACCUPERMIT	CEHNC	EOD
	Schmidt, Jim	Shott, Ken	Kuehn, Alex
	Vargas, Brandon		Martin, Chris
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. 2 teams inside ECS in level B loaded 2 roll-offs (1 rubble, 1 soil). Began jack-hammering the I-shaped foundations of the basement area.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found

New Equipment on Site: N/A

Visitors Ed Grunwald--Parsons CIH

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 03-16-16**A. RADIO CHECKS**

Mini Cams 1&2
 Rescue
 WOS
 Cascade
 Medical
 Traffic Control
 Teams 1-3
 GDD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MPD

0738**B. MINI CAMS**

1349 1349

0818 0730**C. DAAMS**0800**D. MEDICS**0630**E. PDS**0740**G. RESCUE/Medical monitoring tent**
Minimum 65 degrees.0740**H. Cascade**4/2100 5/2000**I. D2PC (WEATHER STATION)**0700**J. HCl Monitors**0800**K. Arsine Monitors**0800**l. 88 K bottle pressure, Regulator Setting****m. 55 K. bottle pressure, Regulator Setting**

Down Range Log				
Date 03-16-16		Time		Contract Number: W912DY-09-0062
Delivery Order Number: 0006		Location: Spring Valley		
Name	Time in	Time out	Company	PPE Level
RIDER	0824	0839	PARSONS	MOB "D"
OIEH	0824	0839	PARSONS	"
REMBISH	0824	0839	PARSONS	"
MANGOSA	0824	0839	FEI	M00 "B"
INDELICATO	0846	1033	PARSONS	LEVEL "B"
BOWLES	0846	1033	PARSONS	"
YORKSHIRE	0846	1033	FEI	LEVEL "B"
RIDER	0949	0953	PARSONS	M00 "B"
REMBISH	0949	0953	PARSONS	"
OIEH	0949	0953	PARSONS	M00 "B"
RIDER	1039	1146	PARSONS	M00 "B"
REMBISH	1039	1146	PARSONS	"
OIEH	1039	1146	PARSONS	"
MANGOSA	1039	1131	FEI	M00 "B"
MOEN	1404	1522	PARSONS	LEVEL "B"
LEMELUX	1404	1522	PARSONS	"
VAIL	1404	1522	FEI	LEVEL "B"
RIDER	1501	1512	PARSONS	M00 "B"
OIEH	1501	1512	PARSONS	M00 "B"
REMBISH	1501	1512	PARSONS	M00 "B"
RIDER	1520	1529	PARSONS	M00 "D"
OIEH	1520	1529	PARSONS	"
REMBISH	1520	1529	PARSONS	M00 "D"

26

3-16-16

0630 SAFETY BRIEF.

0740 RADIO CHECKS.

0818 ALL MONITORS ARE UP.

0824 TEAM 1 IS IN ECS FOR SETUP.

0839 TEAM 1 IS OUT.

0846 TEAM 2 IS IN THE ECS LEVEL "B".

0854 VOC HAS BEEN COLLECTED.

0930 PPE CHECKS.

0939 ROLL OFF 279888 IS FULL "SOIL".

0946 COMPOSITE SAMPLE 297 HAS BEEN COLLECTED.

0958 TEAM 1 IN ECS FOR BUCKET CHANGE.

0953 TEAM 1 IS OUT.

1034 PPE CHECKS.

1033 TEAM 2 IS OUT.

1039 TEAM 1 IN ECS FOR ROLL OFF PREP.

1045 THE ECS TRUCK DOORS ARE OPEN.

1050 ROLL OFF 279888 IS OUT.

1051 ECS TRUCK DOORS ARE CLOSED.

1058 ROLL OFF RB36774 RT IS IN.

1100 TEAM 1 IS OUT.

1109 STARTING MID DAY CHALLENGE.

1129 MID DAY CHALLENGE COMPLETE.

ED GRUNWALD IS OFF SITE.

1134 TEAM 3 IS IN THE ECS LEVEL "B" WAITING.

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 17 March 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Partly cloudy Low 46° High 66°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Larracuenta, Larry	Bayless, Gerald
Courtney, Kenneth	Mangosh, Ed	Lewis, Leon	Flores, Ben
Day, David	Prate, Warren	McGee, Kathy	Godwin, Gerald
Indelicato, Anthony	Vail, Todd	Ponce, Juan	Kinkel, Kyle
Kaputa, Joseph	Yorkshire, Bart	Tallent, Mike	Langes, Jennifer
Lemieux, Joshua	Zimmer, Doug		Lewis, Taylor
Matter, Phil			
Moon, Dale	LIFE STAR		Wade, Robert
Neely, Brian	Alfaro, Walter		Williams, Michael
Nelms, Bobby	Beaumont, LaToya		Young, Greg
Oien, Joshua			Ford, Garry
Rembish, Joseph			
Rider, Matthew	ACCUPERMIT	CEHNC	EOD
Rockwell, Margaret	Schmidt, Jim	Shott, Ken	Kuehn, Alex
	Vargas, Brandon		Martin, Chris
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. 3 teams inside ECS in level B exposing the footer running parallel with Glenbrook Road.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

Daily Contractor Quality Control Report					
Contract Number:	W912DY-09-D-0062				
Delivery Order Number:	0006				
Project Name:	4825 Glenbrook Rd. Remedial Action, Spring Valley FUDS.				
Project Number:	748272.03000				
Site Location:	Spring Valley, Washington, DC.				
Date:	3/17/2016 Thursday				
Weather:	Sunny, 45-69° F, wind 0 to 2 mph.				
Field Instrument:	(7) Armine - (1) Down Range, (1) CAFE MID 1, (1) CAFE MID 2, (1) CAFE MID 3, (1) CAFE 1 Exhaust, (1) CAFE 2 Exhaust, (1) CAFE 3 Exhaust), (5) HCL - (1) Down Range, (1) Pre-Filter, (1) CAFE MID 1, (1) CAFE MID 2, (1) CAFE MID 3, (1) HCN - (1) Down Range), (1) PID - Down Range, (1) Combustible Gas Monitor; MiniCAM S, DAAMS				
Measurements:	All Non Detect.				
Calibrations:	Armine and HCL — Fresh air zero calibration, HCN — Fresh Air, PID - 100ppm isobutylene and fresh air.				
Activities Conducted:	Crews continue High Probability operations.				
Summary:	Crews continue High Probability Operations, Crews excavating front yard/Glenbrook Road Inter. One caskers submitted for Disposal Characterization to APPL. Samples: RA-4825GR-Area E-VOC-031416-01, RA-4825GR-Area E-01-031416. 3 bags of filters submitted for the lab space (RA-4825GR-SCR-396, RA-4825GR-SCR-397, RA-4825GR-SCR-398).				
Items Found:	No New Items				
Contingency Plan Initiated:	No				
Air Monitoring:	MiniCAMMS, DAAMS				
IDW Generated:	PPE and Decon Water				
Waste Disposal:	None				
Departures from approved SSWP:	None				
Problems encountered/resolutions:	None				
Instructions given by government personnel:	None				
Attachments:	Sample Logs Daily QC Logs UXO Safety Log (Weekly) CDC				
Signed by:					
Name (print):	Margaret Rockwell				
Date:	3/17/2016				
Phone Number:	571-721-9804				
Copies sent to:	Tammy Chang, Beth Driskill, Phil Matter, David Day, Joseph Kapsin, Janell Boudal				

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 03-17-16**A. RADIO CHECKS**

Min: Cams 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-3
 EOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MFD

0745

B. MIN: CAMS

1229 1210

0749 0750

0800

C. DAAMS**D. MEDICS**

0630

E. PDS

0800

G. RESCUE/Medical monitoring tent
Minimum 65 degrees.

0745

5/4500 4/4500

H. Cascade**I. D2PC (WEATHER STATION)**

0700

J. HCL Monitors

0800

k. Arsine Monitors

0800

L. 88 K. bottle pressure, Regulator Setting**m. 55 K. bottle pressure, Regulator Setting**

10

Down Range Log				
Date 03-17-16		Time	Contract Number: W9120Y-09-0042	
Delivery Order Number: 0006			Location: Spring Valley	
Name	Time In	Time Out	Company	Pkg Level
MOON	0801	0840	PARSONS	MOD "B"
COURTNEY	0801	0840	PARSONS	"
LOM 1002	0801	0840	PARSONS	"
VAIL	0801	0840	FES	MOD "B"
YOUNG	0825	0836	CARA	"
KINKER	0825	0836	CARA	MOD "B"
RICKER	0851	1049	PARSONS	LEVEL "B"
REMBISCI	0851	1049	PARSONS	"
MANGOSH	0851	1049	FES	LEVEL "B"
MOON	1055	1121	PARSONS	MOD "B"
COURTNEY	1055	1121	PARSONS	"
LOM 1002	1055	1121	PARSONS	"
VAIL	1055	1121	FES	MOD "B"
LANG	1055	1113	CARA	"
CODWIN	1055	1113	CARA	MOD "B"
INDELICATO	1241	1416	PARSONS	LEVEL "B"
NEELY	1241	1416	PARSONS	"
YORKSHIRE	1241	1416	FES	LEVEL "B"
MOON	1351	1357	PARSONS	MOD "B"
COURTNEY	1351	1357	PARSONS	"
LOM 1002	1351	1357	PARSONS	MOD "B"
MOON	1431	1531	PARSONS	LEVEL "B"
COURTNEY	1431	1531	PARSONS	"
VAIL	1431	1531	FES	LEVEL "B"

15 3.17.16

1730 SAFETY BRIEF

0745 RADIO CHECKS

0800 ALL MONITORS ARE UP.

0801 TEAM 3 IN ECS FOR SET UP.

0815 THE ECS TRUCK DOORS ARE OPEN.

0820 RIG OFF R8 36774RT IS OUT.

0840 TEAM 2 IS OUT.

0851 TEAM 1 IS IN ECS LEVEL "B".

0926 PPE CHECKS. WBUT @ 51.3

1014 PPE CHECKS WBUT @ 53.9

1049 TEAM 1 IS OUT WBUT @ 65.0

1055 TEAM 3 IS IN ECS MOB "D"

1121 TEAM 3 IS OUT.

1122 STARTING MID DAY CHALLENGE.

1222 MID DAY CHALLENGE COMPLETE.

1241 TEAM 2 IS IN ECS LEVEL "B"

1307 PPE CHECKS.

1348 PPE CHECKS.

1351 TEAM 3 IN ECS MOB "B"

1357 TEAM 3 IS OUT.

1416 TEAM 2 IS OUT.

1431 TEAM 3 IS IN ECS LEVEL "B"

1504 PPE CHECKS. WBUT @ 59.4

1531 TEAM 3 IS OUT.

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 18 March 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Cloudy, windy Low 46° High 63°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Larracuenta, Larry	Bayless, Gerald
Courtney, Kenneth	Mangosh, Ed	Lewis, Leon	Flores, Ben
Day, David	Prate, Warren	McGee, Kathy	Godwin, Gerald
Indelicato, Anthony	Vail, Todd	Tibbs, Leesa	Kinkel, Kyle
Kaputa, Joseph	Yorkshire, Bart	Tallent, Mike	Langes, Jennifer
Lemieux, Joshua	Zimmer, Doug		Lewis, Taylor
Matter, Phil			Swinson, Thomas
Moon, Dale	LIFE STAR		Wade, Robert
Neely, Brian	Williams-Martin, April		Williams, Michael
Nelms, Bobby	Wolf, Yavette		Young, Greg
Oien, Joshua			
Rembish, Joseph			
Rider, Matthew			
	ACCUPERMIT	CEHNC	EOD
	Schmidt, Jim	Shott, Ken	Kuehn, Alex
	Vargas, Brandon		Martin, Chris
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. 2 level B teams in ECS today brought in partially filled rubble rolloff and filled it with non-haz rubble. Removed full rubble rolloff and began setting up the concrete breaking area, this operation was not completed.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 03-18-16**A. RADIO CHECKS**

Mini Cams 1&2
 Roscoe
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-5
 RCB
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MPD

0730

1200 1150

B. MINI CAMS0739 0720**C. DAAMS**0800**D. MEDICS**0630**E. PDS**0730**G. RESCUE/Medical monitoring tent**
Minimum 65 degrees.0730**H. Cascade**

4/ 3500 5/ 1300

I. D2PC (WRAMP) R STATION0700**J. HCI Monitors**0800**k. Arsine Monitors**0800**i. 88 K. bottle pressure, Regulator Setting****m. 55 K. bottle pressure, Regulator Setting**

26

87 3-18-16

0630 SAFETY BRIEF

0730 RADIO CHECKS.

0800 ALL MONITORS ARE UP.

0802 TEAM 3 IS IN THE ECS FOR SETUP.

0826 THE ECS TRUCK DOORS ARE OPEN.

0840 ROLLOFF R25084RT IS IN THE ECS.

THE ECS TRUCK DOORS ARE CLOSED.

0845 PPE DRUMS 338 & 339, H₂O DRUM 272
LOADED ON STAKE BED TRUCK FOR FEO SITE.

0848 TEAM 3 COMPLETED SETUP & IS OUT.

0904 TEAM 1 IS IN ECS, LEVEL "B"

0942 PPE CHECKS.

1003 PPE CHECKS WRT 57.3 TEAM 3
IS IN ECS MOB "D" CUTTING REBAR.

1017 TEAM 3 IS OUT.

1022 TEAM 3 IS IN ECS, MOB "D" CUTTING REBAR

1034 TEAM 3 IS OUT.

1124 TEAM 1 IS OUT.

1130 STARTING MID DAY CHALLENGE

1200 MID DAY CHALLENGE COMPLETE.

1218 TEAM 3 IS IN ECS FOR ROLLOFF PREP

1225 THE ECS TRUCK DOORS ARE OPEN.

1236 ROLLOFF R25084RT IS OUT

1302 THE ECS TRUCK DOORS ARE CLOSED.

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 21 March 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Overcast, breezy Low 36° High 52°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Burrell, Dianne	Bayless, Gerald
Courtney, Kenneth	Mangosh, Ed	Larracuenta, Larry	Flores, Ben
Day, David	Prate, Warren	Lewis, Leon	Godwin, Gerald
Indelicato, Anthony	Vail, Todd	McGee, Kathy	Kinkel, Kyle
Kaputa, Joseph	Yorkshire, Bart	Tibbs, Leesa	Langes, Jennifer
Lemieux, Joshua	Zimmer, Doug		Lewis, Taylor
Matter, Phil			Swinson, Thomas
Moon, Dale	LIFE STAR		Wade, Robert
Neely, Brian	Murdock, Mark		Williams, Michael
Nelms, Bobby	Beaumont, LaToya		Young, Greg
Oien, Joshua			
Rembish, Joseph			
Rider, Matthew	ACCUPERMIT	CEHNC	EOD
	Schmidt, Jim	Shott, Ken	Kuehn, Alex
	Vargas, Brandon	CENAB	Martin, Chris

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. 3 teams inside ECS in level B today. Finished setting up the concrete breaking area, then proceeded to break up concrete into large pieces for movement to breaking area. After mid-day began breaking up concrete into small (6"x6") pieces so it can be drummed up.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found

New Equipment on Site: N/A

VisitorsContractors

	DAVEY (0)
	ACCUPERMIT (2)
	ACI (0)
	CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist Spring Valley Washington DC Date 03-21-16**A. RADIO CHECKS**

Mini Cams 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-3
 EOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MPD

0728

1155 1155

B. MINI CAMS0737 0730**C. DAAMS**0800**D. MIDDICS**0630**E. PDS**0800**G. RESCUE Medical monitoring tent**
Minimum 65 degrees.0730

4/3/00 5/3/00

H. Cascade**I. DQPC (WEATHER STATION)**0700**J. IICI Monitors**0800**k. Aisine Monitors**0800**l. 88 K bottle pressure, Regulator Setting****m. 55 K bottle pressure, Regulator Setting**

Pg

89 3-21-16

0630 SAFETY BRIEF.

0728 RADIO CHECKS

0800 ALL MINISTERS ARE UP.

0804 TEAM 2 IS IN THE ECS FOR SET UP.

0917 SETUP COMPLETE. TEAM 2 IS OUT.

0930 TEAM 3 IS IN THE ECS LEVEL "B"

0957 PPE CHECKS.

1025 PPE CHECKS.

1113 TEAM 3 IS OUT.

1122 TEAM 2 IS IN THE ECS. SWAP ROLVER
FOR HAMMER ON THE 65 KOMATSU.

1135 TEAM 2 IS OUT.

1136 STARTING MID DAY CHALLENGE.

1155 MID DAY CHALLENGE COMPLETE.

1233 TEAM 1 IS IN THE ECS. LEVEL "B"

1313 PPE CHECKS.

1331 TEAM 2 IS IN THE ECS MOD "D"
PLACING GPD CLOTH.

1334 TEAM 3 IS OUT.

1400 TEAM 1 IS OUT.

1412 TEAM 2 IS IN THE ECS LEVEL "B"

1438 PPE CHECKS.

1524 TEAM 2 IS OUT.

1530 STARTING END OF DAY CHECKS.

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 22 March 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Partly cloudy Low 46° High 66°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Burrell, Diane	Bayless, Gerald
Courtney, Kenneth	Mangosh, Ed	Larracuenta, Larry	Flores, Ben
Day, David	Prate, Warren	Lewis, Leon	Godwin, Gerald
Indelicato, Anthony	Vail, Todd	McGee, Kathy	Kinkel, Kyle
Kaputa, Joseph	Yorkshire, Bart	Tibbs, Leesa	Langes, Jennifer
Lemieux, Joshua	Zimmer, Doug		Lewis, Taylor
Matter, Phil			Swinson, Thomas
Moon, Dale	LIFE STAR		Wade, Robert
Neely, Brian	German, Helen		Williams, Michael
Nelms, Bobby	Wolf, Yvette		Young, Greg
Oien, Joshua			
Rembish, Joseph			
Rider, Matthew			
	ACCUPERMIT	CEHNC	EOD
	Schmidt, Jim	Boles, Judson	Kuehn, Alex
	Vargas, Brandon	Shott, Ken	Martin, Chris
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. No intrusive operations...see incident report.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Phil Santee - ECBC

Steve Norman - ECBC

Contractors

DAVEY (0)

ACCUPERMIT (2)

ACI (0)

CPJ (0)

Problems encountered/resolutions:

Incident involving ECBC Personnel. See 3-22 incident tab.

Instructions given by government personnel:

Stop work 1050 from CENAB PM, see 3-22 incident.

Activities anticipated for tomorrow:

Return to intrusive activities, full day scheduled.

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 03-22-16

A. RADIO CHECKS

0730

Mini Cams 1&2
Rescue
PDS
Cascade
Medical
Traffic Control
Teams 1-3
IC/IT
Packaging
Corp Safety
Operations
Tech Ops
Site Mgt
MPD

B. MENT CAMS

0730

C. DAAMS

0800

D. MEDICS

E. PDS

0800

G. RESCUE/Medical monitoring tent
Minimum 65 degrees.

0800

4/2500 5/2500

H. Cascade

0700

I. DZPC (WEATHER STATION)

J. HCI Monitors

0800

K. Arsine Monitors

0800

l. 88 K bottle pressure, Regulator Setting

m. 55 K bottle pressure, Regulator Setting

Sensitive

No Down Range Activities on 3/22/2016

4. 3-22-16

130 SAFETY BRIEF. JUDSON BELES IS ON SITE FOR KEN SHOTT.

130 RADIO CHECKS. NOTE: WALTER ALFARO W/ LIFE STAR! ARRIVED AT THE SITE WITH PAIN IN HIS KNEE. IT WAS REPORTED HE FELL ~~IN~~ IN A PARKING LOT BEFORE GETTING ON SITE.

170 LEEA TIGBS ECBC MINICAMS OPERATOR WAS EXPOSED TO CK (lyonogen chloride) SHE WAS ATTEMPTING TO DRAW A SAMPLE CHALLENGE WHEN THE DRAW MEMBRANE FAILED, RELEASING GAS DIRECTLY INTO HER FACE. SHE WAS TRANSPORTED TO GIN MEMORIAL HOSPITAL BY THE ON SITE MEDICS WITH AN MPD ESCORT.

180 HELEN GERMAN W/ LIFE STAR REPORTS THAT LEEA TIGBS WAS DOING WELL AND WAITING FOR BLOOD WORK RESULTS. ECBC OPERATIONS HAVE BEEN SUSPENDED WAITING INVESTIGATION.

130 PHIL SANTEE & STEVEN NORMAN W/ ECBC ARE ON SITE.

1525 PHIL SANTEE & STEVEN NORMAN OFF SITE.

March 22, 2016

At 0800 ECBC technician Leesa Tibbs was exposed to an accidental release of Cyanogen Chloride (CK) while she was preparing to challenge the calibration of the minicams system prior to the start of morning operations.

Investigation into the incident was conducted onsite by the two Huntsville USACE representatives as well as two individuals from ECBC HQ, Steve Norman and Phil Santee.

As reported by these individuals the incident was caused by the failure of a component of the test gas system called a septum. When preparing the test shot a syringe with a large bore needle is inserted through the septum to withdraw a known quantity of agent in order to challenge the system. During this process the septum burst and released CK directly into L. Tibbs face. The amount of time agent was released was approximately 5 seconds before Ms. Tibbs closed the valve. This happened at 0800.

Ms. Tibbs waited about 10 minutes to report the incident. She was trying to clear her head.

0810 both the Huntsville OESS and the SSHO were notified of the incident.

0815 Lifestar medics were notified and Ms. Tibbs was placed under their care for initial evaluation.

0834 Site manager procured and gave the medics a copy of the MSDS for Cyanogen Chloride.

0837 Lifestar prepared to transport L. Tibbs to GW hospital per SSWP protocol.

0843 Lifestar departs site with MPD escort.

0908 Patient arrives at GW Hospital ER.

4825 Glenbrook Rd operations have been on hold since the incident occurred.

1050 CENAB PM directed that operations cease for the day pending investigation by ECBC personnel and results of that investigation.

1235 ECBC representatives arrived on site to perform investigation.

1330 L. Tibbs released from GW hospital with a full release for work.

1400 L. Tibbs back on site.

1510 ECBC personnel complete investigation and depart site, have shared results with Huntsville USACE personnel.

1610 CENAB PM gives all clear to return to work on 2/23/2016.

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 03-23-16**A. RADIO CHECKS**

Mini Cams 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-3
 EOD
 Packaging
 Comp Safety
 Operations
 Tech Ops
 Site Mgr
 MPLD

0735**B. MINI CAMS**

1227 1235
0734 0739

C. DAAMS0800**D. MEDICS**0630**E. PDS**0730**G. RESCUE/Medical monitoring tent**
Minimum 65 degrees.

0735
 4/2550 5/2500

H. Cascade**I. D2PC (WEATHER STATION)**0700**J. HCT Monitors**0800**K. Arsine Monitors**0800**l. 88 K bottle pressure, Regulator Setting****m. 55 K bottle pressure, Regulator Setting**

P4

93 3-23-16

0630 SAFETY BRIEF.

0735 RADIO CHECKS.

0806 ALL MONITORS ARE UP.

0810 TEAM 2 IS IN THE ECS FOR SETUP

0834 THE ECS TRUCK DOORS ARE OPEN

0901 THE ECS TRUCK DOORS ARE CLOSED.

0905 SETUP COMPLETE TEAM 2 IS OUT.

0918 TEAM 3 IS IN THE ECS. LEVEL "B".

0946 PPE CHECKS.

1005 PPE CHECKS.

1116 TEAM 3 IS OUT.

1125 STARTING MIDDAY CHALLENGE.

1235 MIDDAY CHALLENGE COMPLETE.

1249 TEAM 1 IS IN THE ECS. LEVEL "B".

1318 PPE CHECKS WBGT @ 60.3

1405 TEAM 1 IS OUT.

1418 TEAM 2 IS IN THE ECS. LEVEL "B" WBGT @ 62.8

1443 PPE CHECKS. WBGT @ 62.4

1509 PPE CHECKS COMPLETE.

1528 TEAM 2 IS OUT.

1535 TEAM 1 IS IN THE ECS. MOD "B".

1538 TEAM 1 IS OUT

1540 STARTING END OF DAY CHECKS.

1545 THE TEAMS WERE OUT BRIEFED

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 24 March 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Mostly clear, breezy Low 61° High 73°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Burrell, Diane	Bayless, Gerald
Courtney, Kenneth	Mangosh, Ed	Larracuenta, Larry	Flores, Ben
Day, David		Lewis, Leon	Godwin, Gerald
Indelicato, Anthony	Vail, Todd	McGee, Kathy	Kinkel, Kyle
Kaputa, Joseph	Yorkshire, Bart	Tibbs, Leesa	Langes, Jennifer
Lemieux, Joshua	Zimmer, Doug		Lewis, Taylor
Matter, Phil			Swinson, Thomas
Moon, Dale	LIFE STAR		Wade, Robert
Neely, Brian	Beaumont, LaToya		Williams, Michael
Nelms, Bobby	Sampson, Ashley		Young, Greg
Oien, Joshua			
Rembish, Joseph			
Rider, Matthew	ACCUPERMIT	CEHNC	EOD
	Schmidt, Jim	Boles, Judson	Kuehn, Alex
	Vargas, Brandon	Shott, Ken	Martin, Chris
		CENAB	
		Martin, J.R.	
		Whitten, Ricky	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. 3 teams inside ECS today in level B, 18 rubble drums were filled.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

VisitorsContractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 03-24-16**A. RADIO CHECKS**

Mini Cams 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Taurus 1-3
 EOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 WPD

0730**B. MINI CAMS**

1208 1144
0740 0749

C. DAAMS0800**D. MEDICS**0630**E. PDS**0750**G. RESCUE/Medical monitoring tent**
Minimum 65 degrees.0730**H. Cascade**

11 4/1200
0300 1200

L. D2PC (WEATHER STATION)0700**J. HCl Monitors**0800**k. Arsine Monitors**0800**i. 88 K bottle pressure, Regulator Setting****m. 55 K bottle pressure, Regulator Setting**

[illegible]

Pg

95 3-24-16

0630 SAFETY BRIEF. RICK WHITTEN
w/ GWAB ON SITE.

0730 RADIO CHECKS

0800 ALL MONITORS ARE UP.

0803 TEAM 2 IS IN THE ECS FOR SET UP.

0827 THE ECS TRUCK DOORS ARE OPEN.

0853 RUBBLE 069 THEN 086 LOADED FOR
FEDERAL PROPERTY. THE ECS TRUCK
DOORS ARE CLOSED.

0909 TEAM 2 IS OUT.

0916 TEAM 3 IS IN THE ECS. LEVEL "B".

0947 PPE CHECKS. WBGT @ 56.3.

1006 PPE CHECKS WBGT @ 57.6.

1026 PPE CHECKS WBGT @ 59.0

1119 TEAM 3 IS OUT.

1135 STARTING MIDDAY CHALLENGE.

1208 MIDDAY CHALLENGE COMPLETE.

1232 TEAM 1 IS IN THE ECS LEVEL "B".

WBGT @ 64.2

1246 PPE DRUMS 340, 341, 342 AND 420 DRUMS

273 AND 274 LOADED FOR FEDERAL PROPERTY.

1257 PPE CHECKS. WBGT @ 62.4

LEASO TIES REPORTS HAVING BARRY
VISLEY IN HER LEFT EYE.

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 25 March 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Partly cloudy Low 46° High 66°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Burrell, Diane	Bayless, Gerald
Courtney, Kenneth	Mangosh, Ed	Larracuenta, Larry	Flores, Ben
Day, David	Prate, Warren	Lewis, Leon	Godwin, Gerald
Indelicato, Anthony	Vail, Todd	McGee, Kathy	Kinkel, Kyle
Kaputa, Joseph	Yorkshire, Bart	Tibbs, Leesa	Langes, Jennifer
Lemieux, Joshua	Zimmer, Doug		Lewis, Taylor
Matter, Phil			Swinson, Thomas
Moon, Dale	LIFE STAR		Wade, Robert
Neely, Brian	Williams-Martin, April		Williams, Michael
Nelms, Bobby	Wolf, Yevette		Young, Greg
Oien, Joshua			
Rembish, Joseph			
	ACCUPERMIT	CEHNC	EOD
	Schmidt, Jim	Boles, Judson	Kuehn, Alex
	Vargas, Brandon	Shott, Ken	Martin, Chris
		CENAB	
		Martin, J.R.	
		Whitten, Ricky	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. 2 teams inside ECS today, 18 rubble drums were filled. Performed site, vehicle and equipment maintenance.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

VisitorsContractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 03-25-16**A. RADIO CHECKS**

Mini Cams L&2
 Rescuer
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-3
 EOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MPD

0738**B. MINI CAMS**

1247 1153
0738 0743

C. DAAMS0800**D. MEDICS**0630**E. PDS**0800**G. RESCUE/Medical monitoring tent**
Minimum 65 degrees.0800**H. Cascade**

11/2704 2/4200
2704

I. D2PC (WEATHER STATION)0700**J. HCl Monitors**0800**k. Arsine Monitors**0800**L. 88 K bottle pressure, Regulator Setting****m. 55 K bottle pressure, Regulator Setting**

P2

37 3-25-16

0630 SAFETY BRIEF

1738 RADIO CHECKS

0800 ALL MONITORS ARE UP.

0804 TEAM 2 IS IN THE ECS FOR SETUP

0804 LEESA TIBBS IS OFF SITE FOR DOCTOR EYE^{...LOST}

0822 THE ECS TRUCK DOORS ARE OPEN.

0852 RUSSELL PRINCE'S 087 TANK 104 LOADED

FOR FEDERAL PROPERTY, DOORS CLOSED.

0859 TEAM 2 IS OUT.

0912 TEAM 3 IS IN THE ECS. (LEVEL "B". WRET @ 62.4)

1034 PPE CHECKS. WRET @ 63.2

1057 PPE CHECKS. WRET @ 63.7

1121 PPE CHECKS. WRET @ 67.2.

1120 TEAM 3 IS OUT.

1126 STARTING MID DAY CHALLENGE.

1247 MID DAY CHALLENGE COMPLETE.

1302 TEAM 2 IS IN THE ECS. (LEVEL "B". WRET @ 62.2)

1330 PPE CHECKS. WRET @ 63.5


1412 TEAM 2 IS OUT.

1419 TEAM 3 IS IN FOR SHUT DOWN.

1430 TEAM 3 IS OUT.

1431 STARTING END OF DAY CHECKS.

1500 THE TEAMS WERE OUT BRICKED

1600 SECURED 

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 28 March 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Windy, partly cloudy Low 48° High 67°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Burrell, Diane	Bayless, Gerald
Courtney, Kenneth	Mangosh, Ed	Larracuenta, Larry	Flores, Ben
Day, David	Prate, Warren	Lewis, Leon	Godwin, Gerald
Indelicato, Anthony	Vail, Todd	McGee, Kathy	Kinkel, Kyle
Kaputa, Joseph	Yorkshire, Bart	Tucker, Willie	Langes, Jennifer
Lemieux, Joshua	Zimmer, Doug		Lewis, Taylor
Matter, Phil			Swinson, Thomas
Moon, Dale	LIFE STAR		Wade, Robert
Neely, Brian	Beaumont, LaToya		Williams, Michael
Nelms, Bobby	Murdock, Mark		Young, Greg
Oien, Joshua			
Rembish, Joseph			
Rider, Matthew			
	ACCUPERMIT	CEHNC	EOD
	Schmidt, Jim	Boles, Judson	Kuehn, Alex
	Vargas, Brandon		Martin, Chris
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. 3 teams in ECS in level B filling rubble drums, 18 drums were filled. Had minor issue with miniCAMS before first entry.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist, Spring Valley Washington DC' Date 03-28-16**A. RADIO CHECKS**

Mini Cams 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-3
 FOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MPD

0733**B. MINI CAMS**

1228 1227
 0914 0730

C. DAAMS0800**D. MEDICS**0630**E. PDS**0850**G. RESCUE/Medical monitoring tent**
Minimum 65 degrees.0730**H. Cascade**

1/1200 2/3000

I. D2PC (WEATHER STATION)0700**J. HCI Monitors**0800**K. Arsine Monitors**0800**l. 88 K bottle pressure, Regulator Setting****m. 55 K bottle pressure, Regulator Setting**

R

07

3-28-16

0630 SAFETY BRIEF

0733 RADIO CHECKS

0916 ALL MINIMARS ARE UP.

0926 TEAM 3 IS IN THE ECS FOR SETUP.

0931 ECS TRUCK DOORS ARE OPEN.

1022 RUBBLE DUMPS 105 THRU 123 LOADED

FOR FED. PROPERTY - ALONG W/ SCR 403 & 404.

1027 THE ECS TRUCK DOORS ARE CLOSED.

1029 SETUP COMPLETE TEAM 3 IS OUT.

1042 TEAM 1 IS IN THE ECS. LEVEL "B"

1047 TEAM 1 IS ON THE LINE AIR.

1116 PPE CHECKS.

1204 TEAM 1 IS OUT.

1211 STARTING MID DAY CHALLENGE.

1228 MID DAY CHALLENGE COMPLETE.

1300 TEAM 2 IS IN THE ECS.

1330 PPE CHECKS. WBET @ 63.5

1400 PPE CHECKS. WBET @ 62.9

1425 TEAM 2 IS OUT.

1438 TEAM 3 IS IN THE ECS. LEVEL "B"

1526 TEAM 3 IS OUT.

1530 STARTING END OF DAY CHECKS.

1610 THE TANKS WERE OUT-STARRED

1710 SECURED

EPA

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 29 March 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Partly cloudy Low 39° High 58°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Burrell, Diane	Bayless, Gerald
Courtney, Kenneth	Mangosh, Ed	Larracuenta, Larry	Flores, Ben
Day, David	Prate, Warren	Lewis, Leon	Godwin, Gerald
Indelicato, Anthony	Vail, Todd	McGee, Kathy	Kinkel, Kyle
Kaputa, Joseph	Yorkshire, Bart	Tucker, Willie	Langes, Jennifer
Lemieux, Joshua	Zimmer, Doug		Lewis, Taylor
Matter, Phil			Swinson, Thomas
Moon, Dale	LIFE STAR		Wade, Robert
Neely, Brian	Bagley, John		Williams, Michael
Nelms, Bobby	German, Helen		Young, Greg
Oien, Joshua			
Rembish, Joseph			
Rider, Matthew			
	ACCUPERMIT	CEHNC	EOD
	Schmidt, Jim	Boles, Judson	Kuehn, Alex
	Vargas, Brandon		Martin, Chris
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. 3 teams in level B inside ECS today, 18 rubble drums filled. 5 rolloffs of dirt emptied, 50 PPE drums emptied, 2 trucks loaded with soil for title D landfill.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 03-29-16**A. RADIO CHECKS**

Mini Cams 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-3
 RCD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MPD

0726**B. MINI CAMS**

1217 1143
0746 0753

C. DAAMS0808**D. MEDICS**0630**E. PDS**0730**G. RESCUE/Medical monitoring tent**
Minimum 65 degrees.0730**H. Cascade**3/3600 4/3200**I. D2PC (WEATHER STATION)**0700**J. HCI Monitors**0800**k. Arsine Monitors**0800**l. 88 K bottle pressure, Regulator Setting****m. 55 K bottle pressure, Regulator Setting**

Pg

99

3-29-16

0630 SAFETY BRIEF

0728 RADIO CHECKS.

0800 ALL MONITORS ARE ON.

0803 TEAM 3 IS IN ECS FOR SETUP.

0808 THE ECS TRUCK DOORS ARE OPEN.

0834 RUBBLE DRUMS 123 THRU 140 AND PPE
 DRUMS 343 & 344, H2O DRUMS 275 & 276
 LOADED FOR FED. PROPERLY.

0835 THE ECS TRUCK DOORS ARE CLOSED.

0843 SETUP COMPLETE TEAM 3 IS OUT.

0855 TEAM 1 IS IN THE ECS. LEVEL "B".

0925 PPE CHECKS.

1005 PPE CHECKS.

1124 TEAM 1 IS OUT.

1130 STARTING MIDDAY CHALLENGE.

1207 MIDDAY CHALLENGE COMPLETE.

1226 TEAM 2 IS IN THE ECS. LEVEL "B".

1300 PPE CHECKS.

1333 PPE CHECKS.

1357 TEAM 2 IS OUT.

1417 TEAM 3 IS IN THE ECS. LEVEL "B".

1448 PPE CHECKS.

1526 TEAM 3 IS OUT.

1530 STARTING EVENING CHALLENGE.

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 30 March 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Mostly clear Low 52° High 61°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Burrell, Diane	Bayless, Gerald
Courtney, Kenneth	Mangosh, Ed	Larracuenta, Larry	Flores, Ben
Day, David	Prate, Warren	Lewis, Leon	Godwin, Gerald
Indelicato, Anthony	Vail, Todd	McGee, Kathy	Kinkel, Kyle
Kaputa, Joseph	Yorkshire, Bart	Tucker, Willie	Langes, Jennifer
Lemieux, Joshua	Zimmer, Doug		Lewis, Taylor
Matter, Phil			Swinson, Thomas
Moon, Dale	LIFE STAR		Wade, Robert
Neely, Brian	Murdock, Mark		Williams, Michael
Nelms, Bobby	Truesdell, Stephen		Young, Greg
Oien, Joshua			
Rembish, Joseph			
Rider, Matthew	ACCUPERMIT	CEHNC	EOD
	Schmidt, Jim	Boles, Judson	Kuehn, Alex
	Vargas, Brandon		Martin, Chris
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. 2 teams in the ECS in level B today. 19 drums were filled with rubble. 1 truckload of soil sent out to subtitle D landfill, also restacked and arranged drums at Fed Site.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 03-30-16**A. RADIO CHECKS**

Mini Cams 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-5
 EOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MPD

0735**B. MINI CAMS**

1154 1223
0733 0730

C. DAAMS0800**D. MPDICS**0630**E. PDS**0743**G. RESCUE/Medical monitoring tent**
Minimum 65 degrees.0735**H. Cascade**

1/ 3000 2/ 3500
13000 23500

I. DZPC (WEATHER STATION)0700**J. HCI Monitors**0800**K. Arsine Monitors**0800**L. 88 K. bottle pressure, Regulator Setting****m. 55 K. bottle pressure, Regulator Setting**

25

P6

1 3-30-16

0630 SAFETY BRIEF.

0735 RADIO CHECKS.

0800 ALL MONITORS ARE UP.

0803 TEAM 3 IS IN THE ECS.

0810 THE ECS TRUCK DOORS ARE OPEN.

0831 SUPPLY DRUMS 141 THRU 158 AND SER. 405, 406
LOADED FOR FEDERAL PROPERTY.

0833 THE ECS TRUCK DOORS ARE CLOSED.

0855 TEAM 3 IS OUT.

0910 TEAM 1 IS IN THE ECS. LEVEL "B".

0931 PPE CHECKS.

0955 PPE CHECKS.

1026 PPE CHECKS.

1106 TEAM 1 IS OUT.

1132 STARTING MIDDAY CHALLENGER.

1200 MIDDAY CHALLENGE COMPLETE.

1228 TEAM 3 IS IN THE ECS. MON "B"
ECS TRUCK DOORS ARE OPEN.

1255 SUPPLY DRUMS 159 THRU 177 LOADED
FOR FED. PROPERTY AND THE ECS.
TRUCK DOORS ARE CLOSED.

1256 TEAM 3 IS OUT.

1318 TEAM 2 IS IN THE ECS. LEVEL "B".

1347 PPE CHECKS.

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 31 March 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Partly cloudy Low 60° High 69°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Burrell, Diane	Bayless, Gerald
Courtney, Kenneth	Mangosh, Ed	Larracuenta, Larry	Flores, Ben
Day, David	Prate, Warren	Lewis, Leon	Godwin, Gerald
Indelicato, Anthony	Vail, Todd	McGee, Kathy	Kinkel, Kyle
Kaputa, Joseph	Yorkshire, Bart	Tucker, Willie	Langes, Jennifer
Lemieux, Joshua	Zimmer, Doug		Lewis, Taylor
Matter, Phil			Swinson, Thomas
Moon, Dale			Wade, Robert
Neely, Brian	LIFE STAR		Williams, Michael
Nelms, Bobby	Beaumont, LaToya		Young, Greg
Oien, Joshua	Sampson, Ashley		
Rembish, Joseph			
Rider, Matthew			
	ACCUPERMIT	CEHNC	EOD
	Schmidt, James	Boles, Judson	Kuehn, Alex
	Vargas, Brandon		Martin, Chris
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. Issue with Med Tent MiniCAMs prevented us from doing any level B operations today. Teams boxed filters and moved drums and Fed Prop. 54 ECS prefilters and 20 CAFS prefilters bagged and boxed for shipping. Approximately 30 water drums moved from barrel yard to covered shed.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 03-31-16**A. RADIO CHECKS**

Mini Cams 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-3
 EOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MPD

0745**B. MINI CAMS**0744**C. DAAMS**0800**D. MEDICS**0630**E. PDS**0800**G. RESCUE/Medical monitoring tent**
Minimum 65 degrees0745**H. Cascade**1/2200 2/2300**I. D2PC (WEATHER STATION)**0700**J. HCI Monitors**0800**K. Arsine Monitors**0800**L. 88 K bottle pressure, Regulator Setting****m. 55 K bottle pressure, Regulator Setting**

Pg

3 3-31-16

0630 SAFETY BRIEF

0745 RADIO CHECKS.

1050 MFD TWT MINICAMS WHO ID NOT COME
UP. REPLACEMENTS ^{MINICAMS} ARE IN ROUTE
FROM EDGE WOOD. THE SITE WILL
NOT WORK IN THE FCS.

1100 WEEKLY CONFERENCE CALL.
THE TEAMS ARE WORKING AT
FED PROPERTY.

1130 OFF SITE

1630 out brief

1700 Site Secure/End of Day

[Handwritten signature]

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 1 April 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Cloudy and rainy Low 68° High 75°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Burrell, Diane	Bayless, Gerald
Courtney, Kenneth	Mangosh, Ed	Larracuenta, Larry	Flores, Ben
Day, David	Prate, Warren	Lewis, Leon	Godwin, Gerald
Indelicato, Anthony	Vail, Todd	McGee, Kathy	Kinkel, Kyle
Kaputa, Joseph	Yorkshire, Bart	Tucker, Willie	Langes, Jennifer
Lemieux, Joshua	Zimmer, Doug		Lewis, Taylor
Matter, Phil			Swinson, Thomas
Moon, Dale	LIFE STAR		Wade, Robert
Neely, Brian	Williams-Martin, April		Williams, Michael
Nelms, Bobby	Wolf, Yevette		Young, Greg
Oien, Joshua			
Rembish, Joseph			
	ACCUPERMIT	CEHNC	EOD
	Schmidt, Jim	Boles, Judson	Kuehn, Alex
	Vargas, Brandon		Martin, Chris
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. 2 teams inside ECS in level B today filled 16 drums with rubble. Thunderstorms in the area before 1st team went in, team was held 15 minutes for storm to pass. Performed maintenance on equipment and vehicles and prepared site for rain events over the weekend.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist. Spring Valley Washington DC. Date 04-01-16**A. RADIO CHECKS**

Mini Cams 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-3
 GOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MPD

0730**B. MINI CAMS**

1215 1150
 0815 0721

C. DAAMS0800**D. MEDICS**0630**E. PDS**0755**G. RESCUE/Medical monitoring tent.
Minimum 65 degrees.**0730**H. Cascade**

1/ 2200 2/ 2200

I. D2PC (WEATHER STATION)0700**J. HCT Monitors**0700**K. Arsite Monitors**0700**i. 88 K bottle pressure, Regulator Setting****m. 55 K bottle pressure, Regulator Setting**

[illegible]

P6

4 4-1-16

0630 SAFETY BRIEF

0730 RADIO CHECKS.

0815 ALL MONITORS ARE UP

0817 PPE DRUMS 345 & 346 H2O DRUMS

277 & 278 LOADED FOR FED PRIMETRY.

0818 TEAM 2 IS IN THE ECS FOR SETUP

0828 THE ECS TRUCK DOORS ARE OPEN.

0831 THE ECS TRUCK DOORS ARE CLOSED.

0848 SETUP COMPLETE TEAM 2 IS OUT.

0912 TEAM 3 IS IN THE ECS. LEVEL "B"

0940 PPE CHECKS.

1012 PPE CHECKS. WBGT @ 63.9

1035 PPE CHECKS. WBGT @ 64.2

1104 TEAM 2 IS OUT WBGT @ 66.2

1113 STARTING MIDDAY CHALLENGE.

1215 MIDDAY CHALLENGE COMPLETE.

1227 TEAM 2 IS IN THE ECS LEVEL "B".

WBGT @ 67.6.

1233 PPE CHECKS. WBGT @ 70.1

1301 Switch operator to LG excavator WBGT - 70.9

1337 TEAM 2 IS OUT.

1350 TEAM 3 IS IN THE ECS MOD "B"

1352 THE ECS TRUCK DOORS ARE OPEN.

1433 RUBBLE DRUMS 170 THRU 190, 192, 193 & 194

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 4 April 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Partly cloudy Low 48° High 73°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Fackett, James	Bayless, Gerald
Courtney, Kenneth	Mangosh, Ed	Ford, Benny	Flores, Ben
Day, David	Prate, Warren	Lewis, Leon	Godwin, Gerald
Indelicato, Anthony	Vail, Todd	Tibbs, Leesa	Kinkel, Kyle
Kaputa, Joseph	Yorkshire, Bart	Tucker, Willie	Langes, Jennifer
Lemieux, Joshua	Zimmer, Doug		Lewis, Taylor
Matter, Phil			Swinson, Thomas
Moon, Dale			Wade, Robert
Neely, Brian	LIFE STAR		
Nelms, Bobby	Beaumont, LaToya		
Oien, Joshua	Murdock, Mark		Young, Greg
Rembish, Joseph			
Rider, Matthew			
	ACCUPERMIT	CEHNC	EOD
	Schmidt, Jim	Boles, Judson	Kuehn, Alex
	Vargas, Brandon		Martin, Chris
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. 2 level B teams inside ECS filled 20 rubble drums.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 04-04-16**A. RADIO CHECKS**

Mini Cams 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-3
 EOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MPD

0740**B. MINI CAMS**

1154 1154
0735 0735

C. DAAMS0800**D. MEDICS**0630**E. PDS**0800**G. RESCUE/Medical monitoring tent**
Minimum 65 degrees.0740**H. Cascade**3/3000 4/3200**I. D2PC (WEATHER STATION)**0700**J. HCT Monitors**0800**k. Arsine Monitors**0800**l. 88 K bottle pressure, Regulator Setting****m. 55 K bottle pressure, Regulator Setting**

Pg

30 44-16

0630 SAFETY BRIEF

0740 RADIO CHECKS

0800 ALL MONITORS ARE UP.

0803 TEAM 2 IS IN THE ECS FOR SET UP

0817 TEAM 2 IS OUT.

0825 H₂O DRUMS 279 THEN 282 LOADED FOR
FEED. PROPERLY.

0842 TEAM 3 IS IN THE ECS. LEVEL "B"

0840 PPE CHECKS. WBGT @ 52.5

0944 PPE CHECKS. WBGT @ 54.9

1010 PPE CHECKS WBGT @ 55.9

1101 PPE CHECKS WBGT @

1116 TEAM 3 IS OUT.

1124 STARTING MID DAY CHALLENGE.

1154 MID DAY CHALLENGE COMPLETE.

1221 TEAM 1 IS IN THE ECS. LEVEL "B"

1255 PPE CHECKS. WBGT @ 69.4

1326 PPE CHECKS. WBGT @ 69.2.

1349 TEAM 1 IS OUT.

1404 TEAM 2 IS IN THE ECS. MOB "B"

1434 RUBBLE DRUMS 191, 195 THEN 214 LOADED
FOR FEED. PROPERLY.

1450 TEAM 2 IS OUT.

1458 STARTING END OF DAY CHECKS.

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 5 April 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Partly cloudy Low 38° High 48°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Fackett, James	Bayless, Gerald
Courtney, Kenneth	Mangosh, Ed	Ford, Benny	Donnatien, Trevor
Day, David	Prate, Warren	Lewis, Leon	Flores, Ben
Indelicato, Anthony	Vail, Todd	Tibbs, Leesa	Godwin, Gerald
Kaputa, Joseph	Yorkshire, Bart	Tucker, Willie	Kinkel, Kyle
Lemieux, Joshua	Zimmer, Doug		Langes, Jennifer
Matter, Phil			Lewis, Taylor
Moon, Dale	LIFE STAR		Swinson, Thomas
Neely, Brian	Alfaro, Walter		Wade, Robert
Nelms, Bobby	German, Helen		Williams, Michael
Oien, Joshua			Young, Greg
Rembish, Joseph			
Rider, Matthew	ACCUPERMIT	CEHNC	EOD
	Schmidt, Jim	Boles, Judson	Kuehn, Alex
	Vargas, Brandon		Martin, Chris
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. Continue breaking up and drumming concrete, which was finished today. Begin cutting up rebar that was encased in the concrete into 6 inch pieces and drumming it.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

VisitorsContractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 04-05-16**A. RADIO CHECKS**

Mini Cams 1&2
 Rescuc
 PDS
 Cascade
 Medical
 Traffic Control
 Teamsters
 EOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MPD

0745**B. MINI CAMS**

1211 1212

0731 0731**C. DAAMS**0800**D. MEDICS**0630**E. PDS**0745**G. RESCUE/Medical monitoring tent**
Minimum 65 degrees.0745**H. Cascade**

4/2700 5/3200

I. D2PC (WEATHER STATION)0700**J. HCU Monitors**0800**k. Arsine Monitors**0800**l. 88 K bottle pressure, Regulator Setting****m. 55 K bottle pressure, Regulator Setting**

[illegible]

Pg 8 4-5-16

0630 SAFETY BRIEF

0745 RADIO CHECKS.

0800 A/C MONITORS ARE UP.

0803 TEAM 1 IS IN THE ECS FOR SETUP

0823 SETUP COMPLETE TEAM 1 IS OUT.

0831 TEAM 2 IS IN THE ECS. LEVEL "B"

0913 PPE CHECKS.

0950 PPE CHECKS.

1041 PPE CHECKS.

1105 TEAM 2 IS OUT.

1117 STARTING MIDDAY CHALLENGE.

1212 MIDDAY CHALLENGE COMPLETE.

1232 TEAM 3 IS IN THE ECS. LEVEL "B"

1307 PPE CHECKS.

1405 TEAM 3 IS OUT.

1424 TEAM 1 IS IN THE ECS. LEVEL "B".

1526 TEAM 1 IS OUT.

1530 STARTING END OF DAY.

1616 THE TEAMS WERE OUT BRIEFED.

END SECURED

A handwritten signature, possibly reading 'J. J. J.', is written over a horizontal line.

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 6 April 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Mostly sunny Low 38° High 55°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Fackett, James	Bayless, Gerald
Courtney, Kenneth	Mangosh, Ed	Ford, Benny	Donnatien, Trevor
Day, David	Prate, Warren	Lewis, Leon	Flores, Ben
Indelicato, Anthony	Vail, Todd	Tibbs, Leesa	Godwin, Gerald
Kaputa, Joseph	Yorkshire, Bart	Tucker, Willie	Kinkel, Kyle
Lemieux, Joshua	Zimmer, Doug		Lewis, Taylor
Matter, Phil			Swinson, Thomas
Moon, Dale			Wade, Robert
Neely, Brian	LIFE STAR		Williams, Michael
Nelms, Bobby	Alfaro, Walter		Young, Greg
Oien, Joshua	Murdock, Mark		
Rembish, Joseph			
Rider, Matthew			
Rockwell, Margaret	ACCUPERMIT	CEHNC	EOD
	Schmidt, Jim	Boles, Judson	Kuehn, Alex
	Vargas, Brandon		Martin, Chris
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. 2 teams inside ECS cutting rebar. 11 drums and 2 bags of filters removed today. Team at Fed Prop separating drums that need to be dumped and sorted through. Disassembled the rubble and rebar processing area and setup the ECS for dumping rolloffs and drums. Brought in 1 rolloff for dumping tomorrow.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors

	DAVEY (0)
	ACCUPERMIT (2)
	ACI (0)
	CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist, Spring Valley Washington DC Date 04-06-16**A. RADIO CHECKS**

Mini Cams 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-4
 EOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MPD

0733**B. MINT CAMS**

1212 1134
0732 0732

C. DAAMS0800**D. MEDICS**0630**E. PDS**0733**G. RESCUE/Medical monitoring tent**
Minimum 65 degrees.

0733
 5/2000 4/3000

H. Cascade**I. D2PC (WEATHER STATION)**0750**J. HCI Monitors**0800**k. Arsine Monitors**0800**l. 38 K bottle pressure, Regulator Setting****m. 55 K bottle pressure, Regulator Setting**

Contract No.

Twice

Locations: Spring Valley

Locations: Spring Valley

47

کے

76

9 4-6-16

0630 SAFETY BRIEF.

0733 RADIO CHECKS

0800 ALL MONITORS ARE UP.

0804 TEAM 1 IS IN THE ECS FOR SET UP.

0823 THE ECS TRUCK DOORS ARE OPEN

0903 THE ECS TRUCK DOOR ARE CLOSED.

0908 TEAM 1 IS OUT.

0915 TEAM 2 IS IN THE ECS. LEVEL "B"

1013 PPE CHECKS.

1108 TEAM 2 IS OUT.

1115 STARTING MIDDAY CHALLENGE.

1202 MIDDAY CHALLENGE COMPLETE.

1253 TEAM 3 IS IN THE ECS. LEVEL "B"

1300 TEAM 1 IS IN THE ECS MOD "B".

1405 ALL TEAMS ARE OUT.

1411 TEAM 1 IS ~~IN~~ THE ECS.


1416 THE ECS TRUCK DOORS ARE OPEN.

1503 KONGAR PDS359 RT IS IN THE ECS AND DOORS SHUT.

1514 TEAM 1 IS OUT. STARTING ENDOF DAY CHECKS.

1610 THE TEAMS WERE OUT BRIEFED.

1700 SECURED



SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 7 April 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Cloudy, rain Low 44° High 59°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Fackett, James	Bayless, Gerald
Courtney, Kenneth	Mangosh, Ed	Ford, Benny	Donnatien, Trevor
Day, David	Prate, Warren	Lewis, Leon	Flores, Ben
Indelicato, Anthony	Vail, Todd	Tibbs, Leesa	Godwin, Gerald
Lemieux, Joshua	Yorkshire, Bart	Tucker, Willie	Kinkel, Kyle
Matter, Phil	Zimmer, Doug		Lewis, Taylor
Moon, Dale			Swinson, Thomas
Neely, Brian	LIFE STAR		Wade, Robert
Nelms, Bobby	Alfaro, Walter		Williams, Michael
Oien, Joshua	Beaumont, LaToya		Young, Greg
Rembish, Joseph			
Rider, Matthew			
Rockwell, Margaret	ACCUPERMIT	CEHNC	EOD
	Schmidt, Jim	Boles, Judson	Kuehn, Alex
	Vargas, Brandon	Shott, Ken	Martin, Chris
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. 3 teams in level B today, unloading a rolloff for reinspection. Rolloff was emptied and refilled but not removed. No samples were taken as this soil has been previously cleared.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 04-07-16**A. RADIO CHECKS**0738

Mini Cams 1&2
 Rescuc
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-3
 EOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MPD

B. MINI CAMS

1212 1142
0812 0732

C. DAAMS0800**D. MEDICS**0630**E. PDS**0753**G. RESCUE/Medical monitoring tent**
Minimum 65 degrees.0738**H. Cascade**

4/1500 5/2000
4/1500 5/2000

I. DPHC (WEATHER STATION)0700**J. HCI Monitors**0800**K. Arsine Monitors**0800**l. 88 K bottle pressure, Regulator Setting****m. 55 K bottle pressure, Regulator Setting**

12

10 4-7-16

0630 SAFETY BRIEF.

0730 RADIO CHECKS.

0812-ALL MONITORS ARE UP.

0816 TEAM 3 IS IN THE ECS FOR SETUP.

0839 SETUP COMPLETE TEAM 3 IS OUT.

0852 TEAM 1 IS IN THE ECS LEVEL "B"

0930 PPE CHECKS.

1009 TEAM 3 IN ECS. MOD "B" HELP W/ SETUP.

1045 TEAM 3 IS OUT.

1051 TEAM 1 IS OUT.

1111 TEAM 3 IS IN THE ECS W/ NEW PID.

1124 TEAM 3 IS OUT.

1128 ~~STARTING~~ MIDDAY CHALLENGE.

1232 MIDDAY CHALLENGE COMPLETE.

1234 TEAM 2 IS IN THE ECS. LEVEL "B"

1316 PPE CHECKS.

1336 PPE CHECKS.

1419 TEAM 2 IS OUT.

1426 TEAM 1 IS IN THE ECS.


1438 TEAM 1 IS OUT.

1447 TEAM 3 IS IN ECS LEVEL "B".

1535 TEAM 3 IS OUT.

1539 STARTING END OF DAY CHALLENGE.

1615 THE TEAMS WERE OUT BRIEFED

1700 SECURED 

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 8 April 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Partly cloudy Low 44° High 55°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Fackett, James	Bayless, Gerald
Courtney, Kenneth	Mangosh, Ed	Ford, Benny	Donnatien, Trevor
Day, David	Prate, Warren	Lewis, Leon	Flores, Ben
Indelicato, Anthony	Vail, Todd	Tibbs, Leesa	Godwin, Gerald
Lemieux, Joshua	Yorkshire, Bart	Tucker, Willie	Kinkel, Kyle
Matter, Phil	Zimmer, Doug		Lewis, Taylor
Moon, Dale			Swinson, Thomas
Neely, Brian	LIFE STAR		Wade, Robert
Nelms, Bobby	Williams-Martin, April		Williams, Michael
Oien, Joshua	Wolf, Yevette		Young, Greg
Rembish, Joseph			
Rider, Matthew			
Rockwell, Margaret	ACCUPERMIT	CEHNC	EOD
	Schmidt, Jim	Shott, Ken	Kuehn, Alex
	Vargas, Brandon		Martin, Chris
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. 2 level B teams inside ECS today resifted 1 roll-off and brought in last one for resifting. Jammed and fueled equipment and performed maintainance.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

VisitorsContractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 04-08-16

A. RADIO CHECKS

Mini Cams 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-3
 ECHO
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 WHD

0658

B. MINI CAMS

1133 1132
0730 0732

C. DAAMS

0800

D. MEDICS

0630

E. PDS

0800

G. RESCUE/Medical monitoring tent
 Minimum 65 degrees.

0658

H. Cascade

3/3000 4/3000

I. D2PC (WEATHER STATION)

0700

J. HCI Monitors

0800

K. Arsine Monitors

0800

L. 88 K. bottle pressure, Regulator Setting

m. 55 K. bottle pressure, Regulator Setting

R2

11 4-8-16

0630 SAFETY BRIEF

0658 RADIO CHECKS.

0800 ALL MONITORS ARE UP.

0802 TEAM 3 IS IN THE ECS. FOR SET UP

0814 THE ECS TRUCK DOORS ARE OPEN

0826 ROLLUP R25359RT IS OUT.

0900 RB 21718RT IS IN THE ECS. THE DOORS CLOSED.

0905 TEAM 3 IS OUT.

0920 TEAM 1 IS IN THE ECS. LEVEL "B".

0947 PPE CHECKS.

1016 PPE CHECKS.

1115 TEAM 1 IS OUT.

1120 STARTING MID DAY CHALLENGE.

1133 ~~TEAM 2~~ MID DAY CHALLENGE COMPLETE

1201 TEAM 2 IS IN THE ECS. MOD "B".

1206 TEAM 3 IS OUT.

1213 TEAM 2 IS IN THE ECS. LEVEL "B".

1258 TEAM 2 IS OUT.

1306 TEAM 3 IS IN THE ECS. MOD "B".

1315 THE ECS TRUCK DOORS ARE OPEN.

1331 ROLLUP RB 21218RT IS OUT.

1400 ROLLUP 279968 IS IN THE ECS.

1404 THE ECS TRUCK DOORS ARE CLOSED.

1409 PPE DRUMS 350 AND 420 DRUMS 284, 285

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 11 April 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Overcast Low 46° High 69°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Fackett, James	Batista, Fernando
Courtney, Kenneth	Mangosh, Ed	Ford, Benny	Bayless, Gerald
Day, David	Prate, Warren	PalePale, Mo	Donnatien, Trevor
Indelicato, Anthony	Vail, Todd	Sreddin, Aaron	Flores, Ben
Lemieux, Joshua	Yorkshire, Bart	Tucker, Willie	Ford, Garry
Matter, Phil	Zimmer, Doug		Godwin, Gerald
Moon, Dale			Kinkel, Kyle
Neely, Brian	LIFE STAR		Lewis, Taylor
Nelms, Bobby	Alfaro, Walter		Swinson, Thomas
Oien, Joshua	Bagley, John		Williams, Michael
Rembish, Joseph			
Rider, Matthew			
Rockwell, Margaret	ACCUPERMIT	CEHNC	EOD
	Schmidt, Jim	Shott, Ken	Kuehn, Alex
	Vargas, Brandon		Martin, Chris
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. 2 level B teams inside ECS today, 1 roll-off emptied, resifted and refilled. Brought in 12 drums for resorting tomorrow. QC began to load up rental truck for DRMO turn-in.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist Spring Valley Washington DC Date 04-11-16

A. RADIO CHECKS

Mini Cams 1 & 2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-3
 FOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MPD

0739

B. MINI CAMS

1144 1132
0721 0822

C. DAAMS

0800

D. MEDICS

0630

E. PDS

0800

**G. RESCUE/Medical monitoring tent
 Minimum 65 degrees.**

0739

H. Cascade

3/4200 4/4000

I. D21C (WEATHER STATION)

0700

J. HCI Monitors

0800

k. Arsine Monitors

0800

l. 88 K bottle pressure, Regulator Setting

m. 55 K bottle pressure, Regulator Setting

Date 04-18-26	Time	Contract Number: W912DY-09-0002		
Delivery Order Number: 0006		Location: Spring Valley		
Name	Time in	Time out	Company	FFE Level
INDELICATO	0826	0837	PARSONS	MOD "D"
NEELY	0826	0837	"	"
BOWLES	0826	0837	"	"
YORKSHIRE	0826	0837	ETS	MOD "D"
MOON	0851	1113	PARSONS	LEVEL "B"
COURTNEY	0851	1113	"	"
VAIL	0851	1113	PARSONS	LEVEL "B"
INDELICATO	1205	1215	PARSONS	MOD "D"
NEELY	1205	1215	"	"
BOWLES	1205	1215	PARSONS	MOD "D"
PIDER	1236	1408	PARSONS	LEVEL "B"
DIEN	1236	1408	PARSONS	LEVEL "B"
MANGONE	1236	1408	ETS	LEVEL "B"
MOON	1416	1516	PARSONS	MOD "D"
COURTNEY	1416	1516	PARSONS	"
YORKSHIRE	1416	1516	ETS	MOD "D"

Pg

13 4/11/16

0630 SAFETY BRIEF.

0739 RADIO CHECKS.

0822 ALL MONITORS ARE UP.

0826 TEAM 2 IS IN ECS FOR SETUP

0837 SETUP COMPLETE TEAM 2 IS OUT.

0851 TEAM 3 IS IN THE ECS. LEVEL "B".

0913 PPE CHECKS.

0937 PPE CHECKS.

0950 PPE CHECKS.

1020 PPE CHECKS

1047 PPE CHECKS

1113 TEAM 3 IS OUT.

1121 STARTING MID DAY CHALLENGE.

1144 MID DAY CHALLENGE COMPLETE.

1205 TEAM 2 IS IN THE ECS MID "B".

1215 TEAM 2 IS OUT.

1230 TEAM 1 IS IN THE ECS. LEVEL "B".

1312 PPE CHECKS.

1408 TEAM 1 IS OUT

1416 TEAM 3 IS IN ECS. MID "B" ROLL PREP.

1423 ECS TRUCK DOORS ARE OPEN.

1433 ROLL OFF 279968 IS OUT.

1516 ECS TRUCK DOORS CLOSED TEAM 3 IS OUT.

1528 STARTING END OF DAY CHECKS.

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 12 April 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Overcast Low 46° High 69°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Fackett, James	Batista, Fernando
Courtney, Kenneth	Mangosh, Ed	Ford, Benny	Bayless, Gerald
Day, David	Prate, Warren	PalePale, Mo	Donnatien, Trevor
Indelicato, Anthony	Vail, Todd	Sreddin, Aaron	Flores, Ben
Lemieux, Joshua	Yorkshire, Bart	Tucker, Willie	Ford, Garry
Matter, Phil	Zimmer, Doug		Godwin, Gerald
Moon, Dale			Kinkel, Kyle
Neely, Brian	LIFE STAR		Lewis, Taylor
Nelms, Bobby	Alfaro, Walter		Swinson, Thomas
Oien, Joshua	Bagley, John		Williams, Michael
Rembish, Joseph			
Rider, Matthew			
Rockwell, Margaret	ACCUPERMIT	CEHNC	EOD
	Schmidt, Jim	Shott, Ken	Kuehn, Alex
	Vargas, Brandon		Martin, Chris
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. 2 teams in level B inside ECS today 36 of 51 drums inside ECS were dumped. DRMO turn-in at Fort Meade, the inflatable tent was the big ticket item turned in.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 04-12-16

A. RADIO CHECKS

Mini Cams 1&2
Rescue
PDS
Cascade
Medical
Traffic Control
Transit-1
ROD
Packaging
Corp Safety
Operations
Tech Ops
Site Mgr
MFD

0737

B. MINI CAMS

1155 1222

0735 0752

C. DAAMS

0800

D. MEDICS

0630

E. PDS

0737

**G. RESCUE/Medical monitoring tent
Minimum 65 degrees.**

0737

H. Cascade

4/400 3/400

I. D2PC (WEATHER STATION)

0706

J. HCI Monitors

0800

k. Argine Monitors

0800

l. 88 K. bottle pressure, Regulator Setting

m. 55 K bottle pressure, Regulator Setting

[illegible]

P6

15 412-16

0630 SAFETY BRIEF.

0737 RADIO CHECKS.

0800 ALL MONITORS ARE UP.

0805 TEAM 1 IS IN THE ETS FOR SETUP.

0822 THE ETS TRUCK DOORS ARE OPEN.

0836 TEAM 1 IS OUT.

0905 TEAM 2 IS IN THE ETS LEVEL "B" CUTTING SOIL DRUMS.

0928 PPE CHECKS.

0947 PPE CHECKS.

1030 PPE CHECKS. WRF: 569

1122 TEAM 2 IS OUT.

1128 STARTING MID DAY CHALLENGE.

1222 MID DAY CHALLENGE COMPLETE.

1227 TEAM 1 IN THE ETS MOD "B" ETS

TRUCK DOORS ARE OPEN

1344 THE ETS TRUCK DOORS ARE CLOSED.

1400 PPE CHECKS. TEAM 3 IN THE ETS

1520 TEAM 3 IS OUT. NOTE: @ 1436 PPE CHECKS.

1525 STARTING END OF DAY CHECKS.

1610 THE TEAMS WERE OUT BRIEFED

AND SECURED

[Handwritten signature]
4/12/16

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 13 April 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Mostly clear Low 43° High 64°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Fackett, James	Batista, Fernando
Courtney, Kenneth	Mangosh, Ed	Ford, Benny	Bayless, Gerald
Day, David	Prate, Warren	PalePale, Mo	Donnatien, Trevor
Indelicato, Anthony	Vail, Todd	Sreddin, Aaron	Flores, Ben
Lemieux, Joshua	Yorkshire, Bart	Tucker, Willie	Ford, Garry
Matter, Phil	Zimmer, Doug		Godwin, Gerald
Moon, Dale			Kinkel, Kyle
Neely, Brian	LIFE STAR		Lewis, Taylor
Nelms, Bobby	Alfaro, Walter		Swinson, Thomas
Oien, Joshua	Murdock, Mark		Williams, Michael
Rembish, Joseph			
Rider, Matthew			
	ACCUPERMIT	CEHNC	EOD
	Schmidt, Jim	Shott, Ken	Kuehn, Alex
	Vargas, Brandon		Martin, Chris
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. 3 level B teams in ECS today. Finished cutting open and dumping the 51 soil drums and began to sift through it and reloading into a rolloff. Returned rental truck used for DRMO turn-in.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist Spring Valley Washington DC Date 04-13-16**A. RADIO CHECKS**

Mini Cams 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-3
 EOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Sire Mgr
 MPD

0727**B. MINI CAMS**

1151 1132-
0727 0722

C. DAAMS0800**D. MEDICS**0630**F. PDS**0737**G. RESCUE/Medical monitoring tent**
Minimum 65 degrees.0727**H. Cascade**

4/ 4800 5/ 3000
4800 3000

I. D2PC (WEATHER STATION)0700**J. HCI Monitors**0800**k. Arsine Monitors**0800**l. 88 K bottle pressure, Regulator Setting****m. 55 K bottle pressure, Regulator Setting**

Pg

16 4.13.16

0630 SAFETY BRIEF.

0727 RADIO CHECKS.

0800 ALL MONITORS ARE UP

0806 TEAM 3 IS IN THE ETS FOR SET UP

0837 TEAM 3 IS OUT.

0910 PPE CHECKS.

0954 PPE CHECKS.

1040 BRUCE GRIFFIN AND JAMES ROUSE W/CARA
ARE ON SITE.

1100 TEAM 1 IS OUT.

1120 STARTING MID DAY CHALLENGE

1157 MID DAY CHALLENGE COMPLETE.

1205 TEAM 3 IS IN THE ETS AND TRACK DOORS OPEN.

1221 FOLLOW OFF 779792 IS IN AND DOORS CLOSED.

1224 TEAM 3 IS OUT

1243 TEAM 2 IS IN THE ETS (BUCKET)

1312 PPE CHECKS.

1356 TEAM 2 IS OUT.

1413 TEAM 3 IS IN THE ETS (PVC)

1436 PPE CHECKS.

1539 TEAM 3 IS OUT.

1541 STARTING MID DAY CHALLENGE.

1612 THE TEAMS WERE OUT BRIEFED.

1700 SECURED
1726

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 14 April 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Mostly sunny Low 43° High 59°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared		Fackett, James	Batista, Fernando
Courtney, Kenneth	Mangosh, Ed	Ford, Benny	Bayless, Gerald
Day, David	Prate, Warren	PalePale, Mo	Donnatien, Trevor
Indelicato, Anthony	Vail, Todd	Sreddin, Aaron	Flores, Ben
Lemieux, Joshua	Yorkshire, Bart	Tucker, Willie	Ford, Garry
Matter, Phil	Zimmer, Doug		Godwin, Gerald
Moon, Dale			Kinkel, Kyle
Neely, Brian	LIFE STAR		Lewis, Taylor
Nelms, Bobby	Alfaro, Walter		Swinson, Thomas
Oien, Joshua	Beaumont, LaToya		Williams, Michael
Rembish, Joseph			
Rider, Matthew			
Rockwell, Margaret	ACCUPERMIT	CEHNC	EOD
	Schmidt, Jim	Shott, Ken	Kuehn, Alex
	Vargas, Brandon		Martin, Chris
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. 1 level B team in ECS today. Roll-off of 51 soil drums removed. Brought in last 51 drums to be resifted as we have a lot of activities at Fed Prop next week that cannot be interrupted.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

Daily Contractor Quality Control Report					
Contract Number:	W912DY-09-D-0062				
Delivery Order Number:	0006				
Project Name:	4825 Glenbrook Rd. Remedial Action, Spring Valley FUDS.				
Project Number:	74827L03000				
Site Location:	Spring Valley, Washington, DC.				
Date:	04/14/2016 Thursday				
Weather:	Sunny, 43-65° F, wind – 0 to 5 mph.				
Field Instrument:	(7) Arisne - (1) Down Range, (1) CAFE MID 1, (1) CAFE MID 2, (1) CAFE MID 3, (1) CAFE 1 Exhaust, (1) CAFE 2 Exhaust, (1) CAFE 3 Exhaust, (5) HCL - (1) Down Range, (1) Pre-Filter, (1) CAFE MID 1, (1) CAFE MID 2, (1) CAFE MID 3, (1) HCN - (1) Down Range), (1) PID - Down Range, (1) Combustible Gas Monitor, MiniCAM S, DAAMS				
Measurements:	All Non Detect.				
Calibrations:	Arisne and HCL – Fresh air zero calibration, HCN – Fresh Air, PID - 100ppm isobutylene and fresh air.				
Activities Conducted:	Crews continue High Probability operations. Crews emptied soil in drums Transferred drums from Fed Property. Transferred drums from 4825 Glenbrook Rd.				
Summary:	Crews continue High Probability operations. Emptied soil in drums and sifting soil, placing soil in roll off 279892. Transferred roll off to Fed Property. Transferred 51 soil drums from Fed Property to 4825 Glenbrook Rd (See Drum Transfer Manifests for IDs) Transferred 2 water drums (4825GR-KDW-AQ-286, 4825GR-KDW-AQ-287) and 3 PPE drums from 4825 Glenbrook Road to Fed Property (4825GR-KDW-PPE-351, 4825GR-KDW-PPE-352, 4825GR-KDW-PPE-353). Submitted two bags of filters for headspace (RA-4825GR-SCR-417, RA-4825GR-SCR-				
Items Found:	No New Items				
Contingency Plan Initiated:	No				
Air Monitoring:	MiniCAMMS, DAAMS				
IDW Generated:	PPE and Decon Water				
Waste Disposal:	None				
Departures from approved SSWP:	None				
Problems encountered/resolutions:	None				
Instructions given by government personnel:	None				
Attachments:	Sample Logs Daily QC Logs UXO Safety Log (Weekly) CDC				
Signed by:					
Name (print):	Margaret Rackwell				
Date:	4/14/2016				
Phone Number:	571-721-9804				
Copies sent to:	Tammy Chang, Beth Driskill, Phil Matter, David Day, Janell Boudal				

PRE-OPERATIONS Checklist Spring Valley Washington DC Date 04-14-16**A. RADIO CHECKS**0737

Mini Cams 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-3
 FOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MFD

1124 1212

0737 0732**B. MONI CAMS****C. DAAMS**0800**D. MEDICS**0630**E. PDS**0707**G. RESCUE/Medical monitoring tent**
Minimum 65 degrees.0737**H. Cascade**5/4000 3/4000**I. D2PC (WEATHER STATION)**0700**J. HCl Monitors**0800**k. Arsine Monitors**0800**l. 88 K. bottle pressure, Regulator Setting****m. 55 K bottle pressure, Regulator Setting**

R₂

17 4-14-16

0630 SAFETY BRIEF

0737 RADIO CHECKS.

0800 ALL MINIBUSES ARE UP.

0804 TEAM 3 IS IN THE ECS FOR SET UP.

0839 TEAM 3 IS OUT.

0855 TEAM 1 IS IN THE ECS. LEVEL "B".

0937 PPE CHECKS.

1028 TEAM 1 IS OUT.

1044 TEAM 3 IS IN THE ECS. MOB "O".

1048 THE ECS TRUCK DOORS ARE OPEN.

1056 ROLL OFF 279899 IS OUT & DOORS CLOSED.

1058 TEAM 3 IS OUT.

1150 STARTING MIDDAY CHALLENGE.

(WEEKLY) CONFERENCE CALL.

1212 MIDDAY CHALLENGE COMPLETE.

1219 TEAM 3 IS IN THE ECS. TRUCK DOORS ARE OPEN.


1507 THE ECS TRUCK DOORS ARE CLOSED.

1510 TEAM 3 IS OUT

1544 STARTING END OF DAY CHECKS.

1600 THE TEAMS WERE OUT BRIEFED

1700 SECURED

A handwritten signature in black ink, appearing to be "Bryce", written over a horizontal line.

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 15 April 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Overcast Low 46° High 65°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared		Fackett, James	Batista, Fernando
Courtney, Kenneth	Mangosh, Ed	Ford, Benny	Bayless, Gerald
Day, David	Prate, Warren	PalePale, Mo	Donnatien, Trevor
Indelicato, Anthony	Vail, Todd	Sreddin, Aaron	Flores, Ben
Lemieux, Joshua	Yorkshire, Bart	Tucker, Willie	Ford, Garry
Matter, Phil	Zimmer, Doug		Godwin, Gerald
Moon, Dale			Kinkel, Kyle
Neely, Brian	LIFE STAR		Lewis, Taylor
Nelms, Bobby	Williams-Martin, April		Swinson, Thomas
Oien, Joshua	Wolf, Yavette		Williams, Michael
Rembish, Joseph			
Rider, Matthew			
Rockwell, Margaret	ACCUPERMIT	CEHNC	EOD
	Schmidt, Jim	Shott, Ken	Kuehn, Alex
	Vargas, Brandon		Martin, Chris
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. 3 teams in level B inside ECS in level B today, cutting open soil drums for resifting. Party at AU Presidents residence at 3:30 so we broke down for maintenance around 3PM.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

VisitorsContractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 04-15-16**A. RADIO CHECKS**

Mini Cams 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-3
 EOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MPD

0710**B. MINI CAMS**

1145 1132
0752 0732

C. DAAMS0800**D. MEDICS**0630**E. PDS**0800**G. RESCUE/Medical monitoring tent**
Minimum 65 degrees.

0710
3/4000 2/4000

H. Cascade**I. D2PC (WEATHER STATION)**0700**J. HCl Monitors**0800**K. Arsine Monitors**0800**L. 88 K bottle pressure, Regulator Setting****m. 55 K bottle pressure, Regulator Setting**

Doc# 04-25-26

Time

Contract Number: W912DY-09-0062

Locations: Spring Valley

Name	Time in	Time out	Company	PDF Level
RIDER	0804	0820	PARSONS	MOD "B"
DIAN	0804	0820	PARSONS	"
ROMELIN	0804	0820	PARSONS	"
MANGOSH	0804	0820	ZES	MOD "B"
INDICATO	0827	0956	PARSONS	LEVEL "B"
NEELY	0827	0956	PARSONS	"
PRATT	0827	0956	ZES	LEVEL "B"
MOON	1010	1117	PARSONS	LEVEL "B"
LENTEDY	1010	1117	PARSONS	"
VAIL	1010	1117	ZES	LEVEL "B"
RIDER	1231	1400	PARSONS	LEVEL "B"
DIAN	1231	1400	PARSONS	"
MANGOSH	1231	1400	ZES	LEVEL "B"
INDICATO	1405	1416	PARSONS	MOD "B"
BOWLES	1405	1416	PARSONS	"
NEELY	1405	1416	PARSONS	MOD "B"

P₂

18 4.15-16

0630 SAFETY BRIEF.

0710 RADIO CHECKS.

0800 ALL MONITORS ARE UP.

0804 TEAM 1 IS IN FOR SETUP.

0820 TEAM 1 IS OUT.

0827 TEAM 2 IS IN LEVEL "B"

0852 PPE CHECKS.

0930 PPE CHECKS. WRET @ 54

0956 TEAM 2 IS OUT

1010 TEAM 3 IS IN THE ECS LEVEL "B".

1034 PPE CHECKS.

1057 PPE CHECKS. WRET @ 56.4

1117 TEAM 3 IS OUT.

1123 STARTING MIDDAY CHALLENGE.

1145 MIDDAY COMPLETE.

1231 TEAM 1 IS IN THE ECS. LEVEL "B"

1254 PPE CHECKS. 57.8 WRET

1337 PPE CHECKS.

1400 TEAM 1 IS OUT

1405 TEAM 2 IS IN THE ECS.

1416 TEAM 2 IS OUT.

1447 STARTING END OF DAY CHECKS.

1450 THE TEAM WERE OUT BRIEFED

1500 SECURED

[Signature]

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 18 April 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Sunny Low 54° High 82°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared		Fackett, James	Batista, Fernando
Courtney, Kenneth	Mangosh, Ed	Ford, Benny	Bayless, Gerald
Day, David	Prate, Warren	PalePale, Mo	Crouse, Dennis
Indelicato, Anthony	Vail, Todd	Sreddin, Aaron	Donnaten, Trevor
Lemieux, Joshua	Yorkshire, Bart	Tibbs, Leesa	Flores, Ben
Matter, Phil	Zimmer, Doug		Ford, Garry
Moon, Dale			Kinkel, Kyle
Neely, Brian			Lewis, Taylor
Nelms, Bobby	LIFE STAR		Martinez, Saul
Oien, Joshua	Bagley, John		O'Connell, Ryan
Rembish, Joseph	Murdock, Mark		
Rider, Matthew			
Rockwell, Margaret			
	ACCUPERMIT	CEHNC	EOD
	Schmidt, Jim	Shott, Ken	Kuehn, Alex
	Vargas, Brandon		Martin, Chris
		CENAB	
		Whitten, Ricky	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. 3 teams in level B today. Finished cutting and dumping previously drummed soil and began spreading it out and searching through it. Boxed a total of 13 class IV shipping boxes with various sized filters for inclusion on the hazardous shipment tomorrow.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

VisitorsContractors

	DAVEY (0)
	ACCUPERMIT (2)
	ACI (0)
	CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist Spring Valley Washington DC Date 04-18-16**A. RADIO CHECKS**

Mini Cams 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-3
 EOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MPD

0737**B. MINI CAMS**

1151 1138
0736 0738

C. DAAMS0800**D. MEDICS**0730**E. PDS**0715**G. RESCUE/Medical monitoring tent
Minimum 65 degrees**0737**H. Cascade**3/4000 11/4000**I. D2PC (WEATHER STATION)**0700**J. HCI Monitors**0800**K. Arsine Monitors**0800**L. 88 K bottle pressure, Regulator Setting****M. 55 K bottle pressure, Regulator Setting**

76

19 4-18-16

0630 SAFETY BRIEF

0737 RADIO CHECKS.

0800 ALL MONITORS ARE UP.

0802 TEAM 1 IS IN THE ECS FOR SET UP

0818 TEAM 1 IS OUT.

0826 TEAM 2 IS IN THE ECS. LEVEL "B"

0902 PPE CHECKS. WBET @ 58.0

0923 PPE CHECKS. WBET @ 60.0

0958 TEAM 2 IS OUT. WBET @ 62.7

1014 TEAM 3 IS IN THE ECS LEVEL "B" WBET @ 62.6

1053 PPE CHECKS. WBET @ 66.3

1118 TEAM 3 IS OUT.

1128 STARTING MID DAY CHALLENGE.

1151 MID DAY CHALLENGE COMPLETE

1214 TEAM 2 IS IN THE ECS. MID "B"

1217 THE ECS TRUCK DOORS ARE OPEN.

1250 THE ECS TRUCK DOORS ARE CLOSED. WBET @ 69.4

1252 TEAM 2 IS OUT.

1308 TEAM 1 IS IN THE ECS. WBET @ 69.8

1328 PPE CHECKS. WBET @ 69.9

1356 PPE CHECKS. WBET @ 70.9

1401 TEAM 1 IS OUT.

1410 TEAM 2 IS IN THE ECS MID "B"

1516 Team 2 is out of ECS

Continued

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 19 April 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Sunny Low 57° High 83°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared		Askew, Tom	Batista, Fernando
Courtney, Kenneth	Mangosh, Ed	Fackett, James	Bayless, Gerald
Day, David	Prate, Warren	PalePale, Mo	Crouse, Dennis
Indelicato, Anthony	Vail, Todd	Sreddin, Aaron	Donnatien, Trevor
Lemieux, Joshua	Yorkshire, Bart	Ford, Benny	Flores, Ben
Matter, Phil	Zimmer, Doug		Ford, Garry
Moon, Dale			Kinkel, Kyle
Neely, Brian	LIFE STAR		Lewis, Taylor
Nelms, Bobby	Bagley, John		Martinez, Saul
Oien, Joshua	German, Helen		O'Connell, Ryan
Rembish, Joseph			
Rider, Matthew			
Rockwell, Margaret	ACCUPERMIT	CEHNC	EOD
	Schmidt, Jim	Shott, Ken	Kuehn, Alex
	Vargas, Brandon		Martin, Chris
		CENAB	
		Whitten, Ricky	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. Finished filling rolloff with previously drummed soil and rolloff removed, empty rolloff brought in. Begin final scrape of high probability area and piling up soil to fill rolloff. 2 HAZMAT trucks loaded and shipped off site. 40 class IX boxes and 158 drums shipped out.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

VisitorsContractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 04-19-16**A. RADIO CHECKS**

Mini Cams 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-3
 EOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MPD

0735**B. MINI CAMS**

1148 1228
0728 0740

C. DAAMS0800**D. MEDICS**0630**E. PDS**0712**G. RESCUE/Medical monitoring tent**
Minimum 65 degrees.0730**H. Cascade**

2/ 4000 3/ 4000
4000 4000

I. D2PC (WEATHER STATION)0700**J. HCI Monitors**0800**K. Arsine Monitors**0800**L. 88 K bottle pressure, Regulator Setting****m. 55 K bottle pressure, Regulator Setting**

72

21 4.19.16

0630 SAFETY BRIEF.

0735 RADIO CHECKS.

0800 ALL MONITORS ARE UP.

0802 TEAM 1 IS IN THE ECS FOR SET UP.

0814 SETUP COMPLETE. TEAM 1 IS OUT. WBGT@57.2

0823 TEAM 2 IS ON THE ECS. LEVEL "B". WBGT@58.0

0850 PPE CHECKS WBGT@ 60.8

0922 PPE CHECKS WBGT@ 62.5

0942 TEAM 2 IS OUT.

1000 TEAM 3 IS IN THE ECS LEVEL "B" WBGT@63.2

1027 PPE CHECKS. WBGT@ 65.9.

1101 PPE CHECKS. WBGT@ 69.0

1121 TEAM 3 IS OUT WBGT@ 71.0

1132 STARTING MIDDAY CHALLENGE.

1228 MIDDAY CHALLENGE COMPLETE.

1231 TEAM 2 IS IN THE ECS MOD "B".

1246 ROUND 280192 IS END.

1315 ROUND 280155 IS IN THE ECS.

1319 THREE TRUCK BAYS ARE CLOSED

1323 TEAM 2 IS OUT

1342 TEAM 1 IS IN THE ECS. LEVEL "B" WBGT@70.9

1416 PPE CHECKS WBGT@ 71.4

1423 VOC SAMPLE COLLECTED.

1452 COMPOSITE SAMPLE 298 COLLECTED.

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 20 April 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Mostly clear Low 49° High 64°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Askew, Tom	Batista, Fernando
Courtney, Kenneth	Mangosh, Ed	Fackett, James	Bayless, Gerald
Day, David	Prate, Warren	Ford, Benny	Crouse, Dennis
Indelicato, Anthony	Vail, Todd	PalePale, Mo	Donnatien, Trevor
Lemieux, Joshua	Yorkshire, Bart	Sreddin, Aaron	Flores, Ben
Matter, Phil	Zimmer, Doug		Ford, Garry
Moon, Dale			Kinkel, Kyle
Neely, Brian	LIFE STAR		Lewis, Taylor
Nelms, Bobby	Alfaro, Walter		Martinez, Saul
Oien, Joshua	Murdock, Mark		O'Connell, Ryan
Rembish, Joseph			
Rider, Matthew			
Rockwell, Margaret	ACCUPERMIT	CEHNC	EOD
	Schmidt, Jim	Shott, Ken	Kuehn, Alex
	Vargas, Brandon		Martin, Chris
		CENAB	
		Whitten, Ricky	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. 3 teams in level B today, finished filling 1 rolloff started previous day and filled another after midday.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Terry Willis- Parsons

Contractors

DAVEY (0)

ACCUPERMIT (2)

ACI (0)

CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist Spring Valley Washington DC Date 04-20-16**A. RADIO CHECKS**

Mini Cams 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-3
 HCU
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MPD

0730**B. MINI CAMS**

1213 1206
0807 0756

C. DAAMS0800**D. MEDICS**0630**E. PDS**0730**G. RESCUE/Medical monitoring tent**
Minimum 65 degrees.0730**H. Cascade**

2/4000 3/4000
1/4000

I. D2PC (WEATHER STATION)0700**J. HCI Monitors**0800**k. Arsine Monitors**0800**l. 88 K bottle pressure, Regulator Setting****m. 55 K bottle pressure, Regulator Setting**

Date: 04-20-16	Time	Continue: Number: WST2017-03-0062		
Delivery Order Number: 0006		Location: Spring Valley		
Name	Time in	Time out	Company	PPE Level
INDICATION	0809	0825	PARSONS	MOD "D"
NEELY	0809	0825	PARSONS	"
BOWLES	0809	0825	PARSONS	"
YORKSHIRE	0809	0825	FES	MOD "D"
MOON	0832	1000	PARSONS	LEVEL "B"
COURTNEY	0832	1000	PARSONS	"
VAIL	0832	1000	FES	LEVEL "B"
RIDER	1014	1145	PARSONS	LEVEL "B"
REMPISH	1014	1145	PARSONS	"
MANGOSA	1014	1145	FES	LEVEL "B"
MICH	1252	1343	PARSONS	MOD "D"
LOMLOU	1252	1343	PARSONS	"
COURTNEY	1252	1343	PARSONS	"
VAIL	1252	1343	FES	MOD "D"
MANGOSA	1320	1330	CARA	MOD "D"
Bornation	1320	1330	CARA	MOD "D"
INDICATION	1356	1501	PARSONS	LEVEL "B"
BOWLES	1356	1501	PARSONS	"
YORKSHIRE	1356	1501	FES	LEVEL "B"
MOON	1508	1527	PARSONS	MOD "D"
COURTNEY	1508	1527	PARSONS	MOD "D"

P2

23 4.20.16

0630 SAFETY FORCE. TEAM WILLIS IS ON SITE.

0730 RADIO CHECKS.

0807 ALL MONITORS ARE UP

0809 TEAM 2 IS IN THE ECS FOR SETUP.

0825 TEAM 2 IS OUT.

0832 TEAM 3 IS IN THE ECS. LEVEL "B". WBGT@50.9

0904 PPE CHECKS. WBGT@ 53.4

0917 COMPOSITE SAMPLE 299 COLLECTED

1000 TEAM 3 IS OUT. WBGT@ 57.0 / 10.14 TEAM 1 IN^{RES.}

1050 PPE CHECKS WBGT@ 55.8

1145 TEAM 1 IS OUT.

1155 STARTING MIDDAY CHALLENGE.

1213 MIDDAY CHALLENGE COMPLETE.

1252 TEAM 3 IN THE ECS FOR TOILET PREP

1256 THE ECS TRUCK DOOR IS OPEN.

1316 ROLL OFF 280155 IS OUT.

1339 ROLL OFF RB36777 RT IS IN, DOORS CLOSED.

1343 TEAM 3 IS OUT.

1356 TEAM 2 IS IN THE ECS LEVEL "B". WBGT@63.1

1402 THE VOC HAS BEEN COLLECTED.

1425 PPE CHECKS. WBGT@ 64.0

1501 TEAM 2 IS OUT

1508 TEAM 3 IS IN THE ECS. ROLL OFF PREP.

1527 TEAM 3 IS OUT.

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 21 April 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Partly sunny Low 55° High 76°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Askew, Tom	Batista, Fernando
Courtney, Kenneth	Mangosh, Ed	Fackett, James	Bayless, Gerald
Day, David	Prate, Warren	Ford, Benny	Crouse, Dennis
Indelicato, Anthony	Vail, Todd	PalePale, Mo	Donnatien, Trevor
Lemieux, Joshua	Yorkshire, Bart	Sreddin, Aaron	Flores, Ben
Matter, Phil	Zimmer, Doug		Ford, Garry
Moon, Dale			Kinkel, Kyle
Neely, Brian	LIFE STAR		Lewis, Taylor
Nelms, Bobby	Bagley, John		Martinez, Saul
Oien, Joshua	Murdock, Mark		O'Connell, Ryan
Rembish, Joseph			
Rider, Matthew			
Rockwell, Margaret	ACCUPERMIT	CEHNC	EOD
	Alfaro, Walter	Shott, Ken	Kuehn, Alex
	Beaumont, LaToya		Martin, Chris
		CENAB	
		Whitten, Ricky	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. 2 teams in level B today. First thing in morning ECBC changed CAFS pre-filters which took about 1.5 hours. Teams brought over large air conditioner so we can get it hooked up next week. Filled 1 rolloff.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

VisitorsContractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 04-21-16**A. RADIO CHECKS**

Mou Cams 1&2

Rescue

MHS

Cascade

Medical

Traffic Control

Teams 1-3

EOD

Packaging

Corp Safety

Operations

Tech Ops

Site Mgr

MPD

0752**B. MINI CAMS**1314 1256
0937 0916**C. DAAMS**0900**D. MEDICS**0630**E. POS**0800**G. RESCUE/Medical monitoring tent**
Minimum 65 degrees.0751**H. Cascade**3/4000 4/4000
3/4000 4/4000**I. D2PC (WEATHER STATION)**0900**J. HCI Monitors**0915**k. Arsine Monitors**0915**l. 88 K. bottle pressure, Regulator Setting****m. 55 K. bottle pressure, Regulator Setting**

76

25 421-16

0630 SAFETY BRIEF

0727 ELBC MAINTENANCE CREW ON SITE.

CHANGING CATS PREFILTERS.

0911 MAINTENANCE ON CATS COMPLETE

0937 ALL MONITORS ARE OK

0949 TEAM 3 IN ECS. PPE BRIMS 356 & 357 / H2O DRUM 289

0953 THE ECS TRUCK DOORS ARE OPEN

1005 ROLLOFF RB36777RT IS OUT.

1038 ROLLOFF 279655 IS IN THE ECS.

1041 TEAM 3 HAS CLOSED THE ECS DOORS
AND PREP'D.

1106 TEAM 1 IN THE ECS. LEVEL "B".

1114 THE VOC HAS BEEN COLLECTED.

1139 PPT CHECKS. WBGT @ 57.3

1212 COMPOSITE SAMPLE 301 COLLECTED.

1217 TEAM 1 IS OUT.

1220 TEAM 3 IN ECS FOR ROLLOFF PREP.

1230 THE ECS TRUCK DOORS ARE OPEN.

1245 ROLLOFF 279655 IS OUT AND ECS
TRUCK DOORS CLOSED.

1246 TEAM 3 IS OUT.

1247 STARTING MID DAY CHALLENGE.

1314 MID DAY CHALLENGE COMPLETE.

1345 TEAM 2 IS IN THE ECS. LEVEL "B".

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 22 April 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Sunny Low 61° High 73°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Askew, Tom	Batista, Fernando
Courtney, Kenneth	Mangosh, Ed	Fackett, James	Bayless, Gerald
Day, David	Prate, Warren	Ford, Benny	Crouse, Dennis
Indelicato, Anthony	Vail, Todd	PalePale, Mo	Donnatien, Trevor
Lemieux, Joshua	Yorkshire, Bart	Sreddin, Aaron	Flores, Ben
Matter, Phil	Zimmer, Doug		Ford, Garry
Moon, Dale			Kinkel, Kyle
Neely, Brian	LIFE STAR		Lewis, Taylor
Nelms, Bobby	Williams-Martin, April		Martinez, Saul
Oien, Joshua	Wolf, Yevette		O'Connell, Ryan
Rembish, Joseph			
Rider, Matthew			
Rockwell, Margaret	ACCUPERMIT	CEHNC	EOD
	Alfaro, Walter	Shott, Ken	Kuehn, Alex
	Beaumont, LaToya		Martin, Chris
		CENAB	
		Whitten, Ricky	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. 2 teams in level B today. 2 rolloffs filled today. 2 teams members at Fed Prop stacking rolloff liners, breaking down pallets and moving drums. Equipment maintenance in the afternoon. Inspect our erosion control efforts.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist, Spring Valley Washington DC Date 04-22-16**A. RADIO CHECKS**

Mini Cams 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Trans 1-3
 EOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MPD

0740

B. MINI CAMS

1202 1136

0734 0726

C. DAAMS

0800

D. MEDICS

0630

E. PDS

0705

G. RESCUE/Medical monitoring tent
Minimum 65 degrees.

0730

3/ 4/
 1400 1400

H. Cascade**I. D2PC (WEATHER STATION)**

0700

J. HCI Monitors

0800

k. Arsine Monitors

0800

l. 88 K bottle pressure, Regulator Setting**m. 55 K bottle pressure, Regulator Setting**

R

27 4-27-16

0630 SAFETY BRIEF.

0746 RADIO CHECKS.

0750 ALL MONITORS ARE UP.

0804 TEAM 2 IS IN FOR SET-UP

0816 THE ECS TRUCK DOORS ARE OPEN. WRG7 @ 62.3

0820 ROLL OFF 279900 IS IN THE ECS.

0823 THE ECS TRUCK DOORS ARE CLOSED.

0830 TEAM 2 IS OUT.

0839 TEAM 3 IS IN THE ECS. LEVEL 'B' WRG7 @ 62.8

0841 THE VOC WAS COLLECTED.

0906 PPE CHECKS. WRG7 @ 64.9

0944 COMPOSITE SAMPLE 302 COLLECTED. PPE
CHECKS. WRG7 @ 64.2.

1013 PPE CHECKS. WRG7 @ 66.5

1025 TEAM 3 IS OUT.

1042 THE ECS TRUCK DOORS ARE OPEN.

1049 ROLL OFF 279900 IS OUT.

1113 ROLL OFF 274544 IS IN THE ECS.

1122 TEAM 2 IS OUT.

1124 STARTING MIDDAY CHALLENGE

1202 MIDDAY CHALLENGE COMPLETE.

1230 TEAM 1 IS IN THE ECS. LEVEL 'B'. WRG7 @ 66.8

1235 THE VOC SAMPLE WAS COLLECTED.

1337 COMPOSITE SAMPLE 303 HAS BEEN INITIATED

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 04-26-16**A. RADIO CHECKS**0730

Mini Cams 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Tensec-3
 EOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MPD

1207 1236

B. MINI CAMS0746**C. DAAMS**0800**D. MEDICS**0630**E. PDS**0720**G. RESCUE/Medical monitoring tent**
Minimum 65 degrees.0730**H. Cascade**2/4000 2/4000**I. D2PC (WEATHER STATION)**0700**J. HCU Monitors**0800**k. Arsine Monitors**0800**l. 88 K bottle pressure, Regulator Setting****m. 55 K bottle pressure, Regulator Setting**

K

29 4-25-16

0630 SAFETY BRIEF. MATT BUSCH ON SITE.

0730 RADIO CHECKS.

0806 ALL MONITORS ARE UP.

0818 TEAM 1 IS IN THE ECS FOR SETUP.

0823 TEAM 1 IS OUT.

0830 TEAM 3 IS IN ECS LEVEL "B" WBGT@ 55.0

0851 PPE CHECKS. WBGT@ 57.3

0921 PPE CHECKS WBGT@ 59.9

0948 TEAM 3 IS OUT WBGT@ 62.2

1011 TEAM 1 IS IN THE ECS LEVEL "B"

1017 THE UAC HAS BEEN COLLECTED.

1037 PPE CHECKS WBGT@ 64.1

1114 COMPOSITE SAMPLE 304 HAS BEEN COLLECTED

1135 TEAM 1 IS OUT. WBGT@ 67.1

1145 STARTING MIDDAY CHALLENGE.

1236 MIDDAY CHALLENGE COMPLETE.

1253 TEAM 2 IN THE ECS LEVEL "B" WBGT@ 67.4

1322 PPE CHECKS WBGT@ 70.4

1347 PPE CHECKS. WBGT@ 71.9

1425 TEAM 2 IS OUT.

1436 TEAM 1 IS IN THE ECS MOD "D"

1442 ECS TRUCK DOORS ARE OPEN

1452 ROLLOFF R25738 RT IS OUT.

1521 ROLLOFF 279982 IS IN.

PRE-OPERATIONS Checklist. Spring Valley Washington DC. Date 04-26-16**A. RADIO CHECKS**

Mun Com 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-3
 EOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MFD

0729**B. MUNI CAMS**

1126 0726
08360726

C. DAAMS0800**D. MEDICS**0630**E. PDS**0745**G. RESCUE/Medical monitoring team**
Minimum 65 degrees.0730**H. Cascade**

2/4000 3/4800
2/4000 3/4800

I. D2PC (WEATHER STATION)

~~0730~~ ~~0730~~ 0730
0730

J. HCI Monitors0800**k. Airline Monitors**0800**L. 88 K bottle pressure, Regulator Setting****m. 55 K bottle pressure, Regulator Setting**

Pg

31 4-26-16

0630 SAFETY BRIEF.

0729 RADIO CHECKS.

0836 AIL MONITORS ARE OP. TEAM 3 IS
IN THE ECS FOR SETUP.

0852. TEAM 3 IS OUT.

0859 TEAM 2 IS IN THE ECS. LEVEL "B"
WBLT @ 63.9.

0906 VOC COLLECTED.

0925 PPE CHECKS WBLT @ 66.0

1001 COMPOSITE SAMPLE 305 COLLECTED.

1005 TEAM 2 IS OUT.

1013 TEAM 3 IS IN THE ECS. MID "B".

1019 THE ECS TRUCK DOORS WERE OPENED.

1028 ROLL OFF 279982 IS OUT.

1037 PPE DRAMS 358359 H2O DRUM 280
LOADED FOR FERGUSON.

1059 THE ROLL OFF 274582 IS IN AND DOORS CLOSED.

1108 TEAM 3 IS OUT.

1105 STARTING MID DAY CHALLENGE.

1226 MID DAY CHALLENGE COMPLETE.
SPAN BULKING ON SITE.

1244 TEAM 1 IS IN THE ECS. LEVEL "B" WBLT @ 68.7

1254 VOC COLLECTED.

1315 PPE CHECKS WBLT @ 70.2

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 27 April 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Overcast, drizzle Low 55° High 76°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Pineiro, Dave	Batista, Fernando
Busch, Matt	Mangosh, Ed	Fackett, James	Bayless, Gerald
Courtney, Kenneth	Prate, Warren	Framarini, Trevor	Crouse, Dennis
Day, David	Vail, Todd	PalePale, Mo	Godwin, Gerald
Lemieux, Joshua	Yorkshire, Bart	Sreddin, Aaron	Flores, Ben
Matter, Phil	Zimmer, Doug		Ford, Garry
Moon, Dale			Kinkel, Kyle
Neely, Brian	LIFE STAR		Lewis, Taylor
Nelms, Bobby	Alfaro, Walter		Martinez, Saul
Oien, Joshua	Murdock, Mark		O'Connell, Ryan
Rembish, Joseph			
Rider, Matthew			
Rockwell, Margaret	ACCUPERMIT	CEHNC	EOD
	Schmidt, James	Shott, Ken	Malm, Daniel
	Vargas, Brandon		Wilkins, John
		CENAB	
		Whitten, Ricky	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. 2 level B teams in ECS today, and 1 rolloff filled. Had miniCAMS issue at approx 10:15 (false positive) and finally resolved the issue at approx. 1220. Emptied 3 rolloffs and lined 5.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist Spring Valley Washington DC Date 04-27-16

A. RADIO CHECKS

Mini Cams 1&2
Rescue
PDS
Cascade
Medical
Traffic Control
Teamst-3
FOD
Packaging
Corp Safety
Operations
Tech Ops
Site Mgr
MPD

0724

B. MINI CAMS

1121 1156
0722 0736

C. DAAMS

0850

D. MEDICS

0630

E. PDS

0720

**G. RESCUE/Medical monitoring tent
Minimum 65 degrees**

0723

H. Cascade

2/4000 1/4000
2/4000 1/4000

I. D2PC (WEATHER STATION)

0700

J. HCH Monitors

0750

k. Arsine Monitors

0800

J. 88 K. bottle pressure, Regulator Setting

m. 55 K. bottle pressure, Regulator Setting

72

33 4-27-16

0630 SAFETY BRIEF.

0724 RADIO - UTTERS.

0800 ALL MONITORS ARE UP.

0803 TEAM 2 IS IN THE ECS FOR SET UP.

0818 SETUP COMPLETE TEAM 2 IS OUT.

0829 TEAM 3 IS IN THE ECS LEVEL "B".

0906 PPE CHECKS. WGBT @ 57.6

0944 PPE CHECKS WGBT @ 58.1

1000 TEAM 3 IS OUT WGBT @ 58.2

1012 MINICAMS REPORTS LOW ^{INLET} EXHAUST.

NOTHING ON THE INLET OR MID EXH.

1022- MINICAMS REPORTS SECOND CYCLE W/ LOW EXHAUST.
AT EXHAUST. MINICAMS IS REPEALING.

DRAINAGE TUBE.

1032 DRAIN TUBES PULLED, KING OF TUBE
WAS REPORTED @ 10'12 WAS AT THE INTER-
NOT THE EXHAUST.

1136 STARTING MID DAY CHALLENGE.

1148 DRAIN TUBES WERE REMOVED.

1221 MID DAY CHALLENGE COMPLETE

1244 TEAM 1 IS IN THE ECS. LEVEL "B". WGBT @ 55.0

1253 VSC COLLECTED.

1316 PPE CHECKS. WGBT @ 57.0

1348 FOLLOWUP 274345 IS F-44.

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 28 April 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Overcast, rain Low 53° High 59°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Pineiro, Dave	Batista, Fernando
Busch, Matt	Mangosh, Ed	Fackett, James	Bayless, Gerald
Courtney, Kenneth	Prate, Warren	Framarini, Trevor	Crouse, Dennis
Day, David	Vail, Todd	PalePale, Mo	Flores, Ben
Lemieux, Joshua	Yorkshire, Bart	Sreddin, Aaron	Ford, Garry
Matter, Phil	Zimmer, Doug		Godwin, Gerald
Moon, Dale			Interiano, David
Neely, Brian	LIFE STAR		Kinkel, Kyle
Nelms, Bobby	Alfaro, Walter		Lewis, Taylor
Oien, Joshua	Bagley, John		Martinez, Nasario
Rembish, Joseph			Martinez, Saul
Rider, Matthew			O'Connell, Ryan
Rockwell, Margaret	ACCUPERMIT	CEHNC	Reynaga, Roberto
	Schmidt, James	Shott, Ken	Ross, Raymond
	Vargas, Brandon		EOD
		CENAB	Malm, Daniel
		Whitten, Ricky	Wilkins, John

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. 3 level B teams today filled 2 rolloffs then scraped soil for loading tomorrow. More erosion control upkeep measures being worked on as a good deal of rain is due in this weekend. Cracked bracket on rolloff truck hydraulic tank was repaired. 3 truck loads to subtitle D landfill from Fed Prop.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist Spring Valley Washington DC Date 04-28-16

A. RADIO CHECKS

Mini Cams 1&2
Rescue
PDS
Cascade
Medical
Traffic Control
Team 1-3
SOD
Packaging
Corp Safety
Operations
Tech Ops
Site Mgr
MPD

0725

B. MINI CAMS

~~1100~~ 1130
0717 0720

C. DAAMS

0800

D. MEDICS

0630

E. PDS

0740

**G. RESCUE/Medical monitoring team
Minimum 65 degrees.**

0740

H. Cascade

3/4000 4/4000
14000

I. DEPC (WEATHER STATION)

0700

J. HCl Monitors

0800

K. Arsine Monitors

0800

i. 88 K bottle pressure, Regulator Setting

m. 55 K bottle pressure, Regulator Setting

Down Range Log				
Date 04 28 15		Time	Contract Number: W912DY-09-0062	
Delivery Order Number: D00E			Location: Spring Valley	
Name	Time in	Time out	Company	PPE Level
RIDER	0809	0823	PARSONS	MOD "B"
DIEN	0809	0823	PARSONS	"
REMBISH	0809	0823	PARSONS	"
MANLOSH	0809	0823	FPS	"
GODWIN	0809	0813	CARA	"
ROSS	0809	0813	CARA	MOD "B"
MARTINE	0809	0813	CARA	
INTERING	0809	0813	CARA	
BUSCH	0831	0940	PARSONS	LEVEL "B"
NEELI	0831	0940	PARSONS	LEVEL "B"
YOUNG	0831	0940	ZES	LEVEL "B"
RIDER	0950	1035	PARSONS	MOD "B"
DIEN	0950	1035	PARSONS	"
REMBISH	0950	1035	PARSONS	"
MANLOSH	0950	1035	FPS	MOD "B"
CORUSE	1006	1022	CARA	MOD "B"
RATAPIN	1006	1022	CARA	MOD "B"
MOON	1204	1304	PARSONS	LEVEL "B"
TURNING	1204	1304	PARSONS	"
VAIL	1204	1304	FPS	LEVEL "B"
RIDER	1323	1453	PARSONS	LEVEL "B"
REMBISH	1323	1453	PARSONS	LEVEL "B"
MANLOSH	1323	1453	FPS	LEVEL "B"
BUSCH	1459	1525	PARSONS	MOD "B"
TIFEN	1459	1525	PARSONS	"
BOWEN	1459	1525	PARSONS	"
YOUNG	1459	1525	CARA	MOD "B"

Pg

35 4-28-16

0630 SAFETY BRIEF

0725 RADIO CHECKS

0800 ALL MONITORS ARE UP.

0809 TEAM 1 IS IN THE ECS.

0823 TEAM 1 IS OUT.

0831 TEAM 2 IS IN THE ECS. LEVEL "B".

0839 VOC COLLECTED.

0901 PPE CHECKS

0936 COMPOSITE 308 COLLECTED.

0940 TEAM 2 IS OUT.

0950 TEAM 1 IS IN THE ECS. ROLL OFF AREA.

0954 ECS TRUCK DOORS ARE OPEN.

1005 ROLLER 274806 IS OUT.

1030 ROLLER 299968 IS IN THE ECS.

1032 THE ECS TRUCK DOORS ARE CLOSED.

1035 TEAM 1 IS OUT.

1037 STARTING MIDDAY CHALLENGE.

1132 MIDDAY CHALLENGE COMPLETE.

1204 TEAM 3 IS IN THE ECS. LEVEL "B".

1208 VOC COLLECTED.

1235 PPE CHECKS.

1302 COMPOSITE 309 COLLECTED.

1304 TEAM 3 IS OUT.

1348 PPE CHECKS

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 29 April 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Partly sunny Low 55° High 76°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Pineiro, Dave	Batista, Fernando
Busch, Matt	Mangosh, Ed	Fackett, James	Crouse, Dennis
Courtney, Kenneth	Prate, Warren	Framarini, Trevor	Ford, Garry
Day, David	Vail, Todd	PalePale, Mo	Godwin, Gerald
Lemieux, Joshua	Yorkshire, Bart	Sreddin, Aaron	Interiano, David
Matter, Phil	Zimmer, Doug		Martinez, Nasario
Moon, Dale			Martinez, Saul
Neely, Brian	LIFE STAR		O'Connell, Ryan
Nelms, Bobby	Williams-Martin, April		Reynaga, Roberto
	Wolf, Yavette		Ross, Raymond
Rembish, Joseph			
Rider, Matthew			
Rockwell, Margaret	ACCUPERMIT	CEHNC	EOD
	Schmidt, James	Shott, Ken	Malm, Daniel
	Vargas, Brandon		Wilkins, John
		CENAB	
		Whitten, Ricky	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. 2 teams in level B today, 2 rolloffs filled but only 1 removed. Curb work across the street on Glenbrook caused us to end ops inside the ECS a little early. Maintenance on all site equipment at Glenbrook and Fed Prop.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Curb-work across the street on Glenbrook, caused us to end ECS ops a little early, traffic was too congested.

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 04-29-16**A. RADIO CHECKS**

Mini Cams 1&2
 Resens
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-3
 EOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MPD

0726**B. MINI CAMS**

1107 1107
0728 0727

C. DAAMS0800**D. MEDICS**0630**E. PDS**0725**G. RESCUE/Medical monitoring tent**
Minimum 65 degrees0726**H. Cascade**

2/400 4/4000
2/400 4/4000

I. DDPG (WEATHER STATION)0700**J. HCI Monitors**0800**K. Arsine Monitors**0800**l. 88 K bottle pressure, Regulator Setting****m. 55 K bottle pressure, Regulator Setting**

1

16

37 4-29-16

0630 SAFETY BRIEF. DISCUSSED W/ PARSONS PERSONNEL THE NEED FOR PROMPT REPORTING OF INJURIES, ACCIDENTS AND NEAR MISSES.

0726 RADIO CHECKS.

0810 ALL MONITORS ARE UP.

0804 TEAM 1 IS IN ECS, TRUCK DOOR ARE OPEN.

0819 ROLLOFF RB21718RT IS IN ECS. DOORS CLOSED.

0826 TEAM 1 IS OUT

0833 TEAM 2 IS IN ECS, LEVEL "B".

0840 VOC COLLECTED.

0858 PPE CHECKS.

0929 COMPOSITE 310 COLLECTED

0945 TEAM 2 IS OUT.

0957 TEAM 1 IS IN ECS. ROLLOFF PRAP

1005 ECS TRUCK DOORS ARE OPEN.

1018 ROLLOFF RB21718RT IS OUT.

1020 PPE DRUMS 360-361 H2O DRUM 291 LOADED FOR FEDERAL PROPERTY.

1046 ROLLOFF R25692 RT IS IN ECS.

1055 STARTING MID DAY CHALLENGE. NOTE: TEAM 1 WAS OUT @ 10:51.

1108 MID DAY CHALLENGE COMPLETE

1154 TEAM 3 IS IN ECS LEVEL "B"

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 2 May 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Partly sunny Low 53° High 69°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Duff, Todd	Batista, Fernando
Busch, Matt	Mangosh, Ed	Burrell, Dianne	Crouse, Dennis
Courtney, Kenneth	Prate, Warren	Framarini, Trevor	Ford, Garry
Day, David	Vail, Todd	PalePale, Mo	Godwin, Gerald
Lemieux, Joshua	Yorkshire, Bart	Sreddin, Aaron	Interiano, David
Matter, Phil	Zimmer, Doug		Martinez, Nasario
Moon, Dale			Martinez, Saul
Neely, Brian	LIFE STAR		O'Connell, Ryan
Nelms, Bobby	Bagley, John		Reynaga, Roberto
	Murdock, Mark		Ross, Raymond
Rembish, Joseph			
Rider, Matthew			
Rockwell, Margaret	ACCUPERMIT	CEHNC	EOD
	Schmidt, James	Shott, Ken	Malm, Daniel
	Vargas, Brandon		Wilkins, John
		CENAB	
		Whitten, Ricky	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. 3 level B teams today filled 2 roll-offs. Used hand cutter to cut grass at site and did a site-wide police call picking up trash. Lined 2 rolloffs.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors


DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

Daily Contractor Quality Control Report					
Contract Number:	W912DY-09-D-0062				
Delivery Order Number:	0006				
Project Name:	4825 Glenbrook Rd. Remedial Action, Spring Valley FUDS.				
Project Number:	748272.03000				
Site Location:	Spring Valley, Washington, DC.				
Date:	05/02/2016 Monday				
Weather:	Morning - fog, afternoon - sunny, 51-81° F, wind - 0 to 1 mph.				
Field Instrument:	(7) Armine - (1) Down Range, (1) CAFE MID 1, (1) CAFE MID 2, (1) CAFE MID 3, (1) CAFE 1 Exhaust, (1) CAFE 2 Exhaust, (1) CAFE 3 Exhaust), (5) HCL - (1) Down Range, (1) Pre-Filer, (1) CAFE MID 1, (1) CAFE MID 2, (1) CAFE MID 3, (1) HCN - (1) Down Range), (1) PID - Down Range, (1) Combustible Gas Monitor, MiniCAM S, DAAMS				
Measurements:	All Non Detect.				
Calibrations:	Armine and HCL -- Fresh air zero calibration, HCN -- Fresh Air, PID - 100ppm isobutylene and fresh air.				
Activities Conducted:	Crews continue High Probability operations. Crews excavating soil in 10, -50. Loaded Roll-off #279892 with excavated soil. Collected composite sample 312. Shipped Roll-off #279892 with RT25926RT. Loaded RT25926RT with excavated soil. Collected composite sample 313.				
Summary:	Crews continue High Probability operations. Submitted Samples RA-4825GR-Area E-01-042716, RA-4825GR-Area E-01-042816, RA-4825GR-Area E-02-042816, and RA-4825GR-Area E-01-042916 for low level analysis. Submitted samples for disposal characterization (See Disposal Characterization APPL CDC for IDs). Submitted RA-4825GR-Area E-02-042916 for headspace. Loaded Roll-off #279892 with excavated soil. Collected VOC sample (RA-4825GR-Area E-VOC-050216-01) and composite sample 312 (RA-4825GR-Area E-01-050216). Submitted RA-4825GR-Area E-01-050216 for headspace. Shipped Roll-off #279892 with RT25926RT. Collected VOC sample (RA-4825GR-Area E-VOC-050216-02) and Composite sample 313 (RA-4825GR-Area E-02-050216. Shipped RT25926RT with roll-off #280192.				
Items Found:	No New Items				
Contingency Plan Initiated:	No				
Air Monitoring:	MiniCAMMS, DAAMS				
IDW Generated:	PPE and Decon Water				
Waste Disposal:	None				
Departures from approved SSWP:	None				
Problems encountered/resolutions:	None				
Instructions given by government personnel:	None				
Attachments:	Sample Logs Daily QC Logs UXO Safety Log (Weekly) CDC				
Signed by:					
Name (print):	Margaret Rackwell				
Date:	5/2/2016				
Phone Number:	571-721-9804				
Copies sent to:	Tammy Chang, Beth Driskill, Phil Matter, David Day, Janell Bousal				

PRE-OPERATIONS Checklist, Spring Valley Washington DC Date 05-02-16**A. RADIO CHECKS**

Mini Cams 1&2
 Rescom
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-4
 EOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MPD

0730**B. MINI CAMS**

1130 1117
0738 0745

C. DAAMS0800**D. MEDICS**0630**E. PDS**0730**G. RESCUE Medical monitoring tent**
Minimum 65 degrees0730**H. Cascade**2/4000 1/4000**I. D2PC (WEATHER STATION)**0700**J. HCI Monitors**0800**k. Arsine Monitors**0800**l. 88 K. bottle pressure, Regulator Setting****m. 55 K. bottle pressure, Regulator Setting**

Fa

39 5-2-16

0630 SAFETY BRIEF

0730 RADIO CHECKS.

0800 AIR MONITORS ARE UP.

0803 TEAM 3 IS IN THE ECS FOR SPUD.

0807 ECS TRUCK DOORS ARE OPEN.

0816 ROLLOFF R25692RT IS OUT.

0839 ROLLOFF 279892 IS IN ESS AND DOORS CLOSED.

0843 TEAM 3 IS OUT.

0858 TEAM 1 IS IN THE ECS. LEVER "B".

0905 VOC COLLECTED.

0928 PPE CHECKS. W8GT @ 58.1

0959 COMPOSITE SAMPLE 312 COLLECTED.

1003 TEAM 1 IS OUT.

1012 TEAM 3 IS IN ECS.

1017 ECS TRUCK DOORS OPENING.

1029 ROLLOFF 279892 IS OUT.

1049 ROLLOFF R25926RT IS IN ECS.

1052 ECS TRUCK DOORS CLOSED.

1058 TEAM 3 IS OUT

1100 STARTING MIDDAY CHALLENGE.

1130 MIDDAY COMPLETE.

1144 TEAM 2 IS IN ECS. W862 @ 62.3.

1210 PPE CHECKS W867 @ 67.0

1218 VOC COLLECTED

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 3 May 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Overcast, rain Low 53° High 67°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Burrell, Dianne	Batista, Fernando
Busch, Matt	Mangosh, Ed	Duff, Todd	Crouse, Dennis
Courtney, Kenneth	Prate, Warren	Framarini, Trevor	Ford, Garry
Day, David		PalePale, Mo	Godwin, Gerald
Lemieux, Joshua	Yorkshire, Bart	Sreddin, Aaron	Interiano, David
Matter, Phil	Zimmer, Doug		Martinez, Nasario
Moon, Dale			Martinez, Saul
Neely, Brian	LIFE STAR		O'Connell, Ryan
Nelms, Bobby	Bagley, John		Reynaga, Roberto
Oien, Joshua	German, Helen		Ross, Raymond
Rembish, Joseph			
Rider, Matthew			
Rockwell, Margaret	ACCUPERMIT	CEHNC	EOD
	Schmidt, James	Shott, Ken	Malm, Daniel
	Vargas, Brandon		Wilkins, John
		CENAB	
		Whitten, Ricky	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. 1 team in level B today, heavy rains overnight caused water to pool inside the ECS. 1 rolloff removed from ECS. 26 drums of rain water removed from ECS.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 05 03-16**A. RADIO CHECKS**

Mini Cams 1&2

Rescue

PDS

Cascade

Medical

Traffic Control

Team 1-3

FOU

Packaging

Corp Safety

Operations

Tech Ops

Sire Mgr

MPD

0723**B. MINT CAMS**1140 1137
0726 0815**C. DAAMS**0800**D. MEDICS**0630**E. PDS**0730**G. RESCUE/Medical monitoring tent**
Minimum 65 degrees0723**H. Cascade**4/4000 1/4000**I. WPC (WEATHER STATION)**0700**J. HCl Monitors**0800**K. Airline Monitors**0800**L. 88 K bottle pressure, Regulator Setting****M. 55 K bottle pressure, Regulator Setting**

[illegible]

P₂

41 5-3-16

0630 SAFETY BRIEF

0723 RADIO CHECKS.

0815 ALL MONITORS ARE UP.

0819 TEAM 2 IN FLS MASH, PUMPING WATER.

0829 FLS TRUCK DOORS ARE OPEN.

1109 112° DRUMS 292 TERN 309 AND PPE DRUM 362
LOADED FOR FEED PROPERLY.

1110 FLS TRUCK DOORS CLOSED.

1111 TEAM 2 IS OUT.

1119 STARTING MID DAY CHALLENGE.

1140 MID DAY COMPLETE.

1214 TEAM 3 IS IN FLS LEVEL B.

1223 VOC COLLECTED.

1250 PPE CHECKS. W8GT@ 66.6

1320 COMPOSITE 314 COLLECTED.

1323 TEAM 3 IS OUT.

1332 TEAM 2 IS IN FLS.

1341 FLS TRUCK DOORS OPEN.


1400 ROLLOFF 270192 IS OUT.

1516 112° DRUMS 310 TERN 318 LOADED FOR FEED PROPERLY.
FLS DOORS CLOSED.

1525 STARTING END OF DAY CHECKS.

1609 THE TAMS WERE OUT REPEATED.

1700 SECURED



SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 4 May 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Overcast, drizzle Low 53° High 71°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Burrell, Dianne	Batista, Fernando
Busch, Matt	Mangosh, Ed	Duff, Todd	Crouse, Dennis
Courtney, Kenneth	Prate, Warren	Framarini, Trevor	Ford, Garry
Day, David	Vail, Todd	PalePale, Mo	Godwin, Gerald
Lemieux, Joshua	Yorkshire, Bart	Sreddin, Aaron	Interiano, David
Matter, Phil	Zimmer, Doug		Martinez, Nasario
Moon, Dale			Martinez, Saul
Neely, Brian	LIFE STAR		O'Connell, Ryan
Nelms, Bobby	Alfaro, Walter		Reynaga, Roberto
Oien, Joshua	Murdock, Mark		Ross, Raymond
Rembish, Joseph			
Rider, Matthew			
Rockwell, Margaret	ACCUPERMIT	CEHNC	EOD
	Schmidt, James	Shott, Ken	Malm, Daniel
	Vargas, Brandon		Wilkins, John
		CENAB	
		Whitten, Ricky	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. Pumping water out of ECS after more rains last night. 38 drums removed from ECS. 2 loads of soil shipped to title D landfill. Emptied 3 rolloffs and lined 4. No level B teams today.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors


DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

Daily Contractor Quality Control Report					
Contract Number:	W912DY-09-D-0062				
Delivery Order Number:	0006				
Project Name:	4825 Glenbrook Rd. Remedial Action, Spring Valley FUDS.				
Project Number:	748272.03000				
Site Location:	Spring Valley, Washington, D.C.				
Date:	05/04/2016 Wednesday				
Weather:	Cloudy, 49-62° F, wind – 0 to 5 mph.				
Field Instrument:	(7) Arzine - (1) Down Range, (1) CAPS MID 1, (1) CAPS MID 2, (1) CAPS MID 3, (1) CAPS 1 Exhaust, (1) CAPS 2 Exhaust, (1) CAPS 3 Exhaust), (5) HCL - (1) Down Range, (1) Pre-Filer, (1) CAPS MID 1, (1) CAPS MID 2, (1) CAPS MID 3, (1) HCN - (1) Down Range), (1) PID - Down Range, (1) Combustible Gas Monitor, MiniCAM S, DAAMS				
Measurements:	All Non Detect.				
Calibrations:	Arzine and HCL – Fresh air zero calibration, HCN – Fresh Air, PID - 100ppm isobutylene and fresh air.				
Activities Conducted:	Crews continue High Probability operations. Pumped pooled water from heavy rain into drums. Submitted 3 samples for low level analysis. Transported drums to Federal Property.				
Summary:	Crews continue High Probability operations. Pumped pooled water from heavy rain into drums. Submitted 3 samples for low level analysis (RA-4825GR-Area E-02-042916, RA-4825GR-Area E-01-050216, RA-4825GR-Area E-02-050216). Filled and transported 16 water drums to Federal Property (See Drum Manifest 1 for IDs). Continued to pump pooled water from heavy rains into drums. Filled and transported 16 waterdrums to Federal Property(See Drum Manifest 2 for IDs). Transported 6 filled water drums to Federal Property (See Drum Manifest 3 for IDs).				
Items Found:	No New Items				
Contingency Plan Initiated:	No				
Air Monitoring:	MiniCAMMS , DAAMS				
IDW Generated:	ITE and Decon Water				
Waste Disposal:	None				
Departures from approved SSWP:	None				
Problems encountered/resolutions:	None				
Instructions given by government personnel:	None				
Attachments:	Sample Logs Daily QC Logs UXO Safety Log (Weekly) CDC				
Signed by:					
Name (print):	Margaret Rackwell				
Date:	5/4/2016				
Phone Number:	571-721-9804				
Copies sent to:	Tammy Chang, Beth Driskill, Phil Matter, David Day, Janell Bousal				

PRE-OPERATIONS Checklist, Spring Valley Washington DC Date 05-04-16**A. RADIO CHECKS**

Mini Cams 1&2

0730

Rescue

0730

PDS ✓

Cascade ✓

Medical ✓

Traffic Control ✓

Trans 1-4 ✓

FOU ✓

Packaging ✓

Corp Safety ✓

Operations ✓

Tech Ops ✓

Site Mgr ✓

MFD ✓

1149

1205

B. MINI CAMS565 0730 / 0750**C. DAAMS**0800**D. MEDICS**0800**E. PDS**0730**G. RESCUE Medical monitoring team
Minimum 65 degrees**0730**H. Cascade**0900**I. D2PC (WEATHER STATION)**0900**J. HCF Monitors**0800**k. Aisine Monitors**0800**L. 88 K. bottle pressure, Regulator Setting****m. 55 K. bottle pressure, Regulator Setting**

[illegible]

K₇

47 5.4-16

0630 SAFETY BRIEF.

0730 Radio checks complete - POS/Rescue up

0738 EES Minilams up

0755 Mad Test Minilams up

0800 DAMMS on

0808 Team 1 enter EES in Load 'D' PUMPING WATER

1136 STARTING MID DAY CHALLENGE.

1205 MID DAY INTERRUPT.

1230 TEAM 1 IS IN THE EES MOD "D"

1233 EES TRUCK DOORS OPEN

1415 H2O DAMMS 319 TEAM 350 LOADED FOR FFD PROP.

1522 H2O DAMMS 351 TEAM 352 LOADED FOR FFD

PROPERTY. EES DOORS CLOSED.

1526 TEAM 1 IS OUT.

1528 STARTING END OF DAY CHALLENGE.

1616 THE TEAMS WERE OUT BRIEFED.

1700 SECURED

1700
1700

J. J.

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 5 May 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Overcast, drizzle Low 53° High 58°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Burrell, Dianne	Batista, Fernando
Busch, Matt	Mangosh, Ed	Duff, Todd	Crouse, Dennis
Courtney, Kenneth	Prate, Warren	Framarini, Trevor	Ford, Garry
Day, David	Vail, Todd	PalePale, Mo	Godwin, Gerald
Lemieux, Joshua	Yorkshire, Bart	Sreddin, Aaron	Interiano, David
Matter, Phil	Zimmer, Doug		Martinez, Nasario
Moon, Dale			Martinez, Saul
Neely, Brian	LIFE STAR		O'Connell, Ryan
Nelms, Bobby	Alfaro, Walter		Reynaga, Roberto
Oien, Joshua	Johnson, Tion		Ross, Raymond
Rembish, Joseph			
Rider, Matthew			
Rockwell, Margaret	ACCUPERMIT	CEHNC	EOD
	Schmidt, James	Shott, Ken	Malm, Daniel
	Vargas, Brandon		Wilkins, John
		CENAB	
		Whitten, Ricky	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. 3 level B teams filled 2 rolloffs with soil. Setup up a sump and berms to prevent rainwater from washing out the floor. DRMO excess/broken equipment turn-in, all but condemned cylinders taken. 1 truckload of soil to subtitle D landfill.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 05-05-16**A. RADIO CHECKS**

Mini Cams 1&2
 Resene
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-3
 FOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MPD

0720**B. MINI CAMS**

1145 1147
 0754 0740

C. DAAMS0800**D. MEDICS**0630**E. PDS**0725**G. RESCUE/Medical monitoring tent**
Minimum 65 degrees.

0720
 1/4000 3/4000

H. Cascade**I. OZDC (WEATHER STATION)**0700**J. HCH Monitors**0800**K. Arside Monitors**0800**L. 88 K bottle pressure, Regulator Setting****M. 55 K bottle pressure, Regulator Setting**

Down Range Log				
Date 05-05-16		Time	Contract Number: W912DY 09 0162	
Delivery Order Number: R036			Location: Spring Valley	
Name	Time in	Time out	Company	PPE Level
RIDER	0814	0835	PARSONS	MOD "B"
DIED	0814	0835	PARSONS	"
REMEISH	0814	0835	PARSONS	"
MANGOSH	0814	0835	ZES	MOD "B"
BUSCH	0845	0952	PARSONS	LEVEL "B"
KEWLES	0845	0952	PARSONS	"
YORKSHIRE	0845	0952	ZES	LEVEL "B"
MOON	1016	1121	PARSONS	LEVEL "B"
CURNAY	1016	1121	PARSONS	"
VAIL	1016	1121	ZES	LEVEL "B"
BUSCH	1213	1310	PARSONS	MOD "B"
KEBLEY	1213	1310	PARSONS	"
BOWLES	1213	1310	PARSONS	"
YORKSHIRE	1213	1310	ZES	MOD "B"
MARTINER	1231	1247	CHPA	MOD "B"
BARTON	1231	1247	CHPA	MOD "B"
RIDER	1321	1446	PARSONS	LEVEL "B"
DIED	1321	1446	PARSONS	"
MANGOSH	1321	1446	ZES	LEVEL "B"
BUSCH	1458	1517	PARSONS	MOD "B"
NEELY	1458	1517	PARSONS	MOD "B"
KOWLES	1458	1517	PARSONS	MOD "B"
VAIL	1458	1517	ZES	MOD "B"

R

43 5-5-16

0630 SAFETY BRIEF

0720 RADIO CHECKS

0800 ALL MONITORS ARE UP.

0814 TEAM 1 IS IN ECS MOB'D "ECS"
TRUCK DOOR ARE OPEN.

0829 ROLL OFF 279888 IS IN ECS.

0831 ECS TRUCK DOORS ARE CLOSED.

0835 TEAM 1 IS OUT.

0845 TEAM 2 IS IN ECS. MOB'D "B"

0920 PPE CHECKS.

0932 TEAM 2 IS OUT.

1016 TEAM 3 IS IN THE ECS.

1023 VOC COLLECTED.

1051 PPE CHECKS.

1118 COMPOSITE SAMPLE 315 COLLECTED.

1121 TEAM 3 IS OUT.

1132 STARTING MID DAY CHALLENGE.

1147 MID DAY COMPLETE.

1213 TEAM 2 IS IN ECS. MOB'D "A"

1218 ECS TRUCK DOORS OPEN.

1230 ROLL OFF 279888 IS OUT.

1256 ROLL OFF 279982 IS IN ECS.

1307 ECS TRUCK DOORS CLOSED.

1310 TEAM 2 IS OUT.

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 6 May 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Cloudy, rain Low 53° High 58°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Burrell, Dianne	Batista, Fernando
Busch, Matt	Mangosh, Ed	Duff, Todd	Crouse, Dennis
Courtney, Kenneth		Framarini, Trevor	Ford, Garry
Day, David	Vail, Todd	PalePale, Mo	Godwin, Gerald
Lemieux, Joshua	Yorkshire, Bart	Sreddin, Aaron	Interiano, David
Matter, Phil	Zimmer, Doug		Martinez, Nasario
Moon, Dale			Martinez, Saul
Neely, Brian	LIFE STAR		O'Connell, Ryan
Nelms, Bobby	Williams-Martin, April		Reynaga, Roberto
Oien, Joshua	Truedell, Stephen		Ross, Raymond
Rembish, Joseph			
Rider, Matthew			
Rockwell, Margaret	ACCUPERMIT	CEHNC	EOD
	Schmidt, James	Shott, Ken	Malm, Daniel
	Vargas, Brandon		Wilkins, John
		CENAB	
		Whitten, Ricky	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. 2 level B teams in ECS today, filled 2 rolloffs but only removed one. More preparations for a large rain storm this weekend dug another sump and made more berms. Site maintenance for remainder of the day, heavy rains came in late in the afternoon.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 05-06-16**A. RADIO CHECKS**

Min Camis L&J
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-3
 FOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MIO

0715**B. MINICAMS**

1100 1057
 0744 0740

C. DAAMS0800**D. MEDICS**0630**E. PDS**0715

G. RESCUE/Medical monitoring tent
 Minimum 65 degrees.

0800**H. Cascade**

3/4000 2/4000

I. D2PC (WEATHER STATION)0700**J. HCT Monitors**0800**k. Arsine Monitors**0800**l. 58 K bottle pressure, Regulator Setting****m. 55 K bottle pressure, Regulator Setting**

R

45 5-6-16

0630 SAFETY BRIEF.

0715 RADIO CHECKS.

0800 ALL MONITORS ARE UP.

0802 TEAM 3 IN ECS FOR SET UP.

0808 ECS TRUCK DOORS OPEN.

0817 ROUOFF 279900 IS IN ECS.

0819 ECS TRUCK DOORS CLOSED.

0833 TEAM 3 IS OUT.

0844 TEAM 1 IS IN THE ECS. LEVEL "B".

0915 PPE CHECKS, TEAM 3 IN ECS MFB "B".

HAMMER TO DULKET EXCHANGE.

0925 EXCHANGE COMPLETE TEAM 3 IS OUT.

0926 VOC COLLECTED

1019 COMPOSITE SAMPLE 3/7 COLLECTED.

1026 TEAM 1 IS OUT.

1038 STARTING MID DAY CHALLENGE.

1100 MID DAY COMPLETE.

1117 TEAM 3 IS IN ECS FOR ROUOFF FEED.

1123 TEAM 3 IS OUT.

1141 TEAM 2 IS IN ECS. LEVEL "B".

1220 PPE CHECKS.

1333 TEAM 2 IS OUT

1343 TEAM 3 IS IN ECS.

1354 TEAM 3 IS OUT.

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 9 May 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Overcast Low 51° High 62°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared		Burrell, Dianne	Batista, Fernando
Busch, Matt	Mangosh, Ed	Duff, Todd	Crouse, Dennis
Courtney, Kenneth	Prate, Warren	Framarini, Trevor	Ford, Garry
Day, David	Vail, Todd	Lewis, Leon	Godwin, Gerald
Matter, Phil	Yorkshire, Bart	Privett, Arlita	Interiano, David
Moon, Dale	Zimmer, Doug		Martinez, Nasario
Neely, Brian			O'Connell, Ryan
Nelms, Bobby	LIFE STAR		Reynaga, Roberto
Oien, Joshua	Bagley, John		Ross, Raymond
Rembish, Joseph	Murdock, Mark		Rouse, James
Rider, Matthew			
Rockwell, Margaret			
Ward, Charles	ACCUPERMIT	CEHNC	EOD
	Schmidt, James	Shott, Ken	Malm, Daniel
	Vargas, Brandon		Wilkins, John
		CENAB	
		Whitten, Ricky	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. 2 level B teams filled 2 rolloffs today. New employee on site (Charles Ward) begin reading work plans and SOP's. Mask Fit new employee and baseline vitals taken.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist, Spring Valley Washington DC Date 05-09-16**A. RADIO CHECKS**

Main Cais 1&2
 Rescue
 PDS
 Cascade
 Medical
 Fire Control
 Transport
 EOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MFD

0730

B. MENTORING

1155 1137
 0733 0737

C. DAAMS

0800

D. MEDICS

0630

E. PDS

0730

G. RESCUE Medical monitoring tent
 Minimum 60 degrees

0750

H. Cascade

1/400 2/4000

I. DWP (WEATHER STATION)

0700

J. HCI Monitors

0800

K. Airline Monitors

0800

L. 88 K bottle pressure, Regulator Setting**M. 55 K bottle pressure, Regulator Setting**

Pg

47 5-9-16
 0630 SAFETY BRIEF
 0730 RADIO CHECKS
 0800 ALL MONITORS ARE UP.
 0803 TEAM 2 IS IN ECS MOD "B" SETUP.
 0809 ECS TRUCK DOORS ARE OPEN.
 0820 ROLL OFF 279900 IS OUT.
 0844 ROLL OFF 280191 IS IN ECS.
 0850 THE ECS TRUCK DOORS ARE CLOSED.
 0854 SETUP COMPLETE TEAM 2 IS OUT.
 0907 TEAM 3 IS IN THE ECS LEVEL "B".
 0912 VOI COLLECTED.
 0937 PPE CHECKS.
 0947 H₂O DRUMS 357, 360 PPE DRUMS 363, 364
 LOADED FOR FED PROPERLY.
 1001 COMPOSITE 318 COLLECTED.
 1020 TEAM 3 IS OUT.
 1030 TEAM 2 IS IN THE ECS
 1037 ECS TRUCK DOORS ARE OPEN
 1046 ROLL OFF 280191 IS OUT.
 1112 ROLL OFF R02H27RT IS IN ECS.
 1118 TEAM 2 IS OUT.
 1120 STARTING MID DAY CHALLENGE
 1155 MID DAY COMPLETE
 1228 TEAM 1 IS IN ECS LEVEL "B"

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 10 May 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Cloudy, drizzle Low 54° High 62°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Burrell, Dianne	Batista, Fernando
Busch, Matt	Mangosh, Ed	Duff, Todd	Crouse, Dennis
Courtney, Kenneth	Prate, Warren	Framarini, Trevor	Ford, Garry
Day, David	Vail, Todd	Lewis, Leon	Godwin, Gerald
Matter, Phil	Yorkshire, Bart	Privett, Arlita	Interiano, David
Moon, Dale	Zimmer, Doug		Martinez, Nasario
Neely, Brian			O'Connell, Ryan
Nelms, Bobby	LIFE STAR		Reynaga, Roberto
Oien, Joshua	Alfaro, Walter		Ross, Raymond
Rembish, Joseph	German, Helen		Rouse, James
Rider, Matthew			
Rockwell, Margaret			
Ward, Charles	ACCUPERMIT	CEHNC	EOD
	Schmidt, James	Shott, Ken	Malm, Daniel
	Vargas, Brandon		Wilkins, John
		CENAB	
		Whitten, Ricky	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. 2 teams inside ECS today, filled 2 rolloffs. Pumped 6 drums of runoff out of sump area.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 05-10-16**A. RADIO CHECKS**

Mmr Cars 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-3
 EOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MFD

0752**B. MINI CAMS**

1150 1137
 0730 0737

C. DAAAMS0810**D. MEDICS**0630**F. PDS**0719**G. RESCUE/Medical monitoring tent**
Minimum 65 degrees.0750**H. Cascade:**

4/4000 4/4000

I. D2PC (WEATHER STATION)0700**J. HCU Monitors**0800**K. Arsine Monitors**0800**L. 88 K bottle pressure, Regulator Setting****M. 55 K bottle pressure, Regulator Setting**

16

49

5-10-16

0630 SAFETY BRIEF

0732 RADIO CHECKS.

0750 THOMAS O'DONNELL; SEQUOIA RANGER
W/ WOLVERINE RANGER ON SITE.

0810 ALL MONITORS ARE UP.

0805 TEAM 1 IS IN ELS FOR SET UP. MOD "D".

0815 TEAM 1 IS OUT.

0828 TEAM 2 IS IN ELS. LEVEL "B".

0833 VOL. COLLECTED. WOLVERINE RANGER ON SITE.

0900 PPE CHECKS.

0914 COMPOSITE 320 COLLECTED.

0932 PPE CHECKS.

1017 TEAM 2 IS OUT.

1030 TEAM 1 IS IN FOR ROLLOFF PREP.

1035 ELS TRUCK DOORS ARE OPEN.

1052 ROLLOFF 278356 IS OUT.

1115 ROLLOFF 274806 IS IN ELS.

1117 ELS TRUCK DOORS ARE CLOSED.

1120 TEAM 1 IS OUT.

1121 STARTING MIDDAY CHALLENGE.

1150 MIDDAY CHALLENGE COMPLETE.

1219 TEAM 3 IS IN ELS. LEVEL "B".

1227 VOL. COLLECTED.

1254 PPE CHECKS.

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 11 May 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Rainy Low 60° High 62°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Burrell, Dianne	Batista, Fernando
Busch, Matt	Mangosh, Ed	Duff, Todd	Crouse, Dennis
Courtney, Kenneth	Prate, Warren	Framarini, Trevor	Ford, Garry
Day, David	Vail, Todd	Lewis, Leon	Godwin, Gerald
Matter, Phil	Yorkshire, Bart	Privett, Arlita	Interiano, David
Moon, Dale	Zimmer, Doug		Martinez, Nasario
Neely, Brian			O'Connell, Ryan
Nelms, Bobby	LIFE STAR		Reynaga, Roberto
Oien, Joshua	Alfaro, Walter		Ross, Raymond
Rembish, Joseph	Murdock, Mark		Rouse, James
Rider, Matthew			
Rockwell, Margaret			
Ward, Charles	ACCUPERMIT	CEHNC	EOD
	Schmidt, James	Shott, Ken	Malm, Daniel
	Vargas, Brandon		Wilkins, John
		CENAB	
		Whitten, Ricky	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. Pumped more water out of sump 12 drums today. Mask fit 1 ZES employee. Built a sump area for rain water drums pumped out of ECS and also lined 3 rolloffs and dumped 27 drums of soil.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist Spring Valley Washington DC Date 05-11-16

A. RADIO CHECKS

Mini Cams 1&2
Rescue
PDS
Cascade
Medical
Traffic Control
Taurus 1-3
HOD
Packaging
Corp Safety
Operations
Tech Ops
Site Mgr
MPD

0739

B. MINI CAMS

1131 1127
0732 0737

C. DAAMS

0800

D. MEDICS

0630

E. PDS

0725

**G. RESCUE/Medical monitoring tent
Minimum 65 degrees.**

0745

H. Cascade

3/4000 5/4000

I. DTPC (WEATHER STATION)

0700

J. HCI Monitors

0800

k. Arsine Monitors

0800

l. 88 K bottle pressure, Regulator Setting

m. 55 K bottle pressure, Regulator Setting

[illegible]

P6

51 5-4-16

0630 SAFETY BRIEF. SEWER CONTRACTORS
ON SITE.

0739 T2010 CHECKS.

0745 SEWER CONTRACTORS OFF SITE.

0810 ALL MONITORS ARE UP.

0833 TEAM 3 IN ELS FOR SETUP.

0819 TEAM 3 ~~REPORT~~ ^{REPORT} ~~ALARM~~ ^{ALARM} MONITOR
IS ALARMING, TEAM 3 IS OUT.

0825 THE ARSON MONITOR WAS REPRINTED.

0828 TEAM 2 IS IN ELS MOD "D". PUMPING
WATER.

1044 H₂O DUMPS 367 THEN 378 LOADED PER
FED PROPERTY.

1100 ROLLOFF R2624 RT IS IN ELS.

1102 ELS TRUCK DOORS CLOSED.

1112 TEAM 3 IS OUT.

1114 STARTING MIDDAY CHALLENGE.

1131 MIDDAY COMPLETE.

1224 TEAM 1 IS IN ELS. LEVEL "B".

1228 VOC COLLECTED.

1307 PPE CHECKS.

1351 COMPOSITE 322 COLLECTED.

1357 TEAM 1 IS OUT.

1415 TEAM 2 IS IN ELS. LEVEL "B".

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 05-12-16**A. RADIO CHECKS**

Mini Cams 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-3
 EOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MPD

0735**B. MINI CAMS**

1150 1137
0733 0737

C. DAAMS0800**D. MEDICS**0630**E. PDS**0711**G. RESCUE Medical monitoring team**
Minimum 65 degrees

0748
1/4000 3/4000

H. Cascade**I. D2PC (WEATHER STATION)**0700**J. HCl Monitors**0800**K. Arsine Monitors**0800**L. 88 K bottle pressure, Regulator Setting****M. 55 K bottle pressure, Regulator Setting**

Down Range Log				
Date: 05-12-16		Contract Number: W9320Y-08-0062		
Delivery Order Number: 01006		Location: Spring Valley		
Name	Time In	Time Out	Company	PPE Level
BUSCH	0815	0914	PARSONS	MOD "D"
NEELY	0815	0914	"	"
BOWLES	0815	0914	"	"
YORKSHIRE	0815	0914	ZES	"
CRONSE	0843	0859	CAPA	"
GOSWIN	0843	0859	CAPA	MOD "D"
MOON	0925	1029	PARSONS	LEVEL "B"
REMBISH	0925	1029	PARSONS	LEVEL "B"
VAIL	0925	1029	ZES	LEVEL "B"
BUSCH	1043	1130	PARSONS	MOD "D"
NEELY	1043	1130	PARSONS	"
BOWLES	1049	1130	PARSONS	"
YORKSHIRE	1043	1130	ZES	MOD "D"
RIDER	1230	1326	PARSONS	LEVEL "B"
OLEN	1230	1326	PARSONS	"
MANGOSH.	1230	1326	ZES	LEVEL "B"
MOON	1336	1428	PARSONS	MOD "D"
NEELY	1336	1428	PARSONS	"
VAIL	1336	1428	ZES	MOD "D"
BUSCH	1447	1531	PARSONS	LEVEL "B"
BOWLES	1447	1531	PARSONS	"
YORKSHIRE	1447	1531	ZES	LEVEL "B"

R₂

53 5-12-14

0630 SAFETY BRIEF.

0735 RADIO CHECKS

0757 MED TENT MINICAMS UP

0800 PAAMS PUMPS RUNNING

0810 ELS MINICAMS UP @ 07133

0815 TEAM 2 IS IN ELS FOR SETUP.

0831 ELS TRUCK DOORS OPEN.

0842 ROLLOFF R2624 RT.

0907 ROLLOFF 279693 IS IN THE ELS.

0910 ELS TRUCK DOORS CLOSED.

0914 SETUP COMPLETE TEAM 2 IS OUT.

0925 TEAM 3 IS IN ELS. LEVEL "B"

0933 VOC COLLECTED.

1026 COMPOSITE 323 COLLECTED.

1029 TEAM 3 IS OUT.

1043 TEAM 2 IS IN THE ELS MID "D"

1049 ELS TRUCK DOORS OPEN.

1058 ROLLOFF 279693 IS OUT OF THE ELS.

1121 ROLLOFF 274304 IS IN ELS.

1125 ELS TRUCK DOORS CLOSED.

1130 TEAM 2 IS OUT.

1132 STARTING MID DAY CHALLENGE.

1150 MID DAY COMPLETE

1230 TEAM 1 IS IN THE ELS.

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 13 May 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Partly sunny Low 61° High 75°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Burrell, Dianne	Batista, Fernando
Busch, Matt	Mangosh, Ed	Duff, Todd	Crouse, Dennis
Courtney, Kenneth	Prate, Warren	Framarini, Trevor	Ford, Garry
Day, David	Vail, Todd	Lewis, Leon	Godwin, Gerald
Matter, Phil	Yorkshire, Bart	Privett, Arlita	Interiano, David
Moon, Dale	Zimmer, Doug		Martinez, Nasario
Neely, Brian			O'Connell, Ryan
Nelms, Bobby	LIFE STAR		Reynaga, Roberto
Oien, Joshua	Williams-Martin, April		Ross, Raymond
Rembish, Joseph	Wolf, Yevette		Rouse, James
Rider, Matthew			
Rockwell, Margaret			
	ACCUPERMIT	CEHNC	EOD
	Schmidt, James	Shott, Ken	Malm, Daniel
	Vargas, Brandon		Wilkins, John
		CENAB	
		Whitten, Ricky	
		Martin, JR	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. 2 level B teams today filled 2 rolloffs. Prepared the ramp for eventual removal on Monday when the last rolloffs get loaded out. Department of Defense Inspector General visit.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

Daily Contractor Quality Control Report					
Contract Number:	W91ZDY-09-D-0062				
Delivery Order Number:	0006				
Project Name:	4825 Glenbrook Rd. Remedial Action, Spring Valley FUDS.				
Project Number:	748272.03000				
Site Location:	Spring Valley, Washington, DC.				
Date:	5/13/2016 Friday				
Weather:	Raining in the morning and cloudy in the afternoon, 52-72 °F, wind -- 0 to 8 mph.				
Field Instrument:	(7) Arniee - (1) Down Range, (1) CAFE MID 1, (1) CAFE MID 2, (1) CAFE MID 3, (1) CAFE 1 Exhaust, (1) CAFE 2 Exhaust, (1) CAFE 3 Exhaust, (5) HCL - (1) Down Range, (1) Pre-Filer, (1) CAFE MID 1, (1) CAFE MID 2, (1) CAFE MID 3, (1) HCN - (1) Down Range), (1) PID - Down Range, (1) Combustible Gas Monitor, MiniCAM S, DAAMS				
Measurements:	All Non Detect.				
Calibrations:	Arniee and HCL -- Fresh air zero calibration, HCN -- Fresh Air and 10ppm HCN/Nitrogen Balance, PID - 100ppm isobutylene and fresh air.				
Activities Conducted:	Crews continue High Probability operations. Crews excavating in 30, -50 Submitted 3 samples for low level analysis. Filled rolls # 274308 and collected VOC and composite sample 326. Filled rolls # R25924RT and collected VOC and composite sample 327.				
Summary:	Crews continue High Probability operations. Crews excavating in 30, -70. Transferred 2 water and 2 PPE drums to Fed. Property (See Drum Transfer Manifest and Drum Transfer Manifest 2 for IDs). Submitted 3 samples for low level analysis (See Low Level COC for sample IDs). Shipped out roll-off 279887 with roll-off 274308. Filled rolls # 274308 with excavated soil. Collected one VOC (RA-4825GR-Area E-VOC-051316-01) and composite sample 326 (RA-4825GR-Area E-01-051316). Submitted RA-4825GR-Area E-01-051316 for headspace. Shipped out roll-off 274308 with R25924RT. Filled R25924RT with excavated soil. Collected one VOC (RA-4825GR-Area E-VOC-051316-02) and composite sample 327 (RA-4825GR-Area E-02-051316). Submitted RA-4825GR-Area E-02-051316 for headspace. Took out roll-off R25924RT				
Items Found:	No New Items				
Contingency Plan Initiated:	No				
Air Monitoring:	MiniCAMMS, DAAMS				
IDW Generated:	PPE and Decon Water				
Waste Disposal:	None				
Departures from approved SSWP:	None				
Problems encountered/resolutions:	None				
Instructions given by government personnel:	None				
Attachments:	Sample Logs Daily QC Logs UXO Safety Log (Weekly) COC				
Signed by:	Margaret Rackwell				
Name (print):	Margaret Rackwell				
Date:	5/13/2016				
Phone Number:	571-721-9804				
Copies sent to:	Tammy Chang, Beth Driskill, Phil Matter, David Day, Janell Bousal				

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 05-13-16

A. RADIO CHECKS

Mini Cams 1&2
Rescue
PDS
Cascade
Medical
Traffic Control
Channel 3
EOD
Packaging
Corp Safety
Operations
Tech Ops
Site Mgr
MPD

0730

B. MINI CAMS

1127 1137
0733 0807

C. DAAMS

0800

D. MEDICS

0630

E. PDS

0756

G. RESCUE Medical monitoring tent
Minimum 65 degrees

0750

H. Cascade

✓ 4000 3/4000

I. D2PC (WEATHER STATION)

0700

J. HCU Monitors

0800

K. Arsitec Monitors

0800

L. 88 K bottle pressure, Regulator Setting

m. 55 K bottle pressure, Regulator Setting

10

55 5-13-16

0630 SAFETY BRIEF

0730 RADIO CHECKS.

0807 ALL MONITORS ARE UP.

0812 TEAM 2 IS IN ECS FOR SETUP.

0815 H12° DRUM 379 AND PPE DRUMS 365 & 366
LOADED FOR FED PRIMARY.

SEAN QUELLEY IS ON SITE.

0832 ROLLOFF 274887 IS OUT.

0859 ROLLOFF 274308 IS IN ECS. DOORS CLOSED

0904 H12° DRUM 380 LOADED FOR FED PRIMARY

0906 TEAM 2 IS OUT.

0918 TEAM 1 IS IN THE ECS. LEVEL "B".

1006 PPE CHECKS.

1025 VOC COLLECTED

1109 COMPOSITE 326 COLLECTED.

1115 TEAM 1 IS OUT

1122 STARTING MIDDAY CHALLENGE

1137 MIDDAY COMPLETE

1236 TEAM 2 IS IN ECS FOR ROLLOFF PPE

1241 ECS TRUCK DOORS ARE OPEN.

1251 ROLLOFF 274308 IS OUT.

1319 ROLLOFF 8259 24RT IS IN ECS. DOORS CLOSED.

1324 TEAM 2 IS OUT.

1344 TEAM 3 IS IN ECS. LEVEL "B".

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 16 May 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Partly sunny Low 61° High 75°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Owens, Julius	Batista, Fernando
Busch, Matt	Mangosh, Ed	Duff, Todd	Crouse, Dennis
Courtney, Kenneth	Prate, Warren	Framarini, Trevor	Ford, Garry
Day, David	Vail, Todd	Lewis, Leon	Donnatien, Trevor
Matter, Phil	Yorkshire, Bart	Privett, Arlita	Interiano, David
Moon, Dale	Zimmer, Doug		Martinez, Nasario
Neely, Brian			O'Connell, Ryan
Nelms, Bobby	LIFE STAR		Reynaga, Roberto
Oien, Joshua	Bagley, John		Ross, Raymond
Rembish, Joseph	Murdock, Mark		Rouse, James
Rider, Matthew			
Rockwell, Margaret			
Ward, Charles	ACCUPERMIT	CEHNC	EOD
	Schmidt, James	Shott, Ken	Malm, Daniel
	Vargas, Brandon		Wilkins, John
		CENAB	
		Whitten, Ricky	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. Parsons Project Manager confirms we have reached competent saprolite, Baltimore Geologist notified, he will be in tomorrow. Dumped and lined 4 rolloffs.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

VisitorsContractors

	DAVEY (0)
	ACCUPERMIT (2)
	ACI (0)
	CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 05-16-16**A. RADIO CHECKS**

Mini Cams 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-3
 EOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MPD

0735

B. MINT CAMS

1115 1117
0733 0737

C. DAAMS

0700

D. MEDICS

0630

E. PDS

0800

G. RESCUE/Medical monitoring tent
Minimum 65 degrees.

0800

H. Cascade

5/400 3/4000

I. D3PC (WEATHER STATION)

0700

J. HCI Monitors

0700

k. Arsine Monitors

0800

l. 88 K bottle pressure, Regulator Setting**m. 55 K bottle pressure, Regulator Setting**

Down Range Log				
Date 05-16-16		Time	Contract Number: 493120Y-03-0062	
Delivery Order Number: 0106		Location: Spring Valley		
Name	Time In	Time out	Company	PPE Level
MOON	0802	0849	PARSONS	MOD "A"
COURTNEY	0802	0849	"	"
WARD	0802	0849	"	TRAINING
VAIL	0802	0849	ZCS	MOD "B"
CRANE	0827	0846	CARRA	"
MARTINEZ	0827	0846	CARRA	"
MATTHEW	0824	0839	PARSONS	"
BURKLEY	0824	0839	PARSONS	MOD "D"
BOSCH	0900	1000	PARSONS	LEVEL "B"
NEELY	0900	1000	PARSONS	"
YORKSHIRE	0900	1000	ZCS	LEVEL "B"
MOON	1011	1053	PARSONS	MOD "A"
COURTNEY	1011	1053	PARSONS	MOD "A"
WARD	1011	1053	PARSONS	MOD "A"
VAIL	1011	1053	ZCS	MOD "B"
RIDER	1201	1306	PARSONS	LEVEL "B"
DIEN	1201	1306	PARSONS	"
MANGOSA	1201	1306	ZCS	LEVEL "B"
BOSCH	1316	1405	PARSONS	MOD "A"
NEELY	1316	1405	PARSONS	"
BOWLES	1316	1405	PARSONS	MOD "B"
YORKSHIRE	1316	1405	ZCS	MOD "D"
MOON	1425	1502	PARSONS	LEVEL "B"
WARD	1425	1502	PARSONS	"
VAIL	1425	1502	ZCS	LEVEL "B"
BOSCH	1510	1522	PARSONS	MOD "A"
COURTNEY	1510	1522	PARSONS	MOD "B"
NEELY	1510	1522	PARSONS	MOD "B"

2/9

57 5-16-16

0630 SAFETY BRIEF

0735 RADIO CHECKS.

0800 ALL MONITORS UP.

0802 TEAM 3 IS IN ECS. MOD "B"

0809 THE ECS TRUCK DOORS OPEN. SPAN Bucking ON SITE.

0824 ROLL OFF R25359 RT IS IN ECS.

Buckling & WINTER IN ECS.

0843 ECS TRUCK DOORS CLOSED

0849 TEAM 3 IS OUT.

0900 TEAM 2 IS IN THE ECS. LEVEL "B".

0912 VOC COLLECTED.

0929 PPE CHECKS.

0954 COMPOSITE 328 COLLECTED.

1000 TEAM 2 IS OUT.

1010 TEAM 3 IS IN ECS

1016 ECS TRUCK DOORS OPEN

1027 ROLL OFF R25359 RT IS OUT.

1048 ROLL OFF 274541 IS IN ECS.

1051 ECS TRUCK DOORS ARE CLOSED.

1153 TEAM 3 IS OUT.

1055 MID DAY CHALLENGE

1117 MID DAY COMPLETE.

1201 TEAM 1 IS IN THE ECS. LEVEL "B"

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 17 May 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Partly sunny Low 53° High 56°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Duff, Todd	Batista, Fernando
Busch, Matt	Mangosh, Ed	Framarini, Trevor	Crouse, Dennis
Courtney, Kenneth	Prate, Warren	Lewis, Leon	Ford, Garry
Day, David	Vail, Todd	Owens, Julius	Donnatien, Trevor
Matter, Phil	Yorkshire, Bart	Privett, Arlita	Interiano, David
Moon, Dale	Zimmer, Doug		Martinez, Nasario
Neely, Brian			O'Connell, Ryan
Nelms, Bobby	LIFE STAR		Reynaga, Roberto
Oien, Joshua	Alfaro, Walter		Ross, Raymond
Rembish, Joseph	Johnson, Tion		Rouse, James
Rider, Matthew			
Rockwell, Margaret			
Ward, Charles	ACCUPERMIT	CEHNC	EOD
	Schmidt, James	Shott, Ken	Malm, Daniel
	Vargas, Brandon		Wilkins, John
		CENAB	
		Whitten, Ricky	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. Baltimore Geologist concurs that we are at competent siltstone. Pumped out 10 drums of rainwater from the sump area. Removed all glass from ECS approximately 4 pieces weighing approximately 1 pound. Put in sampling grids and put flags in to sample locations. 3 truckloads of soil to subtitle D landfill.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

VisitorsContractors

	DAVEY (0)
	ACCUPERMIT (2)
	ACI (0)
	CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist, Spring Valley Washington DC Date 05-17-16

A. RADIO CHECKS	<u>0730</u>
Mini Cams 1&2	
Rescue	
PDS	
Cascade	
Medical	
Traffic Control	
Teams 1-4	
EOD	
Packaging	
Corp Safety	
Operations	
Tech Ops	
Site Mgr	
MPD	
	<u>1143 1137</u>
B. MINI CAMS	<u>0736 0737</u>
C. DAAMS	<u>0800</u>
D. MEDICS	<u>0630</u>
E. PDS	<u>0704</u>
G. RESCUE/Medical monitoring tent	<u>0752</u>
Minimum 65 degrees.	<u>5/4000 3/3500</u>
H. Cascade	
I. DMPG (WEATHER STATION)	<u>0700</u>
J. HCL Monitors	<u>0800</u>
K. Arsine Monitors	<u>0800</u>
L. 88 K bottle pressure, Regulator Setting	
M. 55 K bottle pressure, Regulator Setting	

2
5

59 5-17-16

0630 SAFETY BRIEF

0730 RADIO CHECKS.

0800 ALL MONITORS ARE UP.

0804 TEAM 3 IS IN THE ECS FOR SET UP &
PUMP WATER FROM PUMP

0806 ECS TRUCK DOORS ARE OPEN.

0822 ROLLOFF 274582 IS OUT.

1011 42° BURNS 381 TANK 370 FILLED
AND LOADED FOR FEB PROPERTY.

1020 TEAM 3 IS OUT

1050 CENAB GEOLOGIST SCOTT TABES ON
SITE.

1110 PM, SM, QC, CENAB GEOLOGIST IN ECS.

1124 PM, SM, QC, CENAB OUT.

1126 STARTING MID DAY RAINFALL.

1143 MID DAY RAINFALL

1318 PM, SM, QC, TL IN ECS.

1349 ALL PERSONNEL OUT.

1359 STARTING END OF DAY CHECKS.

TANKS WORKING @ FEB PROPERTY

1600 THE TANKS WERE OUT BRIEFLY.

1700 SECURED



SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 18 May 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Partly sunny Low 61° High 75°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Duff, Todd	Batista, Fernando
Busch, Matt	Mangosh, Ed	Framarini, Trevor	Crouse, Dennis
Courtney, Kenneth	Prate, Warren	Lewis, Leon	Ford, Garry
Day, David	Vail, Todd	Owens, Julius	Donnatien Trevor
Matter, Phil	Yorkshire, Bart	Privett, Arlita	Interiano, David
Moon, Dale	Zimmer, Doug		Martinez, Nasario
Neely, Brian			O'Connell, Ryan
Nelms, Bobby	LIFE STAR		Reynaga, Roberto
Oien, Joshua	Alfaro, Walter		Ross, Raymond
Rembish, Joseph	Murdock, Mark		Rouse, James
Rider, Matthew			
Rockwell, Margaret			
Ward, Charles	ACCUPERMIT	CEHNC	EOD
	Schmidt, James	Shott, Ken	Malm, Daniel
	Vargas, Brandon		Wilkins, John
		CENAB	
		Whitten, Ricky	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. Begin ECS swipe sampling took approximately 45 minutes, then begin confirmation sampling. 6 swipe samples were taken and 6 floor confirmation samples (4 floor, 1 duplicate and 1 matrix spike) were taken from 4 locations. Dumped 1 rolloff at Federal Property.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

VisitorsContractors

	DAVEY (0)
	ACCUPERMIT (2)
	ACI (0)
	CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 05-18-16**A. RADIO CHECKS**

Mini Cams 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-3
 EOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MPD

0750**B. MINI CAMS**

1120 1112
0730 0732

C. DAAMS0800**D. MEDICS**0630**E. PDS**0725**G. RESCUE/Medical monitoring tent**
Minimum 65 degrees.0745**H. Cascade**3/4000 5/4500**I. D2PC (WEATHER STATION)**0700**J. HCl Monitors**0800**k. Arsine Monitors**0800**l. 88 K bottle pressure, Regulator Setting****m. 55 K bottle pressure, Regulator Setting**

P₂

60 5-18-16

1650 SAFETY BRIEF

1750 RADIO CHECKS.

1800 ALL MONITORS ARE UP.

1812 TEAM 2 IS IN ECS FOR SET UP.

1831 TEAM 2 IS OUT.

1858 TEAM 1 IS IN ECS (LEVEL "B" SAMPLING TENT).

1928 PPE CHECKS.

1938 ALL TENT SWIPES SAMPLES 1 THRU 6 HAVE BEEN COLLECTED.

1008 PPE CHECKS.

1050 TEAM 1 HAS COLLECTED ALL (CONFIRMATION) SAMPLES AND ARE OUT.

1112 STARTING MID DAY CHALLENGE.

1120 MIDDAY COMPLETE.

1225 TEAM 2 IS IN ECS (LEVEL "B")

1320 PPE CHECKS.

1346 TEAM 2 IS OUT.

1348 TEAM 1 IS ~~OUT~~^{IN} MOD "D"

1400 TEAM 1 IS OUT.

1405 STARTING END OF DAY CHECKS.

1530 THE TEAMS WERE NOT STRAPPED

1550 SECURED

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 19 May 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Overcast Low 53° High 64°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Duff, Todd	Batista, Fernando
Busch, Matt	Mangosh, Ed	Framarini, Trevor	Crouse, Dennis
Courtney, Kenneth	Prate, Warren	Lewis, Leon	Ford, Garry
Day, David	Vail, Todd	Owens, Julius	O'Connell, Ryan
Matter, Phil	Yorkshire, Bart	Privett, Arlita	Rouse, James
Moon, Dale	Zimmer, Doug		
Neely, Brian			
Nelms, Bobby	LIFE STAR		
Oien, Joshua			
Rembish, Joseph			
Rider, Matthew			
Rockwell, Margaret			
Ward, Charles	ACCUPERMIT	CEHNC	EOD
	Schmidt, James	Shott, Ken	
	Vargas, Brandon		
		CENAB	
		Whitten, Ricky	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. No ECS work while sample results come in. 6 rolloffs dumped, 1 load of soil to subtitle D landfill. Reboxed water damaged filter boxes, loaded 22 filters in class 9 box. Cut grass and weeds at site and general housekeeping efforts. No ambulance or EOD on site today due to no entry into the ECS.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PG

61 5-19-16

0630 SAFETY BRIEF.

0700 RADIO CHECKS. THE TEAMS ARE
WORKING @ FED PROPERTY.

NO INTRUSIVE WORK IN THE FCS.

1610 THE TEAMS WERE OUT BRIEFED

1700 SECURED

[Handwritten signature]

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 20 May 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Partly sunny Low 56° High 74°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Burrell, Dianne	Batista, Fernando
Busch, Matt	Mangosh, Ed	Duff, Todd	Crouse, Dennis
Courtney, Kenneth	Prate, Warren	Framarini, Trevor	Ford, Garry
Day, David	Vail, Todd	Lewis, Leon	Donnatien, Trevor
Matter, Phil	Yorkshire, Bart	Privett, Arlita	Interiano, David
Moon, Dale	Zimmer, Doug		Martinez, Nasario
Neely, Brian			O'Connell, Ryan
Nelms, Bobby	LIFE STAR		Reynaga, Roberto
Oien, Joshua	Alfaro, Walter		Ross, Raymond
Rembish, Joseph	Wolf, Yavette		Rouse, James
Rider, Matthew			
Rockwell, Margaret			
Ward, Charles	ACCUPERMIT	CEHNC	EOD
	Schmidt, James	Shott, Ken	
	Vargas, Brandon		
		CENAB	
		Whitten, Ricky	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for Level B operations under ECS location 3. CP Johnson surveyors came in and did elevation shots throughout the excavation area. After survey we attempted to line the excavation with Geo cloth but the city of DC shut down Glenbrook Road, the decision was made to end operations at 4825 Glenbrook and have everyone go back to Fed Prop to filter work , reorganize connexes, and prepare the filter area for operations again.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

VisitorsContractors


	DAVEY (0)
	ACCUPERMIT (2)
	ACI (0)
	CPJ (2)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

Daily Contractor Quality Control Report					
Contract Number:	W91ZDY-09-D-0062				
Delivery Order Number:	0006				
Project Name:	4825 Glenbrook Rd. Remedial Action, Spring Valley FUDS.				
Project Number:	748272.03000				
Site Location:	Spring Valley, Washington, DC.				
Date:	5/20/2016 Friday				
Weather:	Partly Cloudy, 53-75°F, wind - 0 to 2 mph.				
Field Instrument:	(7) Armine - (1) Down Range, (1) CAFS MID 1, (1) CAFS MID 2, (1) CAFS MID 3, (1) CAFS 1 Exhaust, (1) CAFS 2 Exhaust, (1) CAFS 3 Exhaust), (5) HCL - (1) Down Range, (1) Pre-Filter, (1) CAFS MID 1, (1) CAFS MID 2, (1) CAFS MID 3, (1) HCN - (1) Down Range), (1) PID - Down Range, (1) Combustible Gas Monitor, MiniCAMS, DAAMS				
Measurements:	All Non Detect.				
Calibrations:	Armine and HCL - Fresh air zero calibration, HCN - Fresh Air and 10ppm HCNA/Nitrogen Balance, PID - 100ppm Isobutylene and fresh air.				
Activities Conducted:	Surveyors shot elevations. Submitted 13 samples for disposal characterization				
Summary:	No high probability operations today. Surveyors on this in the morning and shot elevations. Crews doing maintenance work at Fed. Property. Submitted 13 samples for disposal characterization (See AFPL COC 1 and AFPL COC 2 for sample IDs).				
Items Found:	No New Items				
Contingency Plan Initiated:	No				
Air Monitoring:	MiniCAMMS, DAAMS				
IDW Generated:	PPE and Decon Water				
Waste Disposal:	None				
Departures from approved SSWP:	None				
Problems encountered/resolutions:	None				
Instructions given by government personnel:	None				
Attachments:	Sample Logs Daily QC Logs UXO Safety Log (Weekly) COC				
Signed by:					
Name (print):	Margaret Kackwell				
Date:	5/20/2016				
Phone Number:	571-721-9804				
Copies sent to:	Tammy Chang, Beth Driskill, Phil Matter, David Day, Janelle Bousal				

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 05-20-16**A. RADIO CHECKS**

Mini Cams 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Trans 1-3
 BOM
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MPTD

0729**B. MINI CAMS**0730 0732**C. DAAMS**0800**D. MEDICS**0630**E. PDS**0715**G. RESCUE/Medical monitoring tent**
Minimum 65 degrees.0745**H. Cascade**5/4000 3/4000**I. D2PC (WEATHER STATION)**0700**J. HCI Monitors**0800**K. Arsine Monitors**0800**L. 88 K. bottle pressure, Regulator Setting****M. 55 K. bottle pressure, Regulator Setting**

R
62 5-20-16
0630 SAFETY BRIEF.
0729 RADIO CHECKS. CPT ON SITE.
0800 ALL MONITORS UP.
0813 TEAM 2 IN ECS. SETUP MOD "B".
0905 TEAM 2 IS OUT.
0917 STARTING END OF DAY. ~~ONE~~ ~~FOR~~
DICKWOOD & CLENBROOK RD. ARE
CLOSED DUE TO PAVING.
0933 THE TEAMS ARE WORKING @ FED SITE.
1000 THE TEAMS WERE OUT BRIEF.
ON SECURIS

[Handwritten signature]

PRE-OPERATIONS Checklist. Spring Valley Washington DC. Date 05-23-16

A. RADIO CHECKS

Mini Cams 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-3
 ROD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MPD

0728

B. MINI CAMS

1149 1153
0741 0728

C. DAAMS

0800

D. MEDICS

0630

E. PDS

0720

G. RESCUE/Medical monitoring tent
 Minimum 65 degrees

0720

H. Cascade

3/4000 5/5000

I. D2FC (WEATHER STATION)

0700

J. HCI Monitors

0800

K. Arsine Monitors

0800

L. 88 K bottle pressure, Regulator Setting

M. 55 K bottle pressure, Regulator Setting

Pg

63 5-23-16

0630 SAFETY BRIEF

0728 RADIO CHECKS.

0800 ALL MONITORS ARE UP

0805 TEAM 2 IN ECS

0813 ECS TRUCK DOORS OPEN.

BACK FILLING

1123 ECS TRUCK DOORS CLOSED.

1124 TEAM 3 ~~IS~~ IS OUT.

1127 STARTING MID DAY CHALLENGE.

1154 MID DAY COMPLETE

1215 TEAM 1 IS IN ECS. BACK FILLING.

1507 SITE ON LIGHTNING HOLD.

1600 OFF-LIGHTNING HOLD.

771 SECURED

[Handwritten signature]

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 24 May 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Mostly sunny Low 60° High 81°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	DeLaPaz, Hector	Batista, Fernando
Busch, Matt	Mangosh, Ed	Lewis, Leon	Crouse, Dennis
Courtney, Kenneth	Prate, Warren	McNutt, Wyatt	Ford, Garry
Day, David	Vail, Todd	Owens, Julius	Donnatien, Trevor
Matter, Phil	Yorkshire, Bart	Tibbs, Leesa	Interiano, David
Moon, Dale	Zimmer, Doug		Martinez, Nasario
Neely, Brian			O'Connell, Ryan
Nelms, Bobby	LIFE STAR		Reynaga, Roberto
Oien, Joshua	Alfaro, Walter		Ross, Raymond
Rembish, Joseph	German, Helen		Rouse, James
Rider, Matthew			
Rockwell, Margaret			
Ward, Charles	ACCUPERMIT	CEHNC	EOD
	Schmidt, James	Boles, Judson	
	Vargas, Brandon		
		CENAB	
		Whitten, Ricky	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for operations under ECS location 3. 16 loads of soil brought into the ECS and compacted in. 29 filter boxes filled.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 05-24-16**A. RADIO CHECKS**

Mini Cams 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-3
 EOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgt
 MPD

0750

B. MINI CAMS1130 1115
0737 0735**C. DAAMS**

0800

D. MEDICS

0630

E. PDS

0717

G. RESCUE/Medical monitoring tent
Minimum 65 degrees.

0720

H. Cascade

N/A

I. DZPC (WEATHER STATION)

0750

J. HCI Monitors

0800

K. Arsine Monitors

0800

L. 38 K bottle pressure, Regulator Setting**M. 55 K bottle pressure, Regulator Setting**

76

64 5-24-16

630 SAGUARY TRIP

6750 RADIO CHECKS

6700 ALL MONITORS ARE UP.

6800 TEAM 2 IS IN ELS.

6815 ELS TRUCK DOOR IS OPEN. BACKFILL DONE.

6906 H2O DRUM 393 LOADED FOR TED PROPERTY

6912 ELS TRUCK DOOR CLOSED.

6944 TEAM 2 IS OUT. STARTING MIDDAY CHALLENGE.

6930 MIDDAY CHALLENGE COMPLETE

6947 TEAM 1 IS IN ELS. TRUCK DOORS OPEN.

6957 ELS TRUCK DOORS CLOSED.

6959 TEAM 1 IS OUT.

6950 THE TEAMS WERE OUT- RELIEVED.

6958 SECURED

A handwritten signature in black ink, appearing to be 'J. J. J.', is written over a diagonal line that extends from the bottom left towards the center of the page.

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 25 May 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Overcast Low 65° High 86°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	DeLaPaz, Hector	Batista, Fernando
Busch, Matt	Mangosh, Ed	Lewis, Leon	Crouse, Dennis
Courtney, Kenneth	Prate, Warren	McNutt, Wyatt	Ford, Garry
Day, David	Vail, Todd	Owens, Julius	Donnatien, Trevor
Matter, Phil	Yorkshire, Bart	Tibbs, Leesa	Interiano, David
Moon, Dale	Zimmer, Doug		Martinez, Nasario
Neely, Brian			O'Connell, Ryan
Nelms, Bobby	LIFE STAR		Reynaga, Roberto
Oien, Joshua	Alfaro, Walter		Ross, Raymond
Rembish, Joseph	Murdock, Mark		Rouse, James
Rockwell, Margaret			
Ward, Charles	ACCUPERMIT	CEHNC	EOD
	Schmidt, James	Boles, Judson	
	Vargas, Brandon		
		CENAB	
		Whitten, Ricky	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for operations under ECS location 3. 15 loads of soil brought in, spread out and compacted. 150 water drums sampled.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors


DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

Daily Contractor Quality Control Report					
Contract Number:	W91ZDY-09-D-0062				
Delivery Order Number:	0006				
Project Name:	4825 Glenbrook Rd. Remedial Action, Spring Valley FUDS.				
Project Number:	748272.03000				
Site Location:	Spring Valley, Washington, D.C.				
Date:	5/25/2016 Wednesday				
Weather:	Mostly Sunny 61-86 °F, wind – 0 to 7 mph.				
Field Instrument:	(7) Armine - (1) Down Range, (1) CAFS MID 1, (1) CAFS MID 2, (1) CAFS MID 3, (1) CAFS 1 Exhaust, (1) CAFS 2 Exhaust, (1) CAFS 3 Exhaust), (5) HCL - (1) Down Range, (1) Pre-Filter, (1) CAFS MID 1, (1) CAFS MID 2, (1) CAFS MID 3, (1) HCN - (1) Down Range), (1) PID - Down Range, (1) Combustible Gas Monitor, MiniCAM S, DAAMS				
Measurements:	All Non Detect.				
Calibrations:	Armine and HCL – Fresh air zero calibration, HCN – Fresh Air and 10ppm HC/N/A Nitrogen Balance, PID - 100ppm Isobutylene and fresh air.				
Activities Conducted:	Crews lined excavated area with geocloth and filled with clean fill to create decon pad. 3 sets of water drums sampled				
Summary:	No high probability operations today. Crews lined excavated area within tent with geocloth and constructed a decon pad with clean fill. 3 sets of water drums sampled (RA-4825GR-IDW-173-223-052516, RA-4825GR-IDW-224-274-052516, RA-4825GR-IDW- 275-325-052516).				
Items Found:	No New Items				
Contingency Plan Initiated:	No				
Air Monitoring:	MiniCAMMS, DAAMS				
IDW Generated:	PPE and Decon Water				
Waste Disposal:	None				
Departures from approved SSWP:	None				
Problems encountered/resolutions:	None				
Instructions given by government personnel:	None				
Attachments:	Sample Logs Daily QC Logs UXO Safety Log (Weekly) COC				
Signed by:					
Name (print):	Margaret Kackwell				
Date:	5/25/2016				
Phone Number:	571-721-9804				
Copies sent to:	Tammy Chang, Beth Driskill, Phil Matter, David Day, Janelle Boucal				

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 05-25-16**A. RADIO-CHECKS**

Mini Cams 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-3
 FOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MPD

0727**B. MINT CAMS**

1137 1145
 0736 0735

C. DAAMS0800**D. MEDICS**0630**E. PDS**0727**G. RESCUE/Medical monitoring tent**
Minimum 65 degrees.0735**H. Cascade**UP**I. DTFC (WEATHER STATION)**0700**J. HCT Monitors**0800**k Arsine Monitors**0800**l. 88 K bottle pressure, Regulator Setting****m. 55 K bottle pressure, Regulator Setting**

[illegible]

R

65 5-25-16

0630 SAFETY BRIEF.

0727 RADIO CHECKS

0800 ALL MONITORS UP

1003 FC UNIT FOR PBS.

1013 TEAM 3 IS IN EIS WHEN FILLING

1104 THE EIS TRUCK DOORS CLOSED

1119 TEAM 3 IS OUT.

1220 STARTING MID DAY CLEANUP.

1245 MID DAY COMPLETE.

1307 TEAM 2 IN EIS TRUCK DOORS OPEN.

1316 EIS TRUCK DOORS CLOSED.

1319 TEAM 2 IS OUT.

1523 STARTING MID-DAY END OF DAY CHECKS

1600 TEAMS WERE OUT BRIEFED

1600 SECURED

A handwritten signature in black ink, appearing to be 'J. M. [unclear]', is written over a diagonal line that extends from the bottom left towards the middle right of the page.

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 26 May 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Sunny, light breeze Low 66° High 86°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	DeLaPaz, Hector	
Busch, Matt	Mangosh, Ed	Lewis, Leon	Crouse, Dennis
Courtney, Kenneth	Prate, Warren	McNutt, Wyatt	Ford, Garry
Day, David	Vail, Todd	Owens, Julius	Donnatien, Trevor
Matter, Phil	Yorkshire, Bart	Tibbs, Leesa	Interiano, David
Moon, Dale	Zimmer, Doug		Martinez, Nasario
Neely, Brian			O'Connell, Ryan
Nelms, Bobby	LIFE STAR		Reynaga, Roberto
Oien, Joshua	Alfaro, Walter		Ross, Raymond
Rembish, Joseph	Johnson, Tion		Rouse, James
Rockwell, Margaret			
Ward, Charles	ACCUPERMIT	CEHNC	EOD
	Schmidt, James	Boles, Judson	
	Vargas, Brandon		
		CENAB	
		Whitten, Ricky	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for operations under ECS location 3. 8 dump truck loads brought into the ECS, and 24 drums of rain water pumped from the sump. Prepared site for the long holiday weekend, took generators off of emergency standby as AU is cutting power in the middle of the night.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 05-26-16**A. RADIO CHECKS**

Mini Cams 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Teams L-3
 HOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MRD

0730**B. MINT CAMS**0745 0743**C. DAAMS**0800**D. MEDICS**0630**E. PDS**0730**G. RESCUE/Medical monitoring tent**
Minimum 65 degrees0730**H. Cascade**UP**I. D2PC (WEATHER STATION)**0700**J. HCI Monitors**0800**k. Airsine Monitors**0800**l. 88 K bottle pressure, Regulator Setting****m. 55 K bottle pressure, Regulator Setting**

1/6

166 5-26-16

1630 SAFETY BRIEF

1730 RADIO CHECKS.

1800 ALL MONITORS ARE UP

1805 TEAM 2 IS IN ECS.

1812 ECS TRUCK DOORS OPENED, BACK ALL

1827 ECS TRUCK DOORS CLOSED.

1848 TEAM 2 IS OUT.

19 STARTING END OF DAY CHECKS.

MAINTENANCE FOR WORK WEEKEND

20 SECURED

[Handwritten signature]

Daily Contractor Quality Control Report					
Contract Number:	W91ZDY-09-D-0062				
Delivery Order Number:	0006				
Project Name:	4825 Glenbrook Rd. Remedial Action, Spring Valley FUDS.				
Project Number:	748272.03000				
Site Location:	Spring Valley, Washington, DC.				
Date:	5/31/2016 Tuesday				
Weather:	Mostly Sunny 65-87 °F, wind – 0 to 1 mph.				
Field Instrument:	(7) Arniee - (1) Down Range, (1) CAFE MID 1, (1) CAFE MID 2, (1) CAFE MID 3, (1) CAFE 1 Exhaust, (1) CAFE 2 Exhaust, (1) CAFE 3 Exhaust), (5) HCL - (1) Down Range, (1) Pre-Filer, (1) CAFE MID 1, (1) CAFE MID 2, (1) CAFE MID 3, (1) HCN - (1) Down Range), (1) PID - Down Range, (1) Combustible Gas Monitor, MiniCAMS, DAAMS				
Measurements:	All Non Detect.				
Calibrations:	Arniee and HCL – Fresh air zero calibration, HCN – Fresh Air and 10ppm HCNA Nitrogen Balance, PID - 100ppm Isobutylene and fresh air.				
Activities Conducted:	Crews constructed decon pad with clean fill. Drums transported to Fed Property. Crews conducted maintenance activities at Fed Property. 3 sets of water drum samples sent to APPL for disposal characterization.				
Summary:	No high probability operations today. Crews constructed a decon pad with clean fill. Crews pumped water from the sump into drums. 11 drums transported to Fed Property (See Drum Transfer Manifest for IDs). 3 sets of water drum samples sent to APPL for disposal characterization (See APPL CDC for IDs).				
Items Found:	No New Items				
Contingency Plan Initiated:	No				
Air Monitoring:	MiniCAMMS, DAAMS				
IDW Generated:	PPE and Decon Water				
Waste Disposal:	None				
Departures from approved SSWP:	None				
Problems encountered/resolutions:	None				
Instructions given by government personnel:	None				
Attachments:	Sample Log Daily QC Log UXO Safety Log (Weekly) CDC				
Signed by:					
Name (print):	Margaret Kackwell				
Date:	5/31/2016				
Phone Number:	571-721-9804				
Copies sent to:	Tammy Chang, Beth Driskill, Phil Matter, David Day, Janelle Bousal				

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 05-31-16**A. RADIO CHECKS**

Mini Camus 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-3
 EOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MRP

0752**H. MINICAMS**

1200 1145
 0745 0835

C. DAAMS0830**D. MEDICS**0630**E. PDS**0725**G. RESCUE/Medical monitoring tent**
Minimum 65 degrees.0725**H. Cascade****I. D2PC (WEATHER STATION)**0700**J. HCT Monitors**0800**k. Arsine Monitors**0800**l. 58 K bottle pressure, Regulator Setting****m. 55 K bottle pressure, Regulator Setting**

P2

27 5-31-16

1630 SAFETY BRIEF

1752 RADIO CHECKS.

1835 ALL MONITORS ARE UP.

1944 TEAM 1 IS IN THE ECS.

1947 TEAM HAS OPENED ECS TRUCK DOORS.

1917 112° DRAMS 394 THEN 411 LOADED & SCR

462 THEN 464 LOADED FOR FED PROPERTY.

1910 110° DRAMS 412 THEN 422 LOADED FOR FED PROPERTY.

1124 ECS TRUCK DOORS CLOSED.

1126 TEAM 1 IS OUT.

1128 STARTING MID DAY CHALLENGE.

1200 MID DAY COMPLETE.


1228 TEAM 2 IS IN ECS, TRUCK DOORS ARE OPEN.

143 TEAM 2 IS OUT. OPERATIONS IN ECS ARE
SUSPENDED FOR THE DAY. WASHINGTON CAS
IS DIGGING IN FRONT OF GLENBROOK RD 4825
STARTING END OF DAY W/ MONITORING.

THE TEAMS WILL BE WORKING @ FED SAT.

1600 THE TEAMS WERE OUT BRIEFED.

1700 SECURE

A handwritten signature in black ink, appearing to be 'R. J. [unclear]', is written over a diagonal line that extends from the bottom left towards the center of the page.

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 1 June 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Overcast, humid Low 68° High 88°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	DeLaPaz, Hector	Batista, Fernando
Busch, Matt	Mangosh, Ed	Lewis, Leon	Crouse, Dennis
Courtney, Kenneth	Prate, Warren	McNutt, Wyatt	Ford, Garry
Lemieux, Joshua	Vail, Todd	Owens, Julius	Interiano, David
Matter, Phil	Yorkshire, Bart	Tibbs, Leesa	Martinez, Nasario
Moon, Dale			O'Connell, Ryan
Neely, Brian			Reynaga, Roberto
Nelms, Bobby	LIFE STAR		Ross, Raymond
Oien, Joshua	Alfaro, Walter		Rouse, James
Rider, Matthew	Murdock, Mark		
Rockwell, Margaret			
Ward, Charles			
	ACCUPERMIT	CEHNC	EOD
	Schmidt, James	Boles, Judson	
	Vargas, Brandon		
		CENAB	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for operations under ECS location 3. Pumped 2 drums of water out of the sump, and brought in 3 loads of clean backfill. Once again street gas line repairs ended operations inside the ECS. Decon area inside ECS is ready to have the decon sump built. Teams loaded up decon gear into the stakebody truck to drop off first thing tomorrow morning. Reviewed decon procedures with teams prior to decon ops, reviewed AHA's, PPE and general safety procedures.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

Daily Contractor Quality Control Report					
Contract Number:	W91ZDY-09-D-0062				
Delivery Order Number:	0006				
Project Name:	4825 Glenbrook Rd. Remedial Action, Spring Valley FUDS.				
Project Number:	748272.03000				
Site Location:	Spring Valley, Washington, DC.				
Date:	6/1/2016 Wednesday				
Weather:	Partly Cloudy 63-85 °F, wind – 0 to 4 mph.				
Field Instrument:	(7) Armine - (1) Down Range, (1) CAFS MID 1, (1) CAFS MID 2, (1) CAFS MID 3, (1) CAFS 1 Exhaust, (1) CAFS 2 Exhaust, (1) CAFS 3 Exhaust), (5) HCL - (1) Down Range, (1) Pre-Filtr, (1) CAFS MID 1, (1) CAFS MID 2, (1) CAFS MID 3, (1) HCN - (1) Down Range), (1) PID - Down Range, (1) Combustible Gas Monitor, MiniCAMMS, DAAMS				
Measurements:	All Non Detect.				
Calibrations:	Armine and HCL – Fresh air zero calibration, HCN – Fresh Air and 10ppm HCNA/Nitrogen Balance, PID - 100ppm Isobutylene and fresh air.				
Activities Conducted:	Crews constructed decon pad with clean fill. Crews pumped water from the sump into 2 drums.				
Summary:	No high probability operations today. Crews constructed a decon pad with clean fill. Crews pumped water from the sump into drums. Activities inside the tent ceased at 10:38am due to construction activities on Glenbrook Road.				
Items Found:	No New Items				
Contingency Plan Initiated:	No				
Air Monitoring:	MiniCAMMS, DAAMS				
IDW Generated:	PPE and Decon Water				
Waste Disposal:	None				
Departures from approved SSWT:	None				
Problems encountered/resolutions:	None				
Instructions given by government personnel:	None				
Attachments:	Sample Logs Daily QC Logs UXO Safety Log (Weekly) CDC				
Signed by:					
Name (print):	Margaret Rockwell				
Date:	6/1/2016				
Phone Number:	571-721-9804				
Copies sent to:	Tammy Chang, Beth Driskill, Phil Matter, David Day, Janelle Boucal				

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 06-01-16**A. RADIO CHECKS**

Minu Cams 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-2
 EOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MPD

0722**B. MINI CAMS**0741 0743**C. DAAMS**0759**D. MEDICS**0630**E. PDS**0715**G. RESCUE/Medical monitoring tent**
Minimum 65 degrees.**H. Cascade****L. D2PC (WEATHER STATION)**0700**J. HCI Monitors**0 800**k. Arsine Monitors**0 800**L. 88 K bottle pressure, Regulator Setting****na. 55 K bottle pressure, Regulator Setting**

5/6

68 6-1-16

1630 SAFETY BRIEF.

1722 RADIO CHECKS.

1800 ALL MONITORS ARE UP.

1814 THE ECS TRUCK DOORS OPEN TEAM 2'S IN ECS.

1838 THE ECS TRUCK DOORS CLOSED.

1840 TEAM 2 IS OUT. ALL ECS
OPERATIONS SUSPENDED DUE
TO WASHINGTON GAS WORKING
IN FRONT OF 4825 GLENBROOK.

1045 STARTING END OF DAY W/ MONITORS.
THE TEAMS WILL BE WORKING @
IED PROPERTY.

1100 THE TEAMS WERE OUT BRIEFED
THE SCENE

A handwritten signature, possibly reading "R. J. Smith", is written in dark ink. A long, thin diagonal line is drawn across the page, starting from the signature and extending towards the bottom right corner.

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 06-02-16**A. RADIO CHECKS**

Mini Cams 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-3
 EOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MPD

0740**B. MINI CAMS**0733 0732**C. DAAMS**0800**D. MEDICS**0630**E. PDS**0725**G. RESCUE/Medical monitoring tent**
Minimum 65 degrees.0725**H. Cascade**UP**I. D2PC (WEATHER STATION)**0700**J. HCI Monitors**0800**K. Arsine Monitors**0800**L. 88 K bottle pressure, Regulator Setting****m. 55 K bottle pressure, Regulator Setting**

[illegible]

Pg

69 6-2-16

0630 SAFETY BRIEF

0740 RADIO CHECKS

0700 BU MONITORS ARE UP

0812 TEAM 1 & 2 IN ECS, DAY 1

0905 TEAM 1 & 2 ARE OUT

0910 STARTING END OF DAY CHECKS FOR MONITORING

ECS OPERATIONS SUSPENDED FOR TODAY.

WASHINGTON GAS AND DC PAVING ARE

WORKING IN FRONT OF 4825 GLOW BROTH ED.

TEAMS ARE WORKING @ FEB PROPERTY.

1130 TEAMS SECURED

1700 SECURED

[Handwritten signature]

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 6 June 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Clear Low 68° High 86°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Burrell, Dianne	Batista, Fernando
Busch, Matt	Mangosh, Ed	DeLaPaz, Hector	Crouse, Dennis
Courtney, Kenneth	Prate, Warren	Lewis, Leon	Ford, Garry
Day, David	Vail, Todd	McNutt, Wyatt	Interiano, David
Lemieux, Joshua	Yorkshire, Bart	Tibbs, Leesa	Martinez, Nasario
Matter, Phil			O'Connell, Ryan
Moon, Dale			Reynaga, Roberto
Neely, Brian	LIFE STAR		Ross, Raymond
Nelms, Bobby	German, Helen		Rouse, James
Oien, Joshua	Murdock, Mark		
Rider, Matthew			
Rockwell, Margaret			
Ward, Charles	ACCUPERMIT	CEHNC	EOD
	Schmidt, James	Boles, Judson	
	Vargas, Brandon		
		CENAB	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for operations under ECS location 3. 2 loads of subtitle D landfill dirt shipped out. Brought in decon gear, set up decon pad, pumps, hoses and all other related items. At approximately 1300 we began decon operations.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

[illegible]

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 06-06-16**A. RADIO CHECKS**

Mini Cams 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-3
 HQ
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MPD

0744**B. MINT CAMS**

1129 1132
0737 0742

C. DAAMS0800**D. MEDICS**0630**E. PDS**0703**G. RESCUE/Medical monitoring tent**
Minimum 65 degrees.0742**H. Cascade****I. D2PC (WEATHER STATION)**0700**J. HCI Monitors**0800**K. Arsine Monitors**0800**L. 88 K. bottle pressure, Regulator Setting****M. 55 K. bottle pressure, Regulator Setting**

[illegible]

Pc

70 6-6-16

1630 SAFETY BRIEF.

1744 RADIO CHECKS

1800 ALL MINUTERS ARE UP.

1917 TEAM 1 & 2 IN ESS FOR SET UP.

1920 ECS TRUCK DOORS ARE OPEN.

AZ° DRAMS 423 THEN 432, PPD DRUM 369

LOADED FOR FED PRIORITY.

1107 ECS TRUCK DOORS OPEN

1108 TEAM 1 & 2 ARE OUT.

1111 STARTING MID DAY CHALLENGE.

1132 MID DAY COMPLETE.

1216 TEAM 3 IS IN ECS.

1218 ECS TRUCK DOORS OPEN

1302 ECS TRUCK DOORS CLOSED

1404 TEAM 3 IS OUT.

1417 TEAM 1 IS IN ECS

1508 TEAM 1 IS OUT

1512 STARTING END OF DAY CHECKS.

1700 SECURED



SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 7 June 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Clear Low 68° High 86°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Burrell, Dianne	Batista, Fernando
Busch, Matt	Mangosh, Ed	DeLaPaz, Hector	Crouse, Dennis
Courtney, Kenneth	Prate, Warren	Lewis, Leon	Ford, Garry
Day, David	Vail, Todd	McNutt, Wyatt	Interiano, David
Lemieux, Joshua	Yorkshire, Bart	Tibbs, Leesa	Martinez, Nasario
Matter, Phil	Zimmer, Doug		O'Connell, Ryan
Moon, Dale			Reynaga, Roberto
Neely, Brian	LIFE STAR		Ross, Raymond
Nelms, Bobby	German, Helen		Rouse, James
Oien, Joshua	Alfaro, Walter		
Rider, Matthew			
Rockwell, Margaret			
Ward, Charles	ACCUPERMIT	CEHNC	EOD
	Schmidt, James	Boles, Judson	
	Vargas, Brandon		
		CENAB	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for decon operations under ECS location 3. Decon last of hand tools, observation deck and jackhammers. Erected a roll-off liner over the Komatsu 35 for DAMMS tube testing. Built a drum holding area at Federal Property.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 06-07-16**A. RADIO CHECKS**

Mini Cams 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-3
 EOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MPD

0740**B. MINT CAMS**

1315 1202
0735 0735

C. DAAMS0800**D. MEDICS**0630**E. PDS**0716**G. RESCUE/Medical monitoring tent**
Minimum 65 degrees.0740**H. Cascade**↓**I. D2PC (WEATHER STATION)**0700**J. HCI Monitors**0800**k. Arsine Monitors**0800**l. 88 K bottle pressure, Regulator Setting****m. 55 K bottle pressure, Regulator Setting**

[illegible]

2/

71 6-7-66

1630 SAFETY BRIEF.

1740 RADIO CHECKS.

1800 ALL MONITORS UP.

1807 TEAM 2 IS IN ELS. DECON OPS.

1900 TEAM 2 IS OUT.

1905 TEAM 3 IN ELS DECON OPS.

1934 ED MANGOSH IN ELS.

1936 TEAM 3 IS OUT.

1933 STARTING MID DAY CHALLENGE.

1935 MID DAY COMPLETE.

1921 TEAM 1 IN ELS AND TRUCK DOORS OPEN.

1944 ELS MINI CAMS REPORTS AN ALARM @
MID BED FOR #4 CAPS.

1943 TEAM 1 HAS CLOSED ELS TRUCK DOORS
AND ARE OUT.

1947 STARTING 2ND OF DAY w/ MINITOP. NOTE:

2ND CYCLE ON #4 MID BED WAS CLEAR

1951 H2O DRUMS 433 THRU 440 AND PPE DRUMS 370 & 371
LOADED IN STAKE BED TRUCK FOR BED TENDERS.

1760 SECURED



SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 8 June 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Overcast

Low 68° High 76°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Burrell, Dianne	Batista, Fernando
Busch, Matt	Mangosh, Ed	DeLaPaz, Hector	Crouse, Dennis
Courtney, Kenneth	Prate, Warren	Lewis, Leon	Ford, Garry
Day, David	Vail, Todd	McNutt, Wyatt	Interiano, David
Lemieux, Joshua	Yorkshire, Bart	Tibbs, Leesa	Martinez, Nasario
Matter, Phil			O'Connell, Ryan
Moon, Dale			Reynaga, Roberto
Neely, Brian	LIFE STAR		Ross, Raymond
Nelms, Bobby	Alfaro, Walter		Rouse, James
Oien, Joshua	Murdock, Mark		
Rider, Matthew			
Rockwell, Margaret			
Ward, Charles	ACCUPERMIT	CEHNC	EOD
	Schmidt, James	Boles, Judson	
	Vargas, Brandon		
		CENAB	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for decon operations under ECS location 3. Begin decon of Komatsu 55 and removed the soil tamper from the decon pad construction phase.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 06-08-16**A. RADIO CHECKS**

Mini Cams 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-3
 EOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MPD

0746

B. MINI CAMS

1200 1142
0731 0742

C. DAAMS

0800

D. MEDICS

0630

E. PDS

0720

G. RESCUE/Medical monitoring tent
Minimum 65 degrees.

0745

H Cascade

↓

I. D2PC (WEATHER STATION)

0700

J. HCI Monitors

0800

k. Arsine Monitors

0810

l. 88 K bottle pressure, Regulator Setting**m. 55 K bottle pressure, Regulator Setting**

2
5

72 6-8-16

1630 SAREM BRIEF.

1746 RADIO CHECKS.

1800 ALL MONITORS ARE UP.

1807 TEAM 2 IS IN ECS.

1812 THE ECS TRUCK DOORS ARE OPEN.

1901 1120 DRUMS 441 & 442 LOADED FOR FEB PRODUCTION

1922 ECS TRUCK DOORS CLOSED.

1931 TEAM 2 IS OUT.

1936 TEAM 3 IS IN ECS BECON OPS.

1121 TEAM 3 IS OUT.

1125 STARTING MID DAY CHALLENGE.

1200 MID DAY COMPLETE

1220 TEAM 1 IN ECS AND TRUCK DOORS OPEN

1239 ECS TRUCK DOORS CLOSED.

1345 TEAM 1 IS OUT.


1350 TEAM 2 IS IN ECS.

1520 TEAM 2 IS OUT.

1522 STARTING END OF DAY CHECKS.

1605 THE TEAMS WERE OUT-BRIEFED.

700 REDUCED



SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 9 June 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Clear Low 68° High 76°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Burrell, Dianne	Batista, Fernando
Busch, Matt	Mangosh, Ed	DeLaPaz, Hector	
Courtney, Kenneth	Prate, Warren	Lewis, Leon	Ford, Garry
Day, David	Vail, Todd	McNutt, Wyatt	Interiano, David
Lemieux, Joshua	Yorkshire, Bart	Tibbs, Leesa	Martinez, Nasario
Matter, Phil	Zimmer, Doug		O'Connell, Ryan
Moon, Dale			Reynaga, Roberto
Neely, Brian	LIFE STAR		Ross, Raymond
Nelms, Bobby	German, Helen		Rouse, James
Oien, Joshua	Murdock, Mark		
Rider, Matthew			
Rockwell, Margaret			
Ward, Charles	ACCUPERMIT	CEHNC	EOD
	Alfaro, Walter	Boles, Judson	
	Johnson, Tion		
		CENAB	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for decon operations under ECS location 3. Finish the Komatsu 55 excavator, begin construction pads. 3 pads done today.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 06-09-16**A. RADIO CHECKS**0707

Mini Cams 1&2

Rescue

PDS

Cascade

Medical

Traffic Control

Teams 1-3

EOD

Packaging

Camp Safety

Operations

Tech Ops

Site Mgr

MPD

11401142**B. MINT CAMS**07300742**C. DAAMS**0800**D. MEDICS**0630**E. PDS**0716**G. RESCUE/Medical monitoring tent**
Minimum 65 degrees.**II. Cascade**↓**I. D2PC (WEATHER STATION)**0700**J. TICI Monitors**0800**k. Arsine Monitors**0800**l. 88 K bottle pressure, Regulator Setting****m. 55 K bottle pressure, Regulator Setting**

2

73 6-9-16

0630 SAFETY BRIEF.

0707 RADIO CHECKS.

0708 ALL MONITORS ARE UP.

0804 TEAM 3 IS IN ECS.

0805 ECS TRUCK DOORS ARE OPEN.

0825 42° BAHNIS 443 THRU 446 AND PPE 372
LOAD FOR FED 50R.

0951 TEAM 3 IS OUT.

1003 TEAM 1 IS IN ECS.

1125 TEAM 1 IS OUT.

1130 STARTING MID DAY CHALLENGE.

1142 MID DAY COMPLETE

1238 TEAM 2 IS IN ECS.

1404 TEAM 2 IS OUT.

1406 STARTING END OF DAY CHECKS.

1700 SECURED

A handwritten signature in black ink, appearing to be 'R. J. [unclear]', is written diagonally across the lower half of the page. The signature is fluid and cursive.

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 13 June 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Clear Low 61° High 86°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Burrell, Dianne	Batista, Fernando
Busch, Matt	Mangosh, Ed	DeLaPaz, Hector	Crouse, Dennis
Courtney, Kenneth	Prate, Warren	Lewis, Leon	Ford, Garry
Day, David	Vail, Todd	Hurd, Irvin	Interiano, David
Lemieux, Joshua	Yorkshire, Bart	Tibbs, Leesa	Martinez, Nasario
Matter, Phil	Zimmer, Doug		Reynaga, Roberto
Moon, Dale			Ross, Raymond
Neely, Brian	LIFE STAR		Rouse, James
Nelms, Bobby	Bagley, John		
Oien, Joshua	Murdock, Mark		
Rider, Matthew			
Rockwell, Margaret			
Ward, Charles	ACCUPERMIT	CEHNC	EOD
	Vargas, Gustavo	Boles, Judson	
	Vargas, Brandon		
		CENAB	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for decon operations under ECS location 3. Deconned 4 construction pads and bagged the Komatsu 55 excavator for sampling later in the week.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

[illegible]

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 06-13-16**A. RADIO CHECKS**

Mini Cams 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Teams 1-3
 EOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MPD

0739

B. MINI CAMS

1154 1141
0875 0740

C. DAAMS

0800

D. MEDICS

0630

E. PDS

0720

G. RESCUE/Medical monitoring tent
Minimum 65 degrees.

0710

H. Cascade

↓

I. D2PC (WEATHER STATION)

0700

J. HCI Monitors

0800

k. Arsine Monitors

0810

l. 88 K bottle pressure, Regulator Setting**m. 55 K bottle pressure, Regulator Setting**

[illegible]

2

6-13-16

1230 SAFETY BRIEF.

1239 RADIO CHECKS

1245 ALL MONITORS ARE UP.

1250 TEAM 3 IS IN THE ECS. DETON OPS.

1255 ECS TRUCK DOORS OPEN

1258 420 DRUMS 447-7144 454 LOADED FOR RED PROP.

124 TEAM 3 IS OUT

128 STARTING MID DAY CHALLENGE.

1256 MID DAY COMPLETE

1228 TEAM 1 IS IN ECS.

1308 420 DRUMS 455 TEAM 458 LOADED FOR RED PROP.

128 TEAM 1 IS OUT.

1421 TEAM 2 IS IN ECS.

1527 TEAM 2 IS OUT

1530 STARTING END OF DAY CHECKS.

1600 THE TEAMS WERE OUT PRIOR TO.

1700 SECURED

4572
KZE

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 14 June 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Partly cloudy Low 62° High 85°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Burrell, Dianne	Batista, Fernando
Busch, Matt	Mangosh, Ed	DeLaPaz, Hector	Crouse, Dennis
Courtney, Kenneth	Prate, Warren	Lewis, Leon	Ford, Garry
Day, David	Vail, Todd	Hurd, Irvin	Interiano, David
	Yorkshire, Bart	Tibbs, Leesa	Martinez, Nasario
Matter, Phil	Zimmer, Doug		Reynaga, Roberto
Moon, Dale			Ross, Raymond
Neely, Brian	LIFE STAR		Rouse, James
Nelms, Bobby	Bagley, John		
Oien, Joshua	Alfaro, Walter		
Rider, Matthew			
Rockwell, Margaret			
Ward, Charles	ACCUPERMIT	CEHNC	EOD
	Vargas, Gustavo	Boles, Judson	
	Vargas, Brandon		
		CENAB	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for decon operations under ECS location 3. Finished last construction mat, then deconned the Komatsu 88.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 06-14-16**A. RADIO CHECKS**0745

Mini Cams 1&2

Rescue

PDS

Cascade

Medical

Traffic Control

Teams 1-3

EOD

Packaging

Corp Safety

Operations

Tech Ops

Site Mgr

MPD

1224 1226
0752 0733**B. MINI CAMS****C. DAAMS**0800**D. MEDICS**0630**E. PDS**0725**G. RESCUE/Medical monitoring tent**
Minimum 65 degrees.0600**H. Cascade**✓**I. D2PC (WEATHER STATION)**0700**J. HCI Monitors**0800**k. Arsine Monitors**0800**l. 88 K. bottle pressure, Regulator Setting****m. 55 K. bottle pressure, Regulator Setting**

76

75 6-14-16

1630 SAFETY BRIEF.

1745 RADIO CHECKS.

1800 ALL MONITORS ARE UP.

1807 TEAM 1 IS IN ECS.

1915 ECS TRUCK DOORS OPEN.

2027 H2O DRUMS 459 THRU 464 / PPE DRUMS 373 &
374 LOADED FOR FED. PROPERTY. ECS
TRUCK DOORS CLOSED.

2121 TEAM 1 IS OUT

2205 STARTING MID DAY CHALLENGE.

2214 MIDDAY COMPLETE.

2335 TEAM 2 IS IN THE ECS.

2424 TEAM 2 IS OUT.

2526 STARTING END OF DAY CHECKS.

2600 Teams out briefed

2600 Site Secured

A handwritten signature in black ink, consisting of stylized, overlapping loops and a long horizontal stroke extending to the right.

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 15 June 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Partly cloudy Low 65° High 85°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Burrell, Dianne	Batista, Fernando
Busch, Matt	Mangosh, Ed	DeLaPaz, Hector	Ford, Garry
Courtney, Kenneth	Prate, Warren	Lewis, Leon	Interiano, David
Day, David	Vail, Todd	Hurd, Irvin	Martinez, Nasario
	Yorkshire, Bart	Tibbs, Leesa	Reynaga, Roberto
Matter, Phil	Zimmer, Doug		Ross, Raymond
Moon, Dale			Rouse, James
Neely, Brian	LIFE STAR		
Nelms, Bobby	Alfaro, Walter		
Oien, Joshua	Murdock, Mark		
Rider, Matthew			
Rockwell, Margaret			
Ward, Charles	ACCUPERMIT	CEHNC	EOD
	Vargas, Gustavo	Boles, Judson	
	Vargas, Brandon		
		CENAB	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for decon operations under ECS location 3. Cleaned out the decon sump and cleaned all the decon gear. Set-up heaters under the 55 and 88 covers for use tomorrow. Cleaned up all chemical boots for headspace and turn-in. Dumped 4 rolloffs and lined 1.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

Daily Contractor Quality Control Report					
Contract Number:	W91ZDY-09-D-0062				
Delivery Order Number:	0006				
Project Name:	4825 Glenbrook Rd. Remedial Action, Spring Valley FUDS.				
Project Number:	748272.03000				
Site Location:	Spring Valley, Washington, D.C.				
Date:	6/5/2016 Wednesday				
Weather:	Cloudy 63-84 °F, wind -- 0 to 4 mph.				
Field Instrument:	(7) Armine - (1) Down Range, (1) CAFS MID 1, (1) CAFS MID 2, (1) CAFS MID 3, (1) CAFS 1 Exhaust, (1) CAFS 2 Exhaust, (1) CAFS 3 Exhaust), (5) HCL - (1) Down Range, (1) Pre-Filter, (1) CAFS MID 1, (1) CAFS MID 2, (1) CAFS MID 3, (1) HCN - (1) Down Range), (1) PID - Down Range, (1) Combustible Gas Monitor, MiniCAMMS, DAAMS				
Measurements:	All Non Detect.				
Calibrations:	Armine and HCL -- Fresh air zero calibration, HCN -- Fresh Air and 10ppm HCNA/Nitrogen Balance, PID - 100ppm Isobutylene and fresh air.				
Activities Conducted:	Crews conducted decon activities. Transferred 7 water drums to Fed. Property. Crews cleaned sump and cleaned decon gear. Dumped cleared roll-offs. Rebuild filter packaging area at Fed. Property. Packaged TAP boots for headspacing.				
Summary:	Crews conducted decon activities. Transferred 7 water drums to Fed. Property (see Drum Transfer Manifest for IDs). Crews cleaned sump and cleaned decon gear. Dumped cleared roll-offs. Rebuild filter packaging area at Fed. Property. Packaged TAP boots for headspacing.				
Items Found:	No New Items				
Contingency Plan Initiated:	No				
Air Monitoring:	MiniCAMMS, DAAMS				
IDW Generated:	PPE and Decon Water				
Waste Disposal:	None				
Departures from approved SSWP:	None				
Problems encountered/resolutions:	None				
Instructions given by government personnel:	None				
Attachments:	Sample Logs Daily QC Logs UXO Safety Log (Weekly) COC				
Signed by:					
Name (print):	Margaret Rockwell				
Date:	6/5/2016				
Phone Number:	571-721-9804				
Copies sent to:	Tammy Chang, Beth Driskill, Phil Matter, David Day, Janelle Boucal				

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 06-15-16**A. RADIO CHECKS**0723

Mini Cams 1&2

Rescue

PDS

Cascade

Medical

Traffic Control

Transit-3

FOD

Packaging

Corp Safety

Operations

Tech Ops

Site Mgr

MPD

B. MINI CAMS0800 0802**C. DAAMS**0800**D. MEDICS**0630**E. PDS**0720**G. RESCUE/Medical monitoring tent**
Minimum 65 degrees.0720**H. Cascade**↓**I. D2PC (WEATHER STATION)**0700**J. HCI Monitors**0800**k. Arsine Monitors**0800**l. 88 K. bottle pressure, Regulator Setting****m. 55 K. bottle pressure, Regulator Setting**

Pg

74 6-15-16

0630 SAFETY BRIEF.

0723 RADIO CHECKS.

0802 ALL MONITORS ARE UP.

0820 ELS TRUCK BATTERIES ARE OPEN. TEAM 3
IS IN @ 0814

0844 420 DRAMS 465 THRU 471 LOADED FOR LED
PROPERTY.

0859 TEAM 1 IN ELS TO HELP TEAM 3 W/ BACKING
THE 19 EXCAVATOR.

0913 TEAM 1 IS OUT.

0922 TEAM 3 IS OUT.

0905 TEAM 1 IS IN ELS

0925 TEAM 1 IS OUT OF THE ELS.

0927 STARTING END OF DAY CHECKS.

TEAMS WILLING TO LED PROPERTY.

0930 THE TEAMS WERE OUT BRIEFED.

710 SECURED

A handwritten signature in black ink, appearing to be "J. J. [unclear]", is written over a diagonal dotted line that extends from the bottom left towards the center of the page.

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 16 June 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Partly cloudy

Low 65° High 75°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Burrell, Dianne	Batista, Fernando
Busch, Matt	Mangosh, Ed	DeLaPaz, Hector	Crouse, Dennis
Courtney, Kenneth	Prate, Warren	Lewis, Leon	Ford, Garry
Day, David	Vail, Todd	Hurd, Irvin	Interiano, David
	Yorkshire, Bart	Tibbs, Leesa	Martinez, Nasario
Matter, Phil	Zimmer, Doug		Reynaga, Roberto
Moon, Dale			Ross, Raymond
Neely, Brian	LIFE STAR		Rouse, James
Nelms, Bobby	Bagley, John		Martinez, Saul
Oien, Joshua	Ramsey, Charles		
Rider, Matthew			
Rockwell, Margaret			
Ward, Charles	ACCUPERMIT	CEHNC	EOD
	Vargas, Gustavo	Boles, Judson	
	Vargas, Brandon		
		CENAB	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for decon operations under ECS location 3. Last day of decon operations, ran DAAMS tubes on Komatsu 55 and 88. 56 drums of soil for subtitle D landfill dumped. Cut grass and other maintenance items at both work sites.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

VisitorsContractors

	DAVEY (0)
	ACCUPERMIT (2)
	ACI (0)
	CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

PRE-OPERATIONS Checklist. Spring Valley Washington DC Date 06-16-16**A. RADIO CHECKS**

Mini Cams 1&2
 Rescue
 PDS
 Cascade
 Medical
 Traffic Control
 Jeauski-3
 FOD
 Packaging
 Corp Safety
 Operations
 Tech Ops
 Site Mgr
 MPD

0740

B. MINI CAMS

0730 0741

C. DAAMS

0700

D. MEDICS

0630

E. PDS

0705

**G. RESCUE/Medical monitoring tent
Minimum 65 degrees.**

0750

H. Cascade

L

I. D2PC (WEATHER STATION)

0700

J. HCT Monitors

0800

k. Arsine Monitors

0800

l. 88 K bottle pressure, Regulator Setting**m. 55 K bottle pressure, Regulator Setting**

3

77 6-16-16

1630 SAFETY BRIEF

1740 RADIO CHECKS.

1710 ALL MINIBUS ARE DP.

1916 TEAM 3 IS IN ECS.

1835 TEAM 3 IS OUT TEMP @ 70.1

1926 TEAM 3 IS IN EIS TEMP @ 72.6.

1931 TEAM 3 & CAR4 IN FLS. RUNNING DAMS
IN THE 53/89 KAWASUM EXCAVATORS.
@ 10:07.

1008 TEAM 3 & CAR4 OUT.

1111 TEAM 3; CAR4 IN EIS.

1109 TEAM 3; CAR4 OUT AND DAMS PUMPS
WERE COLLECTED.

1110 STARTING END OF DAY.

20 SECURED

1007

1007

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 20 June 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Overcast, light rains

Low 62° High 85°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff	Burrell, Dianne	Batista, Fernando
Busch, Matt	Mangosh, Ed	DeLaPaz, Hector	Ford, Garry
Courtney, Kenneth		PalePale, Mo	Interiano, David
Day, David	Vail, Todd	Tibbs, Leesa	Martinez, Nasario
Lemieux, Joshua	Yorkshire, Bart		Reynaga, Roberto
Matter, Phil	Zimmer, Doug		Ross, Raymond
Moon, Dale			Rouse, James
Neely, Brian	LIFE STAR		
Nelms, Bobby			
Oien, Joshua			
Rider, Matthew			
Rockwell, Margaret			
Ward, Charles	ACCUPERMIT	CEHNC	EOD
	Schmidt, James	Boles, Judson	
	Vargas, Brandon		
		CENAB	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for removal of decon and high probability equipment. Tore down decon sump, brought down the PDS tent, begin to disassemble the vestibule.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

Daily Contractor Quality Control Report					
Contract Number:	W912DY-09-D-0062				
Delivery Order Number:	0006				
Project Name:	4825 Glenbrook Rd. Remedial Action, Spring Valley FUDS.				
Project Number:	748272.03000				
Site Location:	Spring Valley, Washington, D.C.				
Date:	6/20/2016 Monday				
Weather:	Cloudy 70-89 °F, wind -- 0 to 6 mph.				
Field Instrument:	None				
Measurements:	All Non Detect.				
Calibrations:	None				
Activities Conducted:	Broken down decon pump. Removed 9 drums from FDS and ECS (see Drum Transfer Manifest for IDs). Filled in sump and graded in preparation for high-bill. Partially tore down ventstack. Took down FDS tent.				
Summary:	Broken down decon pump. Removed 9 drums from FDS and ECS (see Drum Transfer Manifest for IDs). Filled in sump and graded in preparation for high-bill. Partially tore down ventstack. Took down FDS tent.				
Items Found:	No New Items				
Contingency Plan Initiated:	No				
Air Monitoring:	None				
IDW Generated:	None				
Waste Disposal:	None				
Departures from approved SSWP:	None				
Problems encountered/resolutions:	None				
Instructions given by government personnel:	None				
Attachments:	Sample Logs Daily QC Logs UXO Safety Log (Weekly) COC				
Signed by:	Margaret Rockwell				
Name (print):	Margaret Rockwell				
Date:	6/20/2016				
Phone Number:	571-721-9804				
Copies sent to:	Tammy Chang, Beth Driskill, Phil Matter, David Day, Janelle Boucal				

2

78 6-20-14

0630 SAFETY BRIEF. THE SITE'S PPE LEVEL
IS "B".

0700 WORKING TO BRING DOWN SIDE.

0800 THE TEAMS WERE OUT-BRIEFED.

0900 SECURED

[Handwritten signature]

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 21 June 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Overcast, drizzle

Low 65° High 91°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff		Batista, Fernando
Busch, Matt	Mangosh, Ed		Martinez, Saul
Courtney, Kenneth	Prate, Warren		Ford, Garry
Day, David	Vail, Todd		Interiano, David
Lemieux, Joshua	Yorkshire, Bart		Rouse, James
Matter, Phil	Zimmer, Doug		Reynaga, Roberto
Moon, Dale			Ross, Raymond
Neely, Brian	LIFE STAR		
Nelms, Bobby			
Oien, Joshua			
Rider, Matthew			
Rockwell, Margaret			
Ward, Charles	ACCUPERMIT	CEHNC	EOD
	Schmidt, James	Boles, Judson	
	Vargas, Brandon		
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for removal of decon and high probability equipment. High lift on site removing airlines, cameras, lights and other suspended items. Took down dress out tent, floors and the remaining parts of vestibule. Continue to take equipment to the connexes after site removal.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

VisitorsContractors


	DAVEY (0)
	ACCUPERMIT (2)
	ACI (0)
	CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

Daily Contractor Quality Control Report					
Contract Number:	W912DY-09-D-0062				
Delivery Order Number:	0006				
Project Name:	4825 Glenbrook Rd. Remedial Action, Spring Valley FUDS.				
Project Number:	748272.03000				
Site Location:	Spring Valley, Washington, D.C.				
Date:	6/21/2016 Tuesday				
Weather:	Cloudy 72-91 °F, heavy rain and thunderstorms in afternoon, wind - 0 to 6 mph.				
Field Instrument:	None				
Measurements:	All Non Detect.				
Calibrations:	None				
Activities Conducted:	Brought in High-Eit. Took down PDS and dress-out tents and removed floors. Fixed fence on Glenbrook Rd. Lightening bolt began at 2pm until end of day.				
Summary:	Brought in High-Eit. Took down PDS and dress-out tents and removed floors. Fixed fence on Glenbrook Rd. Lightening bolt began at 2pm until end of day.				
Items Found:	No New Items				
Contingency Plan Initiated:	No				
Air Monitoring:	None				
IDW Generated:	None				
Waste Disposal:	None				
Departures from approved SSWP:	None				
Problems encountered/resolutions:	None				
Instructions given by government personnel:	None				
Attachments:	Sample Logs Daily QC Logs UXO Safety Log (Weekly) COC				
Signed by:					
Name (print):	Margaret Rockwell				
Date:	6/21/2016				
Phone Number:	571-721-9804				
Copies sent to:	Tammy Chang, Beth Driskill, Phil Matter, David Day, Janelle Boucal				

P

79 6-21-16

1230 SAFETY BRIEF.

1400 RADIO CHECKS.

1350 LIGHTNING HOLD.

1700 SECURED

[Handwritten signature]

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 22 June 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Cloudy, humid Low 62° High 88°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff		Batista, Fernando
Busch, Matt	Mangosh, Ed		Ford, Garry
Courtney, Kenneth	Prate, Warren		Martinez, Saul
Day, David	Vail, Todd		Rouse, James
Lemieux, Joshua	Yorkshire, Bart		
Matter, Phil	Zimmer, Doug		
Moon, Dale			
Neely, Brian	LIFE STAR		
Nelms, Bobby			
Oien, Joshua			
Rider, Matthew			
Rockwell, Margaret			
Ward, Charles	ACCUPERMIT	CEHNC	EOD
	Schmidt, James	Boles, Judson	
	Vargas, Brandon		
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for removal of high probability equipment. All lights, cameras and air lines removed from the former ECS. Off-load shipment of water drums. Sampled 149 water drums.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

[illegible]

11

5

6-22-16

2:30 SAFETY BRIEF

1:50 RADIO CHECKS.

50 THE TEAMS WERE OUT BRIEFED
7:00 SECURED

[Handwritten signature]

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 23 June 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Rain, lightning Low 62° High 85°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff		
	Mangosh, Ed		
Courtney, Kenneth	Prate, Warren		
Day, David	Vail, Todd		
Lemieux, Joshua	Yorkshire, Bart		
Matter, Phil	Zimmer, Doug		
Neely, Brian	LIFE STAR		
Nelms, Bobby			
Oien, Joshua			
Rider, Matthew			
Rockwell, Margaret			
Ward, Charles	ACCUPERMIT	CEHNC	EOD
	Schmidt, James	Boles, Judson	
	Vargas, Brandon		
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for the removal of high probability equipment. On lightning hold from the moment we got on site and continued for 2 hours, the decision was made to call the day as the weather seemed to be around all day.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

P.

6-23-16

130 SAFETY BRIEF. THE SITE IS
ON LIGHTHOUSE AFD.

130 THE TEAMS WERE RELEASED FOR THE DAY.

160 CONFERENCE CALL.

170 SECURED

2-1-16

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 27 June 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Overcast, humid

Low 69° High 85°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff		
Busch, Matt	Mangosh, Ed		
Courtney, Kenneth	Prate, Warren		
Day, David	Vail, Todd		
Lemieux, Joshua	Yorkshire, Bart		
Matter, Phil	Zimmer, Doug		
Neely, Brian			
Nelms, Bobby	LIFE STAR		
Oien, Joshua			
Rider, Matthew			
Rockwell, Margaret			
Ward, Charles			
	ACCUPERMIT	CEHNC	
	Schmidt, James		EOD
	Aumwood, Floyd		
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for the removal of high probability equipment. Brought in backfill to make pad area so the high-lift can reach all areas inside the ECS. Project Manager made site visit and looked at all areas and our progress. 4 rolloffs dumped.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

P2

92 6-27-16

1430 SAFETY BRIEF.

0710 RADIO CHECKS.

150 DAVID KLINE AND TIMOTHY EVANS FROM
ECBC ON SITE.

1045 DAVID KLINE AND TIMOTHY EVANS OFF SITE.

IN THESE EVENTS WERE NOT BRIEFED

WAS DELETED

6-27-16
J. J. J.

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 28 June 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Overcast, humid

Low 69° High 85°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff		
Busch, Matt	Mangosh, Ed		
Courtney, Kenneth	Prate, Warren		
Day, David	Vail, Todd		
Lemieux, Joshua	Yorkshire, Bart		
Matter, Phil	Zimmer, Doug		
Neely, Brian			
Nelms, Bobby	LIFE STAR		
Oien, Joshua			
Rider, Matthew			
Rockwell, Margaret			
Ward, Charles			
	ACCUPERMIT	CEHNC	
	Schmidt, James		EOD
	Aumwood, Floyd		
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for the removal of high probability equipment. Set up construction pads for expanded Hi-lift area. Filled 4 class 9 boxes with metal carbon filters from CAFS, and dumped 4 rolloffs.

End of Day: 17:00

SAMPLES COLLECTED: No samples collected.

Closed cavity items found: None

New Equipment on Site: N/A

VisitorsContractors

	DAVEY (0)
	ACCUPERMIT (2)
	ACI (0)
	CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

13 6-24-16

1630 SAFETY BRIEF.

1700 RADIO CHECKS. THE TEAMS ARE
WORKING AT FDD PROPERTY.

1800 THE TEAMS WERE SENT BACK TO
1900 SECURAB

5/1/16

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 29 June 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Overcast, humid

Low 65° High 87°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Bowles, Jared	Krivickas, Jeff		
Busch, Matt	Mangosh, Ed		
Courtney, Kenneth	Prate, Warren		
Day, David	Vail, Todd		
Lemieux, Joshua	Yorkshire, Bart		
Matter, Phil	Zimmer, Doug		
Neely, Brian			
Nelms, Bobby	LIFE STAR		
Oien, Joshua			
Rider, Matthew			
Rockwell, Margaret			
	ACCUPERMIT	CEHNC	
	Schmidt, James		EOD
	Aumwood, Floyd		
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for the removal of high probability equipment. Dumped 6 rolloffs and 32 PPE drums and filled 4 class 9 boxes of filters.

End of Day: 17:00

SAMPLES COLLECTED: No Samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

Daily Contractor Quality Control Report					
Contract Number:	W912DY-09-D-0062				
Delivery Order Number:	0006				
Project Name:	4825 Glenbrook Rd. Remedial Action, Spring Valley FUDS.				
Project Number:	748272.03000				
Site Location:	Spring Valley, Washington, D.C.				
Date:	6/27/2016 Monday				
Weather:	Partly Cloudy 68-87 °F, wind – 0 to 9 mph.				
Field Instrument:	None				
Measurements:	All Non Detect.				
Calibrations:	None				
Activities Conducted:	Shipped 3 water drum samples to APPL for disposal characterization (See APPL COC for IDs). Brought soil into former ECS tent and built construction pad. Arranged CONEX with gear from former ECS tent. Bagged and boxed filters.				
Summary:	Shipped 3 water drum samples to APPL for disposal characterization (See APPL COC for IDs). Brought soil into former ECS tent and built construction pad. Arranged CONEX with gear from former ECS tent. Bagged and boxed filters.				
Items Found:	No New Items				
Contingency Plan Initiated:	No				
Air Monitoring:	None				
IDW Generated:	None				
Waste Disposal:	None				
Departures from approved SSWP:	None				
Problems encountered/resolutions:	None				
Instructions given by government personnel:	None				
Attachments:	Sample Logs Daily QC Logs UXO Safety Log (Weekly) COC				
Signed by:					
Name (print):	Margaret Rockwell				
Date:	6/27/2016				
Phone Number:	571-721-9804				
Copies sent to:	Tammy Chang, Beth Driskill, Phil Matter, David Day, Janelle Boucal				

PC

74 6-29-16

1030 SAFETY BRIEF:

5700 RADIS CAECYS. 7E9405 WORKING
AT FEDERAL PROPERTY.

1100 THE TERMS WERE NOT BRIEFED
780 SECURED.

[Handwritten signature/initials]

SPRING VALLEY, WASHINGTON DC

Contract No: W912DY-09-D-0062

Delivery Order: TO 0006

Date: 30 June 2016

Site Location: Spring Valley, 4825 Glenbrook Road

Weather:

Partly Cloudy Low 65° High 88°

Personnel on Site

PARSONS	ZES	ECBC	CARA-RRE
Busch, Matt	Krivickas, Jeff		
Courtney, Kenneth	Mangosh, Ed		
Day, David	Prate, Warren		
Matter, Phil	Vail, Todd		
Neely, Brian	Yorkshire, Bart		
Nelms, Bobby	Zimmer, Doug		
Oien, Joshua			
Rider, Matthew	LIFE STAR		
Rockwell, Margaret			
	ACCUPERMIT	CEHNC	
	Schmidt, James		EOD
	Aumwood, Floyd		
		CENAB	
		Martin, J.R.	

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing: 6:30

Personnel prepared the site for the removal of high probability equipment. 19 PPE drums and 4 rolloffs emptied. 8 pallets of sandbags removed from around the perimeter of the ECS.

End of Day: 17:00

SAMPLES COLLECTED: No samples

Closed cavity items found None

New Equipment on Site: N/A

Visitors

Contractors

DAVEY (0)
ACCUPERMIT (2)
ACI (0)
CPJ (0)

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	To be included if investigation is using CSS protocols
Dig Sheet	Y/N	To be included at least once every week during intrusive investigation
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	To be included weekly during field activities
Property Management Summary	Y/N	Include complete property inventory once every month
Photographs	Y/N	

19

15 6:30-17

1:30 SAFETY BRIEF.

1:30 RADIO CHECKS.

1:40 CONFERENCE CALL CRANE OPS / ELS REMOVE.

1:45 CONFERENCE CALL COMPLETE.

1:52 DAN NOBLE ON SITE.

1:55 DEPARTED

[Handwritten signature]

12

7-6-06

30 SAFETY BRIEF.

50 RADIO CHECKS

70 GRAB CRANE SERVICE ON SITE FOR SET UP.

90 GRAB COMPLETED SETUP AND IS OFF SITE.

110 SECURED



26

7-7-14

1430 SAFETY BRIEF.

1700 RADIO CHECKS.

1800 CRANE AND RIGGING INSPECTIONS COMPLETED

1842 STARTING CRANE OPS.

1900 MADISON DAINLAND AND EDWARD LEBRIZ

W/ ROBB ARE ON SITE. A SAFETY BRIEF
WAS CONDUCTED.

1930 CONFERENCE CALL

1940 THE TEAMS WERE OUT-BRIEFED

2000 SECURED.

[Handwritten signature]

20

7-8-16

1630 SAFETY BRIEF.

1700 RADIO CHECKS.

1915 THE CRANE AND PILING INSPECTIONS
WERE COMPLETED.

1927 SHUTTING CRANE OPS.

300 SITE SUSPENDED OPERATIONS DUE TO
EXCESSIVE HEAT. WENT TO 9P.3

PER SECURED

7-8-16
J. J.

7-11-16

SAFETY BRIEF-

RADIO CHECKS.

RIGGING AND CRANE INSPECTIONS
COMPLETED.

STARTING CRANE OPERATIONS.

SECURED

[Handwritten signature]

27

90 7-12-16

1230 SAFETY BRIEF.

1557 RADIO CHECKS.

1735 STARTING CRANE OPERATIONS.

1820 CRANE OPERATIONS SECURED.

2000 SECURED

12/16/16

83

71 7-13-14

5630 SAFETY BRIEF.

5750 RADIO CHECKS.

5820 STARTING CRANE OPERATIONS.

5920 CRANE OPERATIONS SECURED

6000 SECURED

7/13/14

5

7-14-16

130 SAFETY BRIEF.

135 RADIO CHECKS.

140 STARTING CRANE OPERATIONS.

130 COL CHAMBERLAYNE, DAN NOBIC, BRENDON
BARBER. GUY COLLINS AND JOHN T. SUTHER
ARE ON SITE.

120 WORK REST BEGINNING 25/75 TOP
WGET @ 91.5

70 SECURED

7-14-16
7-14-16
7-14-16

P₂

93 7-15-16

630 SAFETY BRIEF.

750 RADIO CHECKS.

816 CRANE AND RIGGING INSPECTIONS
COMPLETED.

820 STARTING CRANE OPERATIONS.

113 DAILY. LAMN SERVICE CUTTING CRANE AT
FEDERAL PROPERTY.

315 WPGT @ 90.0 WORK REST @ 25/75

768 SECURED



2.

24

718-16

30

SAFETY BEEP.

32

RADIO CHECKS

320

STARTING CRANE OPERATIONS

340

WSET @ 86.7 WORK (REST CYCLE 50/50)

360

WSET @ 90.4 WORK (REST CYCLE 50/50)

380

CRANE OPS SECURED

400

LIGHTNING, HOLD.

420

REMOVED

10/21/16
F. 57
P.L.

R

95 7-19-16

0630 SAFETY BRIEF:

0700 RADIO CHECKS.

0800 RIGGING AND CRANE INSPECTORRY COMPLETED
STARTING OPERATIONS.

0900 LIGHTNING HAZ.!

0930 OFF LIGHTNING HAZ. WRET @ 87.0

WORK/REST 50/50

1115 WRET @ 90.0 WORK/REST 25/75.

1150 STOPPED

7-19-16
0-11-16

7/20

9/6 7-20-16

0630 SAFETY BRIEF.

0800 RADIO CHECKS.

0913 CRANE AND RIGGING INSPECTIONS COMPLETE.
STARTING CRANE OPERATIONS.

1050 MEET @ 97.2 WERE LEFT @ 50150

1700 SECURED

[Handwritten signature]

Pg

97 7-27-16

0630 SAFETY BRIEF

0800 RADIO CHECKS.

0815 CRANE & RIGGING INSPECTIONS COMPLETE.

0827 STARTING CRANE OPERATION.

0930 WRET @ 75.0 WRRK / WRET 50/50.

1700 SECURED

RECEIVED

Pg

98

7-22-14

0630 SAFETY BRIEF. JEFF HERMICK
ON SITE FOR CONOPS.

0750 TADIR CHECKS.

0815 CRANE AND RIGGING INSPECTION COMPLETE,
STARTING OPERATIONS.

0900 SEAN BUCKLEY OFF SITE - THE WILLIAMS
SECTION IN REPAIR NOW ON SITE FOR
LIGHT REPAIR.

0920 WBGT @ 25.0 WORK/REST 50/50

0942 LIGHT REPAIRS COMPLETE.

1100 CONFERENCE CALL

1230 TWO WEEK LOOK AHEAD.

1310 WBGT @ 70.6 WORK/REST 25/75.

1323 CRANE OPS COMPLETE.

1330 SEAN BUCKLEY OFF SITE

1700 SECURED

[Handwritten signature]

Fg

99 7-25-16

0630 SAFETY BRIEF.

0750 RADIO CHECKS.

0812 THE CRANE AND RIGGING INSPECTIONS
WERE COMPLETED.

0824 STARTING CRANE OPERATIONS.

0843 WRET @ 86.7 WORK / REST 50 / 50

0925 WRET @ 91.4 WORK / REST 25 / 75

0950 WRET @ 92.3 HEAT INDEX @ 107°F
WORK / REST 25 / 75.

1040 CRANE OPERATIONS WERE SUSPENDED
FOR THE DAY DUE TO HEAT.

1130 SITE SECURED DUE TO HEAT.

[Handwritten signature]

P
19

108 7-26-16

0630 SAFETY BRIEF.

0735 RADIO CHECKS.


0813 THE CRANE AND RIGGING INSPECTION
WERE COMPLETED.

0835 WEIGHT @ 25.3 WORK/REST 50/50

0840 STARTING CRANE OPERATIONS, CUTTING
"I" BEAM.

1050 WEIGHT @ 40.1 WORK/REST 25/75

1750 SECURED.



16

1 7-27-16

0630 SAFETY BRIEF.

0710 ECBI ON SITE REMOVING ^{CAFS} FUEL TANKS.

0735 RADIO CHECKS.

0813 THE CRANE AND RIGGING INSPECTIONS
WERE COMPLETED.

0830 STARTING CRANE OPERATIONS.

0914 WBGT @ 85.0 WORK/REST 50/50

1300 ELEC OFF SITE

1400 WBGT @ 96.4 WORK/REST 25/75

1700 SECURED

[Handwritten signature]

Pg

2 7-28-16

0630 SAFETY BRIEF

0750 RADIO CHECKS. EEST ON SITE.

0809 THE CRANE AND RIGGING INSPECTION
WAS COMPLETED. STARTING CRANE OPS.

0824 WGT @ 85.1 WORK/REST 50/50

0838 WGT @ 88.7 WORK/REST 25/75

1145 WGT @ 93.8 WORK/REST 25/75

1150 CONFERENCE CALL

1302 LIGHTNING HOLD.

1332 OFF LIGHTNING HOLD.

1700 SECURED

[Handwritten signature]

72

3 7-29-16

0630 SAFETY BRIEF.

0725 EIRC ON SITE

0750 RADIO CHECKS.

0825 THE CRANE AND RIGGING INSPECTIONS.
COMPLETED, STARTING OPERATIONS.

1105 WGT @ 86.2 WORK/REST 50/50

1247 WGT @ 90.7 WORK/REST 25/75

1710 SECURED

[Handwritten signature]

76

4

8-1-16

0630

SAFETY BRIEF.

0750

RADIO CHECKS.

0815

CRANE AND RIGGING INSPECTIONS COMPLETED,
STARTING OPERATIONS.

1027

WBLT @ 85.3 WORK/REST 50/50

1147

WBLT @ 91.3 WORK/REST 50/50

1700

SECURED

[Handwritten signature]

Ra

5 8-2-14

0630 SAFETY BRIEF.

0740 RADIO CHECKS.

0813 THE CRANE AND RIGGING INSPECTION.
WERE COMPLETED.

0825 STARTING CRANE OPS.

1255 LIGHTNING HOLD.

1325 OFF LIGHTNING HOLD.

1351 WGT @ 92.3 25/75 FOR WORK/REST

1700 SECURED.

[Handwritten signature]

Pg

6 8.3-16

0630 SAFETY BRIEF

0728 RADIO CHECKS

0815 THE CRANE AND PILING INSPECTIONS
WERE COMPLETED.

0855 STARTING CRANE OPERATIONS.

1300 WGET @ 88.3 50/50 WORK (1154

1700 SECURED

1077
J. S.

R

7 8.4.16

0630 SAFETY BRIEF

0730 RADIO CHECKS.

0810 THE CREW AND RIGGING INSPECTIONS
WERE COMPLETED. STARTING CRANE OPS.

1716 SECURED

[Handwritten signature]

P₄

8 8-5-16

0630 SAFETY BRIEF.

0750 RADIO CHECKS.

1700 SECURED

[Handwritten signature]

P₄

9 8.8.16

0630 SAFETY BRIEF.

0750 RADIO CHECKS.

717 SECURED

[Handwritten signature]

PG

10 8-9-16

0630 SAFETY BRIEF

0750 RADIO CHECKS.

1100 THE CRANE & RIGGING INSPECTIONS
WERE COMPLETED.

1100 SECURED

[Handwritten signature]

R

11 8-10-16

0630 SAFETY BRIEF.

0750 RADIO CHECKS.

0755 ELBC ON SITE AND BRIEFED

0810 THE CRANE AND RIGGING INSPECTIONS.

HAVE BEEN COMPLETED. STARTING OPERATIONS.

0958 WBET@ 88.5 WORK/REST 50/50

1257 WBGT@ 93.8 WORK/REST 25/75

1700 SECURED

[Handwritten signature]

P₉

12 8.11.14

0630 SAFETY BRIEF

0759 RADIO CHECKS ELB ON SITE AND
BRIEFED.

0827 THE CRANE AND RIGGING INSPECTIONS
WERE COMPLETED.

0946 WBGT @ 87.2 WORK/REST - 50/50

1037 WBGT @ 92.0 WORK/REST 25/75

1150 CONFERENCE CALL

1700 SECURED

[Handwritten signature]

Pg

13 8-12-16

0630 SAFETY BRIEF.

0740 RADIO CHECKS.

0805 THE CRANE AND RIGGING INSPECTIONS
WERE COMPLETED. STARTING OPS

0935 WSGT @ 90.0 WORK (REST 25/75

1222 WSGT @ 95.3 WORK (REST 25/75

1700 SECURED

STW
SA

96

14 8-15-16

0630 SAFETY BRIEF.

0752 RADIO CHECKS.

0810 THE CRANE AND RIGGING INSPECTIONS
WERE COMPLETED.

0952 WBLT @ 88.0 WORK/REST 50/50

0958 WBLT @ 90.3 WORK/REST 25/75

1142 WBLT @ 95.0 WORK/REST 25/75

1700 SECURED

[Handwritten signature]

8/16

15 8-16-16

0630 SAFETY BRIEF

0730 RADIO CHECK

0810 THE CRANE AND RIGGING INSPECTIONS
WERE COMPLETED.

1000 WGT @ 88.0 WORK/REST 50/50

1125 WGT @ 90.8 WORK/REST 25/75

1700 SECURED.

[Handwritten signature]

16

16 8-17-16

0630 SAFETY BRIEF.

0750 RADIO CHECKS.

1020 WPET @ 88.9 WORK/REST 50/50

1700 SECURED

JP
SMA
7/2

P₂

17 8-18-16

0630 SAFETY BRIEF.

0750 RADIO CHECKS.

0815 GRASS CRANE CREW ON SITE.

1700 SEC CHECKS

STOP
WORK
ON
SITE
DUE
TO
LACK
OF
EQUIPMENT

R₄

18 8-22-16

0630 SAFETY BRIEF.

0700 RADIO CHECKS. TEAMS WORKING
FED SIT.

1700 SECURED

RECEIVED

P4

19 8-23-16

0630 SAFETY BRIEF

0700 RADIO CHECKS

1130 EXTRACTING AND RUMBLE CORE PM'S
ON SITE. SEND BACKLOG ON SITE

1700 SECURE

[Handwritten signature]

R

20 3-24-16

0630 SAFETY BRIEF

0747 RADIO CHECKS.

1700 SECURED

STILL
J. L.

2
12

21 8-25-16

0630 SAFETY BRIEF

0750 RAIN CHECKS

0910 BRUCE COURNEY REPORTS BACK
STUNG BY WASP @ JOB PROPERTY.
NO MEDICAL ATTENTION IS REQUIRED
SCAM BUCKLEY WAS NOTIFIED. WORK-CARE
WILL BE NOTIFIED.

1700 SECURED

[Handwritten signature]

R

22 8-29-16

0630 SAFETY BRIEF

0750 RADIO CHECKS

1700 SECURE

[Handwritten signature]

76

27 8-30-16

0630 SAFETY BRIEF

1750 RADIO CHECKS.

1700 SECURED

15872
0-1

P6

24 8-31-16

0630 SAFETY BRIEF

0710 CPS ON SITE

0710 JR. MARTIN, THE CH2M HILL CORP REP, REPORTS
THAT THE CEMENT TRUCKS WORKING @
430 GLENWOOD ARE WASHING THEIR EQUIPMENT
IN THE STREET AND CEMENT RUNOFF IS
ON ONE SIDE OF THE STREET. PICTURES
WERE TAKEN

0846 CPS OFF SITE

0900 COLLECTING SAMPLES FOR VOL & SUD.

1500 13 SAMPLE POINTS WERE COMPLETED.

1700 SECURED

11/27/16
JRM

2

25 9-1-16

0630 SAFETY BRIEF.

0710 RADIO CHECKS.

0844 LIGHTNING HOLD.

0922 OFF LIGHTNING HOLD.

1758 SECURED

[Handwritten signature]

76

26

9-6-16

0630

SAFETY BRIEF. Scott Woodward
in life

0730

RADIO CHECKS.

1700

SECURE

Scott Woodward

PC

27 9-7-16

0630 SAFETY BRIEF

0750 RADIO CHECKS.

1022 SEAN SULLIVAN ON SITE.

1150 SECURED.

SEAN SULLIVAN

R

28 9-8-16

0630 SAFETY BRIEF

0750 RADIO CHECKS

1100 CONFERENCE CALL

1120 CONFERENCE CALL COMPLETE.

1700 SECURED

[Handwritten signature]

R

29 9-12-16

0630 SAFETY BRIEF TERRY WILLIS
ON SITE.

0710 CPR & FIRST AID COURSE @ F&D SITE.

1700 SECURED

[Handwritten signature]

16

30

9. 13-16

0630 SAFETY BRIEF.

0758 RADIO CHECKS.

1050 ACI W/ SEAN BUCKLEY ON SITE.

1210 STARTING CUTTING OPERATIONS.

1410 CUTTING OPERATIONS COMPLETE

1700 SECURED

Handwritten signature

R₂

31 9-14-16

0630 SAFETY BRIEF.

0750 RADIO CHECKS.

1340 LOW PROB THUNDER & FCB SIDE.

1700 SECURED

Handwritten signature or initials, possibly "R. J. H.", written diagonally across the page.

Pg

32 8-15-16

0630 SAFETY BRIEF

0750 RADIO CHECKS

1100 CONFERENCE CALL

1130 CONFERENCE CALL COMPLETED

1300 LOW PROBABILITY TRAINING NEEDED
SITE

1700 SECURED

[Handwritten signature]

R

33 9-19-14

0630 SAFETY BRIEF. IN CP TRAILER.
LIGHTNING HOLD.

0750 RADIO CHECKS.

1000 THE SITE WILL BE SHUT DUE TO
T. STORMS.

44 SECURED

THOMAS
SH

[illegible]

P2

34 9-20-16

0630 SAFETY BRIEF.

0750 RADIO CHECKS

0850 TRAFFIC SIGNS UP AND THE GATES OPEN.

0909 MINICAMS UP @ 0759

0842 DAMS PUMPS ON @ 0830

1052 THE #6S IS SET UP AND THE E2
IS SET, STARTING INTRUSIVE OPERATIONS.

1135 TEAMS REPORTS HELI READING 1.3 PM.

1155 STARTING MIDDAY CHALLENGE.

1240 MINICAMS BACK UP @ 12:27

1256 BACK TO INTRUSIVE OPERATIONS.

1400 STARTING TO CUT "H" BEAMS.

1546 STARTING 30 MIN WAIT TIME FOR FIRE WATCH.

1616 WAIT TIME FOR FIRE WATCH IS UP.

NOTE: MINICAMS STARTED END OF DAY CHECKS
AT 1400.

1638 THE TEAMS WERE OUT BRIEFED

1700 SECURED



Pg

35 9-21-16

0630 SAFETY BRIEF

0730 RADIO CHECKS.

0759 MINICAMS ARE UP

0808 SIGNS POSTED AND TIE GATE IS OPEN.

0809 DAMS PUMPS RUNNING.

0810 STARTING OPERATIONS.


1145 STARTING MID DAY CHALLENGE.

1209 MINICAMS BACK UP @ 11:59

1340 WORKING INTRUSIVE

1525 STARTING END OF DAY CHECKS.

1700 SECURED.

Handwritten signature and initials, possibly "S. J. S.", written in dark ink.

[illegible]

Pg

36 9-22-14

0630 SAFETY

0750 TRAFFIC SIGNS ARE IN PLACE.

0759 MINICAMS UP

0800 THE GATES ARE OPEN, DAAMS PUMPS
RUNNING.

0834 ROLLOFF 279900 IS IN THE YARD.

0853 COLLECTED THE VOC SAMPLE #1

0942 COMPOSITE SAMPLE #1 FOR ROLLOFF
279900 COMPLETED.

1035 ROLLOFF 279901 OFF SITE.

1052 ROLLOFF 279655 IS IN THE YARD.

1112 VOC #2 COLLECTED.

1150 ROLLOFF 279655 IS FULL.


1200 STARTING MID DAY CHALLENGE.

1219 MINICAMS BACK UP.

1325 ROLLOFF 279655 IS OFF SITE

1500 STARTING END OF DAY CHECKS.

1710 SECURED

A large, stylized handwritten signature or set of initials, possibly 'R. J. S.', is written across the bottom of the page. It is written in dark ink and appears to be a personal mark or signature.

FG

37 9-26-16

0630 SAFETY BRIEF.

0750 RADIO CHECKS.

0800 DAAMS PUMPS RUNNING.

0822 MINICAMS UP

0830 VOC SAMPLE COLLECTED. FILLING
ROLLOFF RB 21718RT.0914 COMPOSITE SAMPLE COLLECTED, ROLL OFF
RB 21718RT IS FULL.0930 ROLLOFF RB 21718RT IS LOADED FOR
FED PROPERTY.

0957 ROLLOFF 280155 IS IN THE YARD.

1025 VOC COLLECTED. FILLING ROLLOFF 280155.

1125 COMPOSITE SAMPLE COLLECTED, ROLLOFF
280155 IS FULL.

1145 ROLLOFF 280155 IS LOADED FOR FED PROPERTY.

1147 STARTING MID DAY CHALLENGE.

1200 MID DAY COMPLETE

1308 ROLLOFF RB 25738RT IS IN THE YARD.

1402 STARTING TO FILL ROLLOFF.

1430 AVE'S GLASS WAS DISCOVERED. 4.5" X 4"

THE GLASS WAS DOUBLE BAGGED, THE
LOW PROBABILITY CONTINGENCY PLAN
WAS INITIATED. THE SPOILS ARE BEING
COVERED AROUND W/ THE ROLLOFF.

Daily Contractor Quality Control Report					
Contract Number:	W912DY-09-D-0062				
Delivery Order Number:	0006				
Project Name:	4825 Glenbrook Rd. Remedial Action, Spring Valley FUDS.				
Project Number:	748272.03000				
Site Location:	Spring Valley, Washington, DC.				
Date:	9/27/2016 Tuesday				
Weather:	Partly Cloudy 59-73 °F, wind - 0 to 1 mph.				
Field Instrument:	Arimo - (1) Down Range, HCL - (1) Down Range, HCN - (1) Down Range, (1) PID - Down Range, MiniCAMS, DAAMS				
Measurements:	All Non Detect.				
Calibrations:	Arimo and HCL - Fresh air zero calibration, HCN - Fresh Air and 10ppm HCNA Nitrogen Balance, PID - 100ppm Isobutylene and fresh air.				
Activities Conducted:	Excavated in Area A grid 9B, 1B. Filled one roll off				
Summary:	Filled 1 roll-off, collected Composite Samples 6 and 2 (RA-4825GR-Area A-01-092716, RA-4825GR-Area A-VOC-092716-01) Submitted RA-4825GR-Area A-01-092716 for headsapce.				
Items Found:	None				
Contingency Plan Initiated:	No				
Air Monitoring:	MiniCAMMS, DAAMS				
IDW Generated:	PPE and Decon Water				
Waste Disposal:	None				
Departures from approved SSWP:	None				
Problems encountered/resolutions:	None				
Instructions given by government personnel:	None				
Attachments:	Sample Logs Daily QC Logs UXO Safety Log (Weekly) COC				
Signed by:					
Name (print):	Margaret Keckwell				
Date:	9/27/2016				
Phone Number:	571-721-9804				
Copies sent to:	Tammy Chang, Beth Driskill, Phil Matter, Scott Wunschel, Jamele Bousal				

R₂

39 9-27-16

0630 SAFETY BRIEF.

0700 RADIO CHECKS.

0820 Rolloff RB2573 RT IS OFF TO
FED PROPERTY.

0840 Rolloff RB36776 RT IS IN THE YARD.

1000 DAAMS PUMPS RUNNING.

1025 THE PDT HAS GIVEN THE OK TO GO BACK
TO WORK.

1040 MINICAMS ARE UP.

1117 TEAM REPORTS FINDING A BROKEN
GLASS BOTTLE BOTTOM, THERE IS NO LIQUID
OR RESIDUE. MINICAMS HAS NO DEFECT.
THE TEAM WAS INSTRUCTED TO TAKE
PICTURES AND PLACE IN A ROLLOFF CUP.

1200 STARTING MID DAY CHALLENGE.

1216 MIDDAY CHALLENGE COMPLETE

1300 VOC COLLECTED. STARTING TO FILL
ROLLOFF RB36776 RT.


1425 Rolloff RB36776 RT IS FULL

1427 Rolloff RB36776 RT TO FED PROPERTY.

1500 Rolloff 274169 IS IN THE YARD.

1549 STARTING END OF DAY.

1700 SECURED



Daily Contractor Quality Control Report					
Contract Number:	W91ZDY-09-D-0062				
Delivery Order Number:	0006				
Project Name:	4825 Glenbrook Rd. Remedial Action, Spring Valley FUDS.				
Project Number:	748272.03000				
Site Location:	Spring Valley, Washington, D.C.				
Date:	9/28/2016 Wednesday				
Weather:	Raining off and on throughout the day 65-72 °F, wind - 0 to 8 mph.				
Field Instrument:	AraCine - (1) Down Range, HCL - (1) Down Range, HCN - (1) Down Range, (1) PID - Down Range, MiniCAMS, DAAMS				
Measurements:	All Non Detect.				
Calibration:	AraCine and HCL -- Fresh air zero calibration, HCN -- Fresh Air and 10ppm HCNA Nitrogen Balance, PID - 100ppm Isobutylene and fresh air.				
Activities Conducted:	Packaging filters at Fed Property. E&S controls put in place in anticipation of large rain event. No sampling occurred today. Samples shipped to ECBC for low level analysis (See ECBC COC for IDs). Samples shipped to APPL for disposal characterization (See APPL COC for IDs).				
Summary:	Packaging filters at Fed Property. E&S controls put in place in anticipation of large rain event. Samples shipped to ECBC for low level analysis (See ECBC COC for IDs). Samples shipped to APPL for disposal characterization (See APPL COC for IDs).				
Items Found:	None				
Contingency Plan Initiated:	No				
Air Monitoring:	MiniCAMMS, DAAMS				
IDW Generated:	PPE and Decon Water				
Waste Disposal:	None				
Departures from approved SSWT:	None				
Problems encountered/resolutions:	None				
Instructions given by government personnel:	None				
Attachments:	Sample Logs Daily QC Logs UXO Safety Log (Weekly) COC				
Signed by:					
Name (print):	Margaret Rockwell				
Date:	9/28/2016				
Phone Number:	571-721-9804				
Copies sent to:	Tammy Chang, Beth Driskill, Phil Matter, Scott Wunschel, Jamele Bousal				

Pg

40 9-28-16

0630 SAFETY BRIEF

0700 RADIO CHARGES.

0810 MINICAMS UP.

0820 TRAFFIC SIGNS ARE UP.

0830 PREPARING SITE FOR HEAVY RAINS.

1142 THE SITE IS ON LIGHTNING HOLD.

1207 OFF LIGHTNING HOLD.

1300 WORKING @ FED PROPERTY BEGIN WORKING.
FILTERS.

1400 SECURED

~~NOV 1 2016~~

B

41

10-3-16

0630 SAFETY BRIEF

0750 RADIO CHECKS.

0757 MINICAMS UP

0759 DAMS PUMPS RUNNING.

0840 THE EPDS IS SET UP STARTING
INTENSIVE OPERATIONS.

0937 VOC COLLECTED. FILLING ROLL OFF 274169.

1030 ROLL OFF 274169 IS FULL & COMPOSITE
SAMPLE COLLECTED.

1057 ROLL OFF 274169 IS OFF SITE.

1121 ROLL OFF 280192 IS IN THE YARD.

1257 MINICAM COMPLETES MIDDAY CHALLENGE
11:05.

1403 COLLECTING VOC. FILLING ROLL OFF 280192.

1447 ROLL OFF 280192 IS FULL AND COMPOSITE COLLECTED.

1503 ROLL OFF 280192 IS OFF SITE.

1515 STARTING END OF DAY CHECKS.

1520 ROLL OFF R021127RT IS IN THE YARD.

1700 SECURED

76

42

16-4-16

0630 SAFETY BRIEF

0750 RADIO CHECKS

0800 MIVICAMS AND BARRAS UP.

0920 STARTING WORK ON RETAINING WALL
"HYDRAULIC HAMMER."

1144 STARTING MIDDAY CHALLENGE

1255 MIDDAY CHALLENGE COMPLETE.

1300 CUTTING REBAR. AND FIXING RELOOF
ROZII 27 RT W/ RUBBER.

1535 STARTING END OF DAY CHECKS.

1700 SECURED



P4

43 10-5-16

0630 SAFETY BRIEF.

0750 RADIO CHECKS.

0800 ROAD SIGNS ARE IN PLACE. MINI CARS
AND DAMS UP.

0835 STARTING INTRUSIVE OPERATIONS.

1010 ROLL OFF R021127RT IS FULL "DEBRIS"

1021 ROLL OFF R021127RT IS OUT OF THE YARD.

1140 STARTING MID DAY CHALLENGE

1200 MID DAY CHALLENGE COMPLETE

1230 VOC COLLECTED, FILLING ROLL OFF
279982.1322 COMPOSITE SAMPLE COLLECTED AND ROLL
OFF 279982 IS FULL.

1340 ROLL OFF 279982 IS OFF SITE.

1400 ROLL OFF 279968 IS IN THE YARD.

1424 COLLECTED VOC. FILLING ROLL OFF 279968


1515 COMPOSITE COLLECTED ROLL OFF 279968 Full.

1534 ROLL OFF 279968 IS OFF SITE.

STARTING END OF DAY CHECKS

1700 SECURED



Daily Contractor Quality Control Report					
Contract Number:	W91ZDY-09-D-0062				
Delivery Order Number:	0006				
Project Name:	4825 Glenbrook Rd. Remedial Action, Spring Valley FUDS.				
Project Number:	748272.03000				
Site Location:	Spring Valley, Washington, DC.				
Date:	10/6/2016 Thursday				
Weather:	Partly Cloudy 53-69 °F, wind - 0 to 7 mph.				
Field Instrument:	AraCine - (1) Down Range, HCL - (1) Down Range, HCN - (1) Down Range, (1) PID - Down Range, MiniCAMS, DAAMS				
Measurements:	All Non Detect.				
Calibrations:	AraCine and HCL - Fresh air zero calibration, HCN - Fresh Air and 10ppm HCNA/Nitrogen Balance, PID - 100ppm Isobutylene and fresh air.				
Activities Conducted:	Crews continued excavation of Area A grid 90,10. Collected 2 composite samples and submitted them for headspace. Sent 2 samples to ECBC for low level analysis.				
Summary:	Crews continued excavation of Area A grid 90,10. Collected 2 composite samples and submitted them for headspace (See COC for IDs). Sent 2 samples to ECBC for low level analysis (See COCs for IDs).				
Items Found:	None				
Contingency Plan Initiated:	No				
Air Monitoring:	MiniCAMMS, DAAMS				
IDW Generated:	PPE and Decon Water				
Waste Disposal:	None				
Departures from approved SSWP:	None				
Problems encountered/resolutions:	None				
Instructions given by government personnel:	None				
Attachments:	Sample Logs Daily QC Logs UXO Safety Log (Weekly) COC				
Signed by:					
Name (print):	Margaret Rockwell				
Date:	10/6/2016				
Phone Number:	571-721-9804				
Copies sent to:	Tammy Chang, Beth Driskill, Phil Matter, Scott Wenschel, Jamele Bousal				

Poc

44

10-6-16

0630 SAFETY BRIEF.

0745 RADIO CHECKS.

0800 TRAFFIC SIGNS UP AND DARRS PUMPS
RUNNING.

0836 MINICAMS ARE UP.

0845 Rolloff RB36774RT IS IN THE YARD.

0911 COLLECTING VOC.

1015 COMPOSITE COLLECTED AND ROLL OFF
RB36774RT IS FULL.

1025 ROLL OFF RB 36774RT IS OUT OF THE YARD.

1045 Rolloff 274823RT is in

1142 Midday Challenge w/ lunch

1157 Min. CAMS up.

1235 Begin ops

1245 VOC #12 collected

1300 Rolloff full

1334 Composite Sample 12 Complete.

1347 Rolloff out

1405 RB37384RT rolloff in.

1435 TM1 reports pieces of glass were 3 pieces

1500 End intrusive ops, bag glass found.

1505 Begin working on E/S controls & weekly maintenance.

1700 End of day all secure.

Ther

SPRING VALLEY, WASHINGTON DC

Delivery Order: TO 0006

Site Location: 4825 Glenbrook Road

Clear and cool Low 49° High 68°

Personnel on Site

[illegible]

ACTIVITIES CONDUCTED (include site mobilization/demobilization, brush/tree clearing, geophysical survey, intrusive excavation, contaminated soil excavation, sampling, and restoration activities)

Safety Briefing:	6:30
------------------	------

Personnel continued excavation of area A and began demolition of second section of retaining wall that is in area A. Several pieces of AUES glass were found. Baltimore geologist was on site and confirmed competent saprolite in Area A south of -70 grid line.

End of Day: 17:00

SAMPLES COLLECTED: See DQCR for sample information

Closed cavity items found	None
---------------------------	------

New Equipment on Site:	N/A
------------------------	-----

Visitors

Contractors

DAVEY (0)

ACCUPERMIT (2)

ACI (0)
$$\frac{\text{CPJ (5)}}{\text{CPJ (0)}}$$

Problems encountered/resolutions:

Instructions given by government personnel:

Activities anticipated for tomorrow:

Attachments (include as appropriate)		
	Y/N	
Geophysical Summary	Y/N	
Excavation Summary	Y/N	
Air Monitoring Summary	Y/N	<i>To be included if investigation is using CSS protocols</i>
Dig Sheet	Y/N	<i>To be included at least once every week during intrusive investigation</i>
Sample Chains-of-Custody (COCS)	Y/N	
Contingency Plan Initiation Summary	Y/N	
Health and Safety Report	Y/N	<i>To be included weekly during field activities</i>
Property Management Summary	Y/N	<i>Include complete property inventory once every month</i>
Photographs	Y/N	

[illegible]

名

45 10-11-16

0630 SAFETY BRIEF.

0745 Radio checks MINICAMS UP

0758 DARNES PUMPS ARE RUNNING

1022- DAVID KING CENB GEO DOWN RANGE
LOOKING AREA "A"

1145 STARTING MID DAY.

1261 MINICAPUS BACK UP.

1220 HAND DIGGING AND BREAKING WALL

1555 STARTING END OF DAY CHECKS.

1750 SECURED

Pg

46 10-12-16

0630 SAFETY BRIEF.

0748 RADIO CHECKS, MINICAMS UP.

0800 DAMS PUMPS RUNNING, TRAFFIC
SIGNS OUT.0820 FILLING ROLL OFF RB 37384RT
W/ RUBBER.1000 ROLL OFF RB 37384RT IS FULL AND
OFF TO FEO PROPERTY W/ HE⁰ DRAIN SIG.

1053 VOC COLLECTED. FILLING ROLL OFF 274314

1140 ROLL OFF 274314 IS FULL AND THE
COMPOSITE SAMPLE COLLECTED.1148 STARTING MID DAY CHALLENGE. 12:18 ^{Roll off complete}

1255 ROLL OFF 274314 TO FEO PROPERTY.

1330 ROLL OFF R 25692RT IN THE YARD.

1420 VOC COLLECTED. FILLING ROLL OFF
R 25692RT W/ SOIL.1515 ROLL OFF R 25692RT IS FULL AND COMPOSITE
COLLECTED.

1523 STARTING END OF DAY CHECKS.

1530 ROLL OFF R 25692RT IS OFF TO FEO PROPERTY.

1700 SECURED



Pg

47

10-13-16

0630 SAFETY BRIEF

0755 RADIO CHECKS, TRAFFIC SIGNS
IN PLACE MINICAMS UP.

0807 DAMS PUMPS RUNNING.

0820 ROLL OFF 279887 IN THE YARD.

STARTING INTRUSIVE OPERATIONS.

1000 VOC COLLECTED FILLING ROLL OFF 279887.

1100 CONFERENCE / CALL

1119 ROLL OFF 279887 IS FULL, COMPOSITE
SAMPLE COLLECTED.1120 ROLL OFF 279887 OFF SITE. SER 480
DAMAGE CALLED FOR HEAVY SPACING.

1150 STARTING MID DAY CHALLENGE

1204 MID DAY CHALLENGE COMPLETE.

1245 PHOENIX BALANCE W/ LONG FENCE ON SITE.

1255 LONG FENCE OFF SITE.

1318 ROLL OFF 274582 IS FILLED W/ ROBBIE/OFFSITE.

1520 STARTING END OF DAY CHECKS.

1600 SECURED

A handwritten signature in black ink, appearing to read 'J. J. J.', is written across the bottom of the page. A long, thin diagonal line is drawn from the bottom left towards the signature.

Pg

48

10-17-16

0630 SAFETY BRIEF.

0730 RADIO CHECKS

0800 DAMS PUMPS RUNNING.

0806 MINICAMS ARE UP.

0910 Roll off R25924 RT is on site.

1015 SEAN BRICKLEY ON SITE.

1115 VOC COLLECTED.

1200 Rolloff R25924 RT IS FULL AND
THE COMPOSITE COLLECTED.

1201 STARTING MIDDAY CHALLENGE.

1244 CHALLENGE COMPLETE.

1307 Rolloff R25924 RT IS OFF SITE.

1327 Rolloff 278356 IS ON SITE.

1402 70-10 #1 CONFIRMATION SAMPLE COMPLETE

1412 70-10 #2 COLLECTED.

1427 70-10 #1 COLLECTED

1457 70-10 #1 COLLECTED

1521 70-10 #2 COLLECTED

1529 70-10 #1 COLLECTED

1547 All CONFIRMATION SAMPLES COLLECTED FOR
AREA "A" SECTION 1. STARTING END
OF DAY CHECKS.

1700 SECURED

R₂

49 10-18-16

0630 SAFETY BRIEF

0745 RADIO CHECKS.

0800 DRAWS PUMPS RUNNING, TRAFFIC
SIGNS IN PLACE.

0829 MINICAMS ARE UP.

0900 VOC COLLECTED.

1047 ROLLOFF 278356 IS FULL. COMPOSITE COLLECTED.

1109 ROLLOFF 278356 IS OFF SITE.

1110 STARTING MID DAY CHALLENGE.

1130 ROLLOFF 225926RT ON SITE.

1219 MID DAY CHALLENGE COMPLETE.

1530 STARTING END OF DAY CHECKS.

1700 SECURED

A handwritten signature, possibly "R. J. H.", is written in blue ink. Below the signature are several horizontal lines, likely representing a signature strip or a separator.

Pa

50

10-19-16

0630 SAFETY BRIEF

0740 MINICAMS UP

0800 DAMS PUMPS RUNNING, TRAFFIC
SIGNS UP.

0830 VOC COLLECTED FILLING ROLLOFF R25926RT.

0935 ROLLOFF R25926RT IS FULL, COMPOSITE COLLECTED

0953 ROLLOFF R25926RT IS OFF SITE.

1150 STARTING MIDDAY CHALLENGE / END OF DAY
FOR MIDDAYS.1335 SPREADING CONCRETE WALK. PAUL SCOTT, JR.
AT BARREL YARD SORTING M.D.

1700 SECURED

Handwritten signature and initials, possibly "F. Scott" and "JR.", written in dark ink.

[illegible]

Pg

51 10-20-16

0630 SAFETY BRIEF.

0800 RADIC CHECKS / Begin torch cutting soldier-pits.

0900 DAVID KING CENAB GEOLOGIST ON
SITE TO INSPECT AREA "A" #2.

0915 Baltimore Geologist departs, sepiolite confirmed.

0955 Torch cutting operation complete. 30 minute wait time
being observed.

1130 ROLL OFF 274308 IS FULL "TRAMP & FBUS"

1140 ROLL OFF-274308 IS OFF SITE.

1230 THE TOWN IS WORKING & FEB

PROPERLY
1700 SECURED

Pg 57

[illegible]

Pg

52 10-24-16

0630 SAFETY BRIEF

0750 RADIO CHECKS

0748 MINICAMS ARE UP

0757 TRAFFIC SIGN IN PLACE.

0800 DAMS PUMPS RUNNING.

0820 TAKING CONFIRMATION SAMPLE
FROM AREA #2

1135 CONFIRMATION SAMPLING COMPLETE.

1136 STARTING MID DAY CHALLENGE.

1152 MIDDAY CHALLENGE COMPLETE.

1200 JOHN BUCKLEY, KENNA BARBER AND
AN' REPRESENTATIVES ARE MEETING, DISCUSSING
AC RELOCATIONS.

1345 MEETING W/AN IS OVER.

1400 TWO WEEK LOOK AHEAD.

1500 END OF DAY CHECKS W/MONITORING.

1700 SECURED

Handwritten signature and initials, possibly "J. Buckley" and "K. Barber", with a large checkmark or flourish below them.

R2

53 10-25-16

0630 SAFETY BRIEF.

0750 RADIO CHECKS.

0834 MINI CAMS UP

0840 DAMS PUMPS RUNNING, THE

EXCLUSION ZONE ESTABLISHED AND

TADS IS SETUP, STARTING INTENSIVE

OPERATIONS.

1136 STARTING MIDDAY CHALLENGE.

1231 MIDDAY CHALLENGE COMPLETE.

1541 STARTING END OF DAY CHECKS.

1750 REQUIRED



1777

Pg

54 10-26-16

0630 SAFETY BRIEF.

0751 MINICAMS UP. RADIO CHECKS

0805 DAMS PUMPS RUNNING.
STARTING INTRUSIVE OPERATIONS.

1145 MIDDAY CHALLENGE.

1154 MIDDAY CHALLENGE COMPLETE

1545 STARTING END OF DAY CHECKS.

1700 SECURED

[Handwritten signature/initials]

[illegible]

to

SS 10-27-16

0630 SAFETY BRIEF

0800 SIGN UP, DAMS PUMPS RUNNING
MINICAMS UP @ 0751

1030 STARTING END OF DAY CHECKS w/ MONITORING.

1205 RANDALL PATRICK ON SITE.

1235 SEAN SUCKLEY ON SITE.


1244 LIGHTNING HOLD.

1337 OFF LIGHTNING HOLD

1419 LIGHTNING HOLD. NOTE: Sherry Anderson-Higgins
AND BRUCE WHISNANT WERE ON SITE @ 13:05
AND OFF SITE 14:05.

1450 OFF LIGHTNING HOLD.

1700 SECURED

Handwritten signature and initials, possibly "J. Kelly" and "SK", written in dark ink.

Daily Contractor Quality Control Report					
Contract Number:	W912DY-09-D-0062				
Delivery Order Number:	0006				
Project Name:	4825 Glenbrook Rd. Remedial Action, Spring Valley FUDS.				
Project Number:	748272.03000				
Site Location:	Spring Valley, Washington, DC.				
Date:	10/31/2016				
Weather:	Cloudy, rain in the afternoon 47-62°F, wind - 0 to 8 mph.				
Field Instrument:	MiniCAMS, DAAMS				
Measurements:	All Non Detect.				
Calibrations:					
Activities Conducted:	No intrusive activities. Crews emptied 5 roll-offs and bagged filters at Fed Property.				
Summary:	No intrusive activities. Crews emptied 5 roll-offs and bagged filters at Fed Property.				
Items Found:	None				
Contingency Plan Initiated:	No				
Air Monitoring:	MiniCAMMS, DAAMS				
IDW Generated:	PPE and Decon Water				
Waste Disposal:	None				
Departures from approved SSWF:	None				
Problems encountered/resolutions:	None				
Instructions given by government personnel:	None				
Attachments:	Sample Logs Daily QC Logs UXO Safety Log (Weekly) COC				
Signed by:					
Name (print):	Margaret Rockwell				
Date:	10/31/2016				
Phone Number:	571-721-9804				
Copies sent to:	Tammy Chang, Beth Driskill, Phil Matter, Scott Wunschel, Janelle Bousal				

P₆

57 10-31-16

0630 SAFETY BRIEF

0700 RADIO CHECKS.

0751 MINICAMS UP

0850 DAWN PUMPS RUNNING.


1135 STARTING MIDDAY CHALLENGE.

1208 MIDDAY CHALLENGE COMPLETE.

1300 STARTING END OF DAY CHECKS.

1700 SECURED

[Handwritten signature]

Daily Contractor Quality Control Report					
Contract Number:	W912DY-09-D-0062				
Delivery Order Number:	0006				
Project Name:	4825 Glenbrook Rd. Remedial Action, Spring Valley FUDS.				
Project Number:	748272.03000				
Site Location:	Spring Valley, Washington, DC.				
Date:	11/01/2016 Tuesday				
Weather:	Cloudy 50-60 °F, wind -- 0 to 7 mph.				
Field Instrument:	AraCine - (1) Down Range, HCL - (1) Down Range, HCN - (1) Down Range, (1) PID - Down Range, MiniCAMS, DAAMS				
Measurements:	All Non Detect.				
Calibrations:	AraCine and HCL -- Fresh air zero calibration, HCN -- Fresh Air and 10ppm HCNA/Nitrogen Balance, PID - 100ppm Isobutylene and fresh air.				
Activities Conducted:	Crews digging in grids (-30,-70) and (-10,-70).				
Summary:	Crews digging in grids (-30,-70) and (-10,-70).				
Items Found:	None				
Contingency Plan Initiated:	No				
Air Monitoring:	MiniCAMMS, DAAMS				
IDW Generated:	PPE and Decon Water				
Waste Disposal:	None				
Departures from approved SSWP:	None				
Problems encountered/resolutions:	None				
Instructions given by government personnel:	None				
Attachments:	Sample Logs Daily QC Logs UXO Safety Log (Weekly) CDC				
Signed by:					
Name (print):	Margaret Keckwell				
Date:	11/1/2016				
Phone Number:	571-721-9804				
Copies sent to:	Tammy Chang, Beth Driskill, Phil Matter, Scott Wunschel, Janelle Bousal				

Pg

58 11-16

0630 SAFETY BRIEF

0730 RADIO CHECKS

0815 MINICAMS UP. SHAHS PUMPS RUNNING

1202 STARTING MID DAY CHALLENGE

1222 MID DAY COMPLETE.

1545 STARTING END OF DAY CHECKS.

1750 SECURED.

[Handwritten signature]

R

59 11-2-16

0630 SAFETY BRIEF.

0750 RADIO CHECKS.

0800 TRAFFIC SIGNS ARE UP.

0802 MINI CARS UP @ 07:50 AND

DAMS PUMPS ARE RUNNING @ THIS TIME.

0930 ROLL OFF 279655 IS IN THE YARD.

0940 VOC SAMPLE COLLECTED.

1040 COMPOSITE COLLECTED.

1058 ROLL OFF 279655 IS OFF SITE.

1125 ROLL OFF 274345 IS IN THE YARD.

1135 STARTING MID DAY CHALLENGE.

1244 MID DAY CHALLENGE COMPLETE.

1255 VOC COLLECTED.

1338 COMPOSITE SAMPLE COLLECTED.

1358 ROLL OFF 274345 IS OFF SITE.

1430 VOC COLLECTED. FOR ROLL OFF RB 21724RT.

1500 COMPOSITE SAMPLE COLLECTED. ROLL OFF

RB 21724RT IS FULL.

1525 ROLL OFF RB 21724RT IS OFF SITE.

1700 SECURED

Handwritten signature and initials, possibly 'J. R. L.', written in blue ink over a diagonal line.

Pg

60 11-3-16

0630 SAFETY BRIEF.

0650 RADIO CHECKS

0751 MINICAMS VP.

0801 DRAIN PUMPS RUNNING.

0812 ROLLOFF 279900 IS IN THE YARD.

0820 VOC COLLECTED. FILLING ROLLOFF 279900

0858 ROLLOFF 279900 IS FULL, COMPOSITE COLLECTED.

0910 ROLLOFF 279900 IS OFF SITE.

0957 ROLLOFF R2649 RT IS IN THE YARD.

1000 VOC COLLECTED.

1038 ROLLOFF R2649 RT IS FULL AND
COMPOSITE COLLECTED.

1057 ROLLOFF R2649 RT IS OFF SITE.

1114 ROLLOFF 280191 IS IN THE YARD.

1120 STARTING MID DAY CHALLENGE.

1130 MID DAY CHALLENGE COMPLETE

1201 VOC COLLECTED. FILLING ROLLOFF 280191.


1240 ROLLOFF 280191 IS FULL AND THE COMPOSITE COLLECTED

1250 ROLLOFF 280191 IS OFF SITE.

1300 STARTING END OF DAY CHECKS.

1427 TWO WEEK LOOK AHEAD.

1710 SECURED



Pg

61 11-7-14
 0630 SAFETY BRIEF.
 0739 RADIO CHECKS.
 0800 MINI CAMS UP. TRAFFIC SIGNS
 OUT.
 0802 DAAM'S PUMPS RUNNING.
 0900 Rolloff 279693 IS IN THE YARD
 0901 VOC COLLECTED
 0946 Rolloff 279693 IS FULL AND COMPOSITE
 SAMPLE COLLECTED.
 1003 Rolloff 279693 IS OFF SITE.
 1050 Rolloff RB 21718RT IS ON SITE
 1059 VOC COLLECTED
 1137 Rolloff RB 21718RT IS FULL. COMPOSITE COLLECTED.
 1140 STARTING MID DAY CHALLENGE.
 1156 MID DAY CHALLENGE COMPLETE.
 1312 Rolloff RB 21718RT IS OFF SITE
 1340 Rolloff R2624RT ON SITE.
 1344 VOC COLLECTED.
 1423 Rolloff R2624RT IS FULL (COMPOSITE COLLECTED)
 1447 Rolloff R2624RT IS OFF SITE.
 1510 Rolloff 279892 IS ON SITE
 1530 STARTING END OF DAY CHECKS.
 1700 SECURED

F3

62- 11-8-16

0630 SAFETY BRIEF

0735 RADIO CHECKS.

0855 MINICAMS UP. DAMS PUMPS RUNNING.

0905 VOC COLLECTED.

1000 ROLLOFF 279892 IS FULL AND
COMPOSITE COLLECTED.

1145 STARTING MIDDAY CHALLENGE.

1202 MIDDAY CHALLENGE COMPLETE.

1307 ROLLOFF 279892 IS OFF SITE.

1330 ROLLOFF 280155 IS IN THE YARD.

1332 VOC COLLECTED.

1430 ROLLOFF 280155 IS FULL AND COMPOSITE COLLECTED.

1435 ROLLOFF 280155 IS OFF SITE.

1500 ROLLOFF 8836777RT IS ON SITE.

1505 VOC COLLECTED.

1528 ROLLOFF 8836777RT IS FULL.

1532 COMPOSITE COLLECTED.

1535 STARTING END OF DAY CHECKS.

1700 SECURED

[illegible]

R₁

63 11-9-16

0630 SAFETY BRIEF

0730 RADIO CHECKS.

0805 MINICAMS AND DAMS UP.

1150 STARTING MID DAY

1208 MIDDAY COMPLETE.

1315 STARTING END OF DAY CHECKS.

1700 SECURED.

Handwritten signature or initials.

Pg

64 11-10-16

0630 SAFETY BRIEF

0750 RADIO CHECKS

0805 DAPMS PUMPS RUNNING.

0925 MINICAMS UP. ROLL OFF RB36777 RT OF SITE.

1109 VOC COLLECTED.

1150 CONFERENCE CALL

1140 CALL COMPLETED

1150 ROLL OFF 280 196 15 Gall AND COMPOSITE COLLECTED.

1255 STARTING MID DAY CHALLENGE

1225 MID DAY COMPLETE.

1327 ROLL OFF 280 196 OFF SITE.

1348 ROLL OFF 274 806 ON SITE.

1355 VOC Sample Collected.

1430 Composite Sample Collected.

1445 ROLL OFF 274 806 OFF SITE.

1504 STARTING END OF DAY.

1700 SECURED

A handwritten signature, possibly "J. J. Smith", is written over the date "11-10-16". The signature is in dark ink and is somewhat stylized. The date is written in a simple, legible font.

Pa

65 11-14-16

0630 SAFETY BRIEF

0803 RADIO CHECKS

1816 DARRIS PUMPS RUNNING.

0855 MINICAMS UP.

0930 ROLLOFF 225788 RT IS ON SITE.

0937 VOC COLLECTED.

1030 ROLLOFF IS FULL AND COMPOSITE COLLECTED.

1032 ROLLOFF 225788 RT IS OFF SITE.

1055 ROLLOFF 279888 IS ON SITE.

1100 VOC COLLECTED.

1152 ROLLOFF 279888 IS FULL AND COMPOSITE COLLECTED.

1155 STARTING MID DAY CHALLENGE

1255 MID DAY CHALLENGE COMPLETE

1314 ROLLOFF 279888 IS OFF SITE.

1340 ROLLOFF 274544 ON SITE.

1428 VOC COLLECTED.

1507 ROLLOFF 274544 IS FULL AND COMPOSITE COLLECTED.

1520 STARTING END OF DAY CHECKS

1525 ROLLOFF 274544 IS OFF SITE.

1700 SECURED.



Daily Contractor Quality Control Report					
Contract Number:	W912DY-09-D-0062				
Deli very Order Number:	0006				
Project Name:	4825 Glenbrook Rd. Remedial Action, Spring Valley FUDS.				
Project Number:	748272.03000				
Site Location:	Spring Valley, Washington, DC.				
Date:	11/15/2016 Tuesday				
Weather:	Cloudy 39-60 °F, wind - 0 to 6 mph.				
Field Instrument:	Ara sine - (1) Down Range, HCL - (1) Down Range, HCN - (1) Down Range, (1) PID - Down Range, MiniCAMS, DAAMS				
Measurements:	All Non Detect.				
Calibrations:	Ara sine and HCL - Fresh air zero calibration, HCN - Fresh Air and 10ppm HCNA/Nitrogen Balance, PID - 100ppm Isobutylene and fresh air.				
Activities Conducted:	Two samples sent to ECBC for low level analysis. ACI representative on-site to scope the sewerline.				
Summary:	Two samples sent to ECBC for low level analysis (Please see COC for IDs). ACI representative on-site to scope the sewerline.				
Items Found:	None				
Contingency Plan Initiated:	No				
Air Monitoring:	MiniCAMMS, DAAMS				
IDW Generated:	PPE and Decon Water				
Waste Disposal:	None				
Departures from approved SSWP:	None				
Problems encountered/resolutions:	None				
Instructions given by government personnel:	None				
Attachments:	Sample Logs Daily QC Logs UXO Safety Log (Weekly) COC				
Signed by:					
Name (print):	Margaret Rockwell				
Date:	11/15/2016				
Phone Number:	571-721-9804				
Copies sent to:	Tammy Chang, Beth Driskill, Phil Matter, Scott Wunschel, Janell Bousal				

Pg

66

11-15-16

0630 SAFETY BRIEF.

0730 RADIO CHECKS. MINI CAMS UP.

0800 SAAMS BUMPS RUNNING.

0900 ACI ON SITE

1130 ACI OFF SITE STARTING MID DAY
CHALLENGE.


1145 MID DAY CHALLENGE COMPLETE.


1520 STARTING END OF DAY CHECKS.


1700 SECURED

Randy

11/15/16

Daily Contractor Quality Control Report					
Contract Number:	W91ZDY-09-D-0062				
Delivery Order Number:	0006				
Project Name:	4825 Glenbrook Rd. Remedial Action, Spring Valley FUDS.				
Project Number:	748272.03000				
Site Location:	Spring Valley, Washington, D.C.				
Date:	11/16/2016 Wednesday				
Weather:	Cloudy with light rain showers in the afternoon 42-63°F, wind - 0 to 8 mph.				
Field Instrument:	AraCine - (1) Down Range, HCL - (1) Down Range, HCN - (1) Down Range, (1) PID - Down Range, MiniCAMS, DAAMS				
Measurements:	All Non Detect.				
Calibrations:	AraCine and HCL - Fresh air zero calibration, HCN - Fresh Air and 10ppm HCNA Nitrogen Balance, PID - 100ppm Isobutylene and fresh air.				
Activities Conducted:	3 samples sent to ECBC for low level analysis. Crew worked on the sewer re-route and exposed the outside water valve. Crew also prepared E&S controls for upcoming holiday				
Summary:	3 samples sent to ECBC for low level analysis (See COC for IDs). Crew worked on the sewer re-route and exposed the outside water valve. Crew also prepared E&S controls for upcoming holiday				
Items Found:	None				
Contingency Plan Initiated:	No				
Air Monitoring:	MiniCAMMS, DAAMS				
IDW Generated:	PPE and Decon Water				
Waste Disposal:	None				
Departures from approved SSWF:	None				
Problems encountered/resolutions:	None				
Instructions given by government personnel:	None				
Attachments:	Sample Logs Daily QC Logs UXO Safety Log (Weekly) COC				
Signed by:					
Name (print):	Margaret Rockwell				
Date:	11/16/2016				
Phone Number:	571-721-9804				
Copies sent to:	Tammy Chang, Beth Driskill, Phil Matter, Scott Wunschel, Janelle Bousal				



Daily Contractor Quality Control Report					
Contract Number:	W91ZDY-09-D-0062				
Delivery Order Number:	0006				
Project Name:	4825 Glenbrook Rd. Remedial Action, Spring Valley FUDS.				
Project Number:	748272.03000				
Site Location:	Spring Valley, Washington, DC.				
Date:	11/7/2016				
Weather:	Sunny 39-61 °F, wind – 0 to 9 mph.				
Field Instrument:	AraCine - (1) Down Range, HCL - (1) Down Range, HCN - (1) Down Range, (1) PID - Down Range, MiniCAMS, DAAMS				
Measurements:	All Non Detect.				
Calibrations:	AraCine and HCL – Fresh air zero calibration, HCN – Fresh Air and 10ppm HCNA/Nitrogen Balance, PID - 100ppm isobutylene and fresh air.				
Activities Conducted:	Crew worked on the sewer re-route and exposed the outside water valve. Crews installed Erosion & Sediment controls for upcoming break. Drained and winterized the AU water line. Crews cleaned the site and secured equipment for the Thanksgiving holiday. Samples sent to APPL for waste characterization.				
Summary:	Crew worked on the sewer re-route and exposed the outside water valve. Crews installed Erosion & Sediment controls for upcoming break. Drained and winterized the AU water line. Crews cleaned the site and secured equipment for the Thanksgiving holiday. Samples sent to APPL for waste characterization (See APPL COC for IDs).				
Items Found:	None				
Contingency Plan Initiated:	No				
Air Monitoring:	MiniCAMMS, DAAMS				
IDW Generated:	PPE and Decon Water				
Waste Disposal:	None				
Departures from approved SSWP:	None				
Problems encountered/resolutions:	None				
Instructions given by government personnel:	None				
Attachments:	Sample Logs Daily QC Logs UXO Safety Log (Weekly) COC				
Signed by:					
Name (print):	Margaret Beckwith				
Date:	11/7/2016				
Phone Number:	571-721-9804				
Copies sent to:	Tammy Chang, Beth Drinkall, Phil Matter, Scott Wunschel, Jamele Bousal				

Pg

68 11-17-16

0630 SAFETY BRIEF.

0730 RADIO CHECKS.

1100 CONFERENCE CALL.

1130 CONFERENCE CALL COMPLETE.

1751 SECURE 6

[Handwritten signature]

Daily Contractor Quality Control Report					
Contract Number:	W912DY-09-D-0062				
Deli very Order Number:	0006				
Project Name:	4825 Glenbrook Rd. Remedial Action, Spring Valley FUDS.				
Project Number:	748272.03000				
Site Location:	Spring Valley, Washington, DC.				
Date:	11/28/2016				
Weather:	Sunny 35-54 °F, wind – 0 to 5 mph.				
Field Instrument:	Ara sine - (1) Down Range, HCL - (1) Down Range, HCN - (1) Down Range, (1) PID - Down Range, MiniCAMS, DAAM s				
Measurements:	All Non Detect.				
Calibrations:	Ara sine and HCL – Fresh air zero calibration, HCN – Fresh Air and 10ppm HCNA/Nitrogen Balance, PID - 100ppm Isobutylene and fresh air.				
Activities Conducted:	Crews prepared 4825 for the sewer excavation and prepped site for upcoming rain event with erosion and sediment controls.				
Summary:	Crews prepared 4825 for the sewer excavation and prepped site for upcoming rain event with erosion and sediment controls.				
Items Found:	None				
Contingency Plan Initiated:	No				
Air Monitoring:	None				
IDW Generated:	None				
Waste Disposal:	None				
Departures from approved SSWP:	None				
Problems encountered/resolutions:	None				
Instructions given by government personnel:	None				
Attachments:	Sample Logs Daily QC Logs UXO Safety Log (Weekly) CDC				
Signed by:					
Name (print):	Margaret Rockwell				
Date:	11/28/2016				
Phone Number:	571-721-9804				
Copies sent to:	Tammy Chang, Beth Driskill, Phil Matter, Scott Wunschel, Janelle Bousal				

Pg

69

11-28-16

0630 SAFETY BRIEF.

0755 RADIO CHECKS.

0812 MINICAMS UP. 0815 DAWN RUNNING

0828 THE EMERGENCY EYE WASH WASH WAS
RELOCATED TO THE ERIC TRAILER.

THE WATER AND SOLUTION WERE CHANGED.

0913 MINICAMS NEEDS TO MAKE REPAIRS.

INTENSIVE OPERATION SUSPENDED.

0959 MINICAMS BACK UP.

1200 STARTING MID DAY CHALLENGE

1221 MID DAY CHALLENGE COMPLETE.

1348 STARTING END OF DAY CHECKS.

1700 SECURED

A handwritten signature, possibly "KOT", is written in the lower half of the page. A large, thin diagonal line is drawn across the page, starting from the left margin and extending towards the bottom right corner.

Daily Contractor Quality Control Report						
Contract Number:	W912DY-09-D-0062					
Deli very Order Number:	0006					
Project Name:	4825 Glenbrook Rd. Remedial Action, Spring Valley FUDS.					
Project Number:	748272.03000					
Site Location:	Spring Valley, Washington, D.C.					
Date:	11/29/2016					
Weather:	Cloudy with rain storms throughout the day 58-65°F, wind - 0 to 11 mph.					
Field Instrument:	None					
Measurements:	All Non Detect.					
Calibrations:	None					
Activities Conducted:	Crews worked to prepare the site and Fed Property for the upcoming inspection on Thursday.					
Summary:	Crews worked to prepare the site and Fed Property for the upcoming inspection on Thursday.					
Items Found:	None					
Contingency Plan Initiated:	No					
Air Monitoring:	None					
IDW Generated:	None					
Waste Disposal:	None					
Departures from approved SSWP:	None					
Problems encountered/resolutions:	None					
Instructions given by government personnel:	None					
Attachments:	Sample Logs Daily QC Logs UXO Safety Log (Weekly) COC					
Signed by:						
Name (print):	Margaret Rockwell					
Date:	11/29/2016					
Phone Number:	571-721-9804					
Copies sent to:	Tammy Chung, Beth Driskill, Phil Matter, Scott Wenschel, Jamele Bousal					

P₂

70 11-29-14

0630 SAFETY BRIEF

0750 RADIO CHECKS.

0840 SEAN BACKLEY IN SITE.

1100 WORKING @ FED SITE

1700 SECURED.

~~1500~~
~~1600~~
~~1700~~

[illegible]

Pc

21 11-30-16

0630 SAFETY BRIEF.

0715 RADIO CHECKS TEAM IS WORKING.

0715 @ FED SITE

1700 SECURED

~~Handwritten scribbles and a large diagonal line crossing out the lower half of the page.~~

Daily Contractor Quality Control Report					
Contract Number:	W912DY-09-D-0062				
Delivery Order Number:	0006				
Project Name:	4825 Glenbrook Rd. Remedial Action, Spring Valley FUDS.				
Project Number:	748272.03000				
Site Location:	Spring Valley, Washington, DC.				
Date:	12/1/2016				
Weather:	Sunny 47-63°F, wind – 0 to 4 mph.				
Field Instrument:	None				
Measurements:	All Non Detect.				
Calibrations:	None				
Activities Conducted:	DDOE representative at Fed Property for site inspection. Crews conducted activities at Fed Property				
Summary:	DDOE representative at Fed Property for site inspection. Crews conducted activities at Fed Property				
Items Found:	None				
Contingency Plan Initiated:	No				
Air Monitoring:	None				
IDW Generated:	None				
Waste Disposal:	None				
Departures from approved SSWP:	None				
Problems encountered/resolutions:	None				
Instructions given by government personnel:	None				
Attachments:	Sample Logs Daily QC Logs UXO Safety Log (Weekly) COC				
Signed by:					
Name (print):	Margaret Rockwell				
Date:	12/1/2016				
Phone Number:	571-721-9804				
Copies sent to:	Tammy Chang, Beth Driskill, Phil Matter, Scott Wenschel, Janell Bousal				

29
72
73

12-01-16

0630 SAFETY BRIEF

0710 RADIO CHECKS.

1700 SECURED

[Handwritten signature]

Pg

23 12-5-16

0630 SAFETY BRIEF

0750 RADIO CHECKS.

0752 MINICAMS UP.

0800 BRAMS PUMPS RUNNING.

0824 MINICAMS DOWN.

0915 MINICAMS BACK UP

1200 STARTING MID DAY CHALLENGE

1211 MID DAY CHALLENGE COMPLETE.

1547 STARTING END OF DAY CHECKS

1700 SECURED

A handwritten signature in blue ink, appearing to be 'J. J. [unclear]', is written across the lower half of the page. A diagonal line is drawn from the left margin to the right margin, passing through the signature.

[illegible]

P₂

24 12-6-16

0630 SAFETY BRIEF

0745 RADIO CHECKS

0747 MINI CAMS UP.

0800 DAMPS PUMPS RUNNING

STARTING INTRUSIVE OPERATIONS.

1200 STARTING MID DAY CHALLENGE

1219 MID DAY CHALLENGE COMPLETE.

1550 STARTING END OF DAY CHECKS.

1700 SECURED

[Handwritten signature]

[illegible]

Pg

75 12-7-16

0630 SAFETY BRIEF. Martin Meyers on site.

0750 RADIO CHECKS

0754 MINICAMS UP

0800 DRAINS PUMPS RUNNING.

0908 PUMPED WATER FROM TRENCH. A20

1230 BARRIS #518 TARM #520

1200 STARTING MID DAY CHALLENGE.

1224 MID DAY CHALLENGE COMPLETE

1400 STARTING END OF DAY CHECKS.

1700 SECURED

TRENCH

[illegible]

76

12-8-16

0630 SAFETY BRIEF

0750 RADIO CHECKS

0800 DAMS PUMPS RUNNING

0900 ALL ON SITE TO START SEWER REPAIR
FOR 9835

1230 ALL OFF SITE.

1400 SECURITY

120

STOP

Pa

77 12-9-16

0630 SAFETY BRIEF

0710 RADIO CHECK

0740 ACT ON SITE

0800 WORKING ON SEWER RETURN

0845 RE BRIT CONCRETE COMPLETE.

STARTING TO BACK FILL W/ CLEAN SOIL.

1220 BACK FILL COMPLETE

1250 SECURED

A handwritten signature, possibly 'Ry', is written above a set of initials, possibly 'KZ'. A diagonal line is drawn across the page from the bottom left towards the top right, passing through the signature and initials.

[illegible]

R

78 12-12-16

0630 SAFETY BRIEF

0700 RADIO CHECKS TEAMS WORKING
AT FEO PROPERTY PUMPING WATER
FOR HAZ WASTE TRANSPORT.

1700 SECURED

Log

Weather:

Clear and cold Low 35° High 41°

Site Location: 4825 Glenbrook Road

PARSONS

Wallscher, Scott

Martin, JR

Rev 1

B

79 12-13-16

0630 SAFETY BRIEF

0751 RADIO CHECKS, MINICAMS UP

0800 BAAMS PUMPS RUNNING.

0845 VOC COLLECTED, STARTING TO FILL.
ROLLOFF 274582.0945 ROLLOFF 274582 IS FULL AND
COMPOSITE COLLECTED.

0950 ROLLOFF 274582 IS OFF SITE.

1007 ROLLOFF 278356 IS ON SITE.

1013 VOC COLLECTED, FILLING ROLLOFF 278356.

1052 ROLLOFF 278356 IS FULL AND COMPOSITE COLLECTED.

1114 ROLLOFF 278356 IS OFF SITE.

1130 STARTING MID DAY CHALLENGE.

1141 MID DAY CHALLENGE COMPLETE.

1233 ROLLOFF R536776 RT ON SITE

1240 VOC COLLECTED, FILLING ROLLOFF R536776 RT.

1325 COMPOSITE COLLECTED, ROLLOFF R536776 RT IS FULL

1340 ROLLOFF R536776 RT IS OFF SITE.

1400 ROLLOFF 279887 IS ON SITE.

1409 VOC COLLECTED, FILLING ROLLOFF 279887.

1450 Comp sample 39 collected roll off full.

1516 Intrusive ops complete, begin end of day checks.

1700 SECURED



[illegible]

12

81 12-14-16

0630 SAFETY BRIEF.

0700 RADIO CHECKS.

0800 TRAFFIC SIGNS IN PLACE.

0918 PPE 318 AND H2° 517 LOADED FOR FED
PROPERTY.

1400 CONFERENCE CALL.

1700 SECURED

John S. H.

[illegible]

12

81 12-14-16

0630 SAFETY BRIEF.

0700 RADIO CHECKS.

0800 TRAFFIC SIGNS IN PLACE.

0918 PPE 318 AND H2° 517 LOADED FOR FED
PROPERTY.

1400 CONFERENCE CALL.

1700 SECURED

John S. H.